

Indiana 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Overall	-0.229	36	MS	-0.867	MA	0.736	0.000◆.....◇.....	
Women	-0.192	43	MS	-0.309	MA	0.327	0.000◆.....◇.....	
Infants	-0.007	33	MS	-0.267	NH	0.347	0.000◆.....◇.....	
Children	-0.030	31	MS	-0.291	MA	0.231	0.000◆.....◇.....	

Strengths

High percentage of women with a dedicated provider

High percentage of births at baby-friendly facilities

High percentage of children with special health care needs with a medical home

Challenges

Low percentage of cervical cancer screening

High prevalence of smoking during pregnancy

Low prevalence of protective home environment in children aged 0-5



	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Behaviors - Women									
Chlamydia (cases per 100,000 females aged 15-44)	1563.9	29	AK	2598.7	UT	842.7	1559.0◆.....◇.....	
Excessive Drinking (% of women aged 18-44)	17.0	20	ND	28.7	WV	10.7	17.7◆.....◇.....	
Obesity (% of women aged 18-44)	30.8	42	AR	36.6	MA	18.5	25.9◆.....◇.....	
Physical Inactivity (% of women aged 18-44)	25.0	42	MS	34.4	OR	14	22.5◆.....◇.....	
Smoking (% of women aged 18-44)	25.7	45	WV	33.6	CA	8.2	17.4◆.....◇.....	
Behaviors Women Total*	-0.043	46	MS	-0.088	UT	0.102	0.000◆.....◇.....	
Community & Environment - Women									
Concentrated Disadvantage (% of households)	13.9	29	MS	31	ND	2.6	16.0◆.....◇.....	
Food Insecurity (% of households)	14.6	31	MS	22	ND	8.4	14.3◆.....◇.....	
Intimate Partner Violence - Lifetime (% of women)	40.4	41	OK	49.1	ND	25.3	35.6◆.....◇.....	
Intimate Partner Violence - Pregnancy (% of women with a recent live birth)	NA	NA	CA	8.8	NH	1.3	NA◆.....◇.....	
Community & Environment Women Total*	-0.017	35	MS	-0.109	ND	0.131	0.000◆.....◇.....	
Policy - Women									
Postpartum Visit (% of women with a recent live birth)	NA	NA	NM	85.6	IL	93.8	NA◆.....◇.....	
Publicly-Funded Family Planning (% of need met)	21.0	38	LA	14	VT	61	29.0◆.....◇.....	
Uninsured Women (% of women aged 18-44)	17.9	33	TX	28.3	MA	3.6	16.8◆.....◇.....	
Policy Women Total*	-0.031	41	TX	-0.107	VT	0.132	0.000◆.....◇.....	
Clinical Care - Women									
Cervical Cancer Screening (% of women aged 18-44)	87.0	47	AR	83.6	MA	95.4	90.8◆.....◇.....	
Dedicated Health Care Provider (% of women aged 18-44)	75.3	18	NV	60.1	ME	86.9	71.6◆.....◇.....	
Dental Visit (% of women aged 18-44)	61.6	38	AZ	56.6	MA	77.2	65.6◆.....◇.....	
Flu Vaccine (% of women aged 18-44)	30.5	41	FL	20.7	SD	49	32.8◆.....◇.....	
Well-Woman Visit (% of women aged 18-44)	58.9	43	ID	53.3	MA	75.4	66.5◆.....◇.....	
Clinical Care Women Total*	-0.045	41	NV	-0.078	MA	0.123	0.000◆.....◇.....	
All Determinants Women*	-0.136	41	MS	-0.231	MA	0.297	0.000◆.....◇.....	

NA=not available, *Negative value denotes below US average; positive value denotes above US average.

Indiana 2016

State Value State Rank Least Healthy State Value Most Healthy State Value US Value State Value = solid diamond
US Value = open diamond

Outcomes - Women								
Diabetes (% of women aged 18-44)	3.1	26	AL	4.8	AK	1.9	3.1	
Drug Deaths (deaths per 100,000 population females aged 15-44)	16.1	36	WV	34	ND	4.2	12.0	
Maternal Mortality (deaths per 100,000 births)	34.9	44	GA	39.3	MA	5.8	19.9	
Postpartum Depression (% of women with a recent live birth)	NA	NA	AR	20.4	IL	7.2	NA	
Unintended Pregnancy (% of all pregnancies)	49.0	22	MS	62	UT	36	45.0	
All Outcomes Women*	-0.055	38	AR	-0.091	MN	0.061	0.000	
Behaviors - Infants								
Alcohol During Pregnancy (% of pregnant women aged 18-44)	6.4	13	OR	17.5	WV	2.2	10.0	
Breastfed (% of infants exclusive at 6 months)	18.1	26	MS	10.1	VT	29.6	18.8	
Sleep Position (% of women who usually place infant on back)	NA	NA	GA	45.6	NH	88.8	NA	
Smoking During Pregnancy (% of women who smoke while pregnant)	20.4	46	WV	24.2	CT	1.4	10.5	
Behaviors Infants Total*	-0.022	36	PA	-0.085	UT	0.064	0.000	
Community & Environment - Infants								
Household Smoke (% of children aged 0-17)	30.5	41	WV	41	UT	12.4	24.1	
Infant Child Care Cost (% of median income)	11.6	21	MN	15.2	LA	6.9	11.6	
Community & Environment Infants Total*	-0.038	39	WV	-0.061	UT	0.065	0.000	
Policy - Infants								
Baby-Friendly Facility (% of live births)	12.0	7	AR	NA	NH	36	7.8	
Home Health Visit (% of children aged 0-3)	22.0	10	TX	3.7	MN	30.6	13.6	
mPINC Score (Maternity Practices in Infant and Nutrition Care survey score)	76.0	23	MS	59	NH	91	75.0	
Policy Infants Total*	0.040	13	AR	-0.077	NH	0.133	0.000	
Clinical Care - Infants								
Low-Risk Cesarean Delivery (% of singleton, term, vertex first births)	24.0	24	NJ	31.6	NM	17	26.0	
Prenatal Care Before 3rd Trimester (% of live births)	93.4	12	MD	84.7	VT	97.8	86.9	
Well-Baby Check (% of babies)	89.3	42	NJ	86.4	VA	96.8	90.9	
Clinical Care Infants Total*	0.043	30	NJ	-0.107	VT	0.124	0.000	
All Determinants Infants*	0.024	28	AR	-0.155	NH	0.28	0.000	
Outcomes - Infants								
Infant Mortality (deaths in infants aged <1 year per 1,000 live births)	7.0	36	MS	9.3	MA	4.2	6.0	
Low Birthweight (% of live births)	8.0	25	MS	11.3	AK	5.9	8.0	
Neonatal Mortality (deaths in infants aged 0-27 days per 1,000 live births)	4.6	40	MS	5.5	AK	2.8	4.0	
Preterm Birth (% of live births)	9.7	29	MS	12.9	OR	7.7	9.6	
All Outcomes Infants*	-0.031	35	MS	-0.133	WA	0.088	0.000	

NA=not available

*Negative value denotes below US average; positive value denotes above US average

Indiana 2016

State Value State Rank Least Healthy State Value Most Healthy State Value US Value

State Value = solid diamond
US Value = open diamond

Behaviors - Children

Drug Dependence or Abuse (% of children aged 12-17)	5.1	24	CO	6.4	OK	4.1	5.1	
High School Graduation (% of students)	87.9	7	NM	68.5	IA	90.5	82.3	
Overweight or Obese (% of children aged 10-17)	31.5	30	LA	39.8	UT	22.1	31.3	
Tobacco Use (% of children aged 12-17)	9.0	30	WV	12.5	CA	5	7.4	
Behaviors Children Total*	0.000	23	AK	-0.093	UT	0.075	0.000	

Community & Environment - Children

Adverse Childhood Experiences (% of children aged 0-17 with 2+ experiences)	27.0	38	OK	32.9	NJ	16.3	22.6	
Neighborhood Amenities (% of children aged 0-17)	47.0	38	MS	29.4	CO	69.6	54.1	
Protective Home Environment (Ages 0-5) (% of children aged 0-5)	32.9	44	MS	24.1	VT	62.7	39.4	
Protective Home Environment (Ages 6-17) (% of children aged 6-17)	20.7	35	MS	10.3	UT	38.5	21.9	
Supportive Neighborhoods (% of children aged 0-17)	77.9	22	NV	65.9	UT	89.2	75.0	
Community & Environment Children Total*	-0.031	37	MS	-0.098	UT	0.11	0.000	

Policy - Children

Adequate Health Insurance (% of insured children aged 0-17)	77.4	29	FL	72.5	VT	81.9	76.5	
Children with Health Insurance (% of children aged 0-17)	94.7	30	NV	86.7	MA	99	94.5	
Homeless Family Households (number per 10,000 households)	3.8	8	NY	33.2	MS	2.1	8.3	
Water Fluoridation (% of population served)	94.7	8	HI	11.7	KY	99.9	74.7	
Policy Children Total*	0.035	17	MT	-0.055	IA	0.064	0.000	

Clinical Care - Children

Adolescent Well-Visit (% of children aged 12-17)	82.5	23	ID	65.7	NJ	93.3	81.7	
Developmental Screening (% of children aged 10 months-5 years)	23.9	43	MS	17.5	NC	58	30.8	
Immunizations - Adolescents (combined average z score)*	0.2	16	MS	-1.958	RI	1.309	NA	
Immunization HPV Female (% of females aged 13-17 years)	44.4	11	TN	20.1	NC	54	39.7	
Immunization HPV Male (% of males aged 13-17 years)	12.8	43	AL	9	RI	42.9	21.6	
Immunization MCV4 (% of adolescents aged 13-17 years)	90.0	10	MS	46	PA	95.2	79.3	
Immunization Tdap (% of adolescents aged 13-17 years)	88.6	19	ID	70.8	CT	94.8	87.6	
Immunizations - Children (% of children aged 19-35 months)	66.3	42	WV	63.4	ME	84.7	71.6	
Medical Home for Special Care Child (% of children with special care needs)	48.5	5	NM	34.9	AL	50.7	43.0	
Clinical Care Children Total*	-0.002	27	MS	-0.083	MA	0.084	0.000	
All Determinants Children*	0.002	28	MS	-0.248	MA	0.166	0.000	


Outcomes - Children


Child Mortality (deaths per 100,000 children aged 1-18 years)	25.0	34	MS	34.3	RI	13.9	21.8	
Missed School Days (% of children aged 6-17 years missing 11+ days)	6.9	28	WV	10.6	GA	3.6	6.2	
Teen Births (births per 1,000 females aged 15-19 years)	28.0	35	AR	39.5	MA	10.6	24.2	
Teen Suicide (deaths per 100,000 adolescents aged 15-19 years)	10.1	28	AK	30.3	NJ	5	8.4	
All Outcomes Children*	-0.032	35	WV	-0.1	CT	0.067	NA	

NA=not available

*Negative value denotes below US average; positive value denotes above US average

Census Division States	Overall Rank	Women Rank	Infant Rank	Children Rank
IN	36	43	33	31
IL	21	28	26	8
MI	32	32	42	24
OH	33	35	37	28






Percentage with a Dedicated Health Care Provider

Group	Value	95% CI
Non-Hispanic White	78.6	76.5-80.7
Non-Hispanic Black	69.0	61.9-76.1
Hispanic	61.6	54.5-68.7
Less Than High School	66.1	59.1-73.0
High School Graduate	76.4	72.4-80.5
Some College	77.1	73.5-80.7
College Graduate	86.3	83.9-88.8
Less Than \$25,000	67.1	62.9-71.3
\$25,000 to \$49,999	77.5	73.2-81.8
\$50,000 to \$74,999	88.5	84.3-92.6
\$75,000 or More	88.6	85.7-91.4
Aged 18 to 24	69.2	64.7-73.6
Aged 25 to 34	72.0	68.7-75.2
Aged 35 to 44	83.5	81.2-85.8

NA = not available

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

Percentage of women aged 18 to 44 who report having a personal doctor or health care provider



Rate of Infant Mortality


Group	Value
White Race	6.1
Black Race	13.3
Hispanic	6.8

NA = not available

Subpopulation data only available for race/ethnicity

Number of infant deaths (before age 1) per 1,000 live births

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

**Rate of Teen Suicide**

Group	Value	95% CI
Whites	10.8	8.9 - 12.7
Blacks	NA	NA
Hispanic	NA	NA

NA = not available

Subpopulation data only available for race/ethnicity

Number of deaths by suicide per
100,000 adolescents aged 15 to 19
years

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

U.S. Census Bureau	Y
American Community Survey	Y
Child Care Aware	Y
Centers for Disease Control and Prevention	Y
Breastfeeding Report Card	Y
Behavioral Risk Factor Surveillance System	Y
Pregnancy Risk Assessment Monitoring System	N
National Center for Environmental Health	Y
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	Y
National Immunization Survey	Y
National Intimate Partner and Sexual Violence Survey	Y
National Survey of Children's Health	Y
National Survey of Children with Special Health Care Needs	Y
Water Fluoridation Reporting System	Y
Youth Risk Behavior Surveillance System	Y
Guttmacher Institute	Y
National Alliance to End Homelessness	Y
National Center for Education Statistics	Y
National Survey on Drug Use and Health	Y
National Vital Statistics System	Y
Linked Birth/Infant Death Records	Y
Multiple Cause of Death	Y
Nativity	Y
United States Department of Agriculture	Y

Y = All data available

P = Data partially available

A = Alternative comparable data source

N = No data available