

Nevada 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Overall	-0.462	47	MS	-0.867	MA	0.736	0.000	◆.....◇.....	
Women	-0.180	42	MS	-0.309	MA	0.327	0.000	◆.....◇.....	
Infants	-0.047	40	MS	-0.267	NH	0.347	0.000	◆.....◇.....	
Children	-0.234	48	MS	-0.291	MA	0.231	0.000	◆.....◇.....	

Strengths

Low maternal mortality rate

Low prevalence of alcohol during pregnancy

High prevalence of neighborhood amenities

Challenges

High prevalence of lifetime intimate partner violence in women

Low percentage of home health visits

High percentage of uninsured children



	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Behaviors - Women									
Chlamydia (cases per 100,000 females aged 15-44)	1406.2	18	AK	2598.7	UT	842.7	1559.0	◆.....◇.....	
Excessive Drinking (% of women aged 18-44)	14.6	13	ND	28.7	WV	10.7	17.7	◆.....◇.....	
Obesity (% of women aged 18-44)	24.6	16	AR	36.6	MA	18.5	25.9	◆.....◇.....	
Physical Inactivity (% of women aged 18-44)	21.8	26	MS	34.4	OR	14	22.5	◆.....◇.....	
Smoking (% of women aged 18-44)	14.6	7	WV	33.6	CA	8.2	17.4	◆.....◇.....	
Behaviors Women Total*	0.030	7	MS	-0.088	UT	0.102	0.000	◆.....◇.....	
Community & Environment - Women									
Concentrated Disadvantage (% of households)	19.9	39	MS	31	ND	2.6	16.0	◆.....◇.....	
Food Insecurity (% of households)	15.2	33	MS	22	ND	8.4	14.3	◆.....◇.....	
Intimate Partner Violence - Lifetime (% of women)	48.1	49	OK	49.1	ND	25.3	35.6	◆.....◇.....	
Intimate Partner Violence - Pregnancy (% of women with a recent live birth)	NA	NA	CA	8.8	NH	1.3	NA	◆.....◇.....	
Community & Environment Women Total*	-0.064	48	MS	-0.109	ND	0.131	0.000	◆.....◇.....	
Policy - Women									
Postpartum Visit (% of women with a recent live birth)	NA	NA	NM	85.6	IL	93.8	NA	◆.....◇.....	
Publicly-Funded Family Planning (% of need met)	16.0	47	LA	14	VT	61	29.0	◆.....◇.....	
Uninsured Women (% of women aged 18-44)	20.3	39	TX	28.3	MA	3.6	16.8	◆.....◇.....	
Policy Women Total*	-0.062	46	TX	-0.107	VT	0.132	0.000	◆.....◇.....	
Clinical Care - Women									
Cervical Cancer Screening (% of women aged 18-44)	87.7	45	AR	83.6	MA	95.4	90.8	◆.....◇.....	
Dedicated Health Care Provider (% of women aged 18-44)	60.1	50	NV	60.1	ME	86.9	71.6	◆.....◇.....	
Dental Visit (% of women aged 18-44)	60.8	40	AZ	56.6	MA	77.2	65.6	◆.....◇.....	
Flu Vaccine (% of women aged 18-44)	25.6	48	FL	20.7	SD	49	32.8	◆.....◇.....	
Well-Woman Visit (% of women aged 18-44)	61.8	36	ID	53.3	MA	75.4	66.5	◆.....◇.....	
Clinical Care Women Total*	-0.078	50	NV	-0.078	MA	0.123	0.000	◆.....◇.....	
All Determinants Women*	-0.173	46	MS	-0.231	MA	0.297	0.000	◆.....◇.....	

NA=not available, *Negative value denotes below US average; positive value denotes above US average.

Nevada 2016

State Value State Rank Least Healthy State Value Most Healthy State Value US Value

State Value = solid diamond
US Value = open diamond

Outcomes - Women

Diabetes (% of women aged 18-44)	3.2	29	AL	4.8	AK	1.9	3.1	
Drug Deaths (deaths per 100,000 population females aged 15-44)	15.2	32	WV	34	ND	4.2	12.0	
Maternal Mortality (deaths per 100,000 births)	6.8	3	GA	39.3	MA	5.8	19.9	
Postpartum Depression (% of women with a recent live birth)	NA	NA	AR	20.4	IL	7.2	NA	
Unintended Pregnancy (% of all pregnancies)	52.0	28	MS	62	UT	36	45.0	
All Outcomes Women*	-0.007	23	AR	-0.091	MN	0.061	0.000	

Behaviors - Infants

Alcohol During Pregnancy (% of pregnant women aged 18-44)	5.6	7	OR	17.5	WV	2.2	10.0	
Breastfed (% of infants exclusive at 6 months)	18.0	27	MS	10.1	VT	29.6	18.8	
Sleep Position (% of women who usually place infant on back)	NA	NA	GA	45.6	NH	88.8	NA	
Smoking During Pregnancy (% of women who smoke while pregnant)	9.3	16	WV	24.2	CT	1.4	10.5	
Behaviors Infants Total*	0.028	12	PA	-0.085	UT	0.064	0.000	

Community & Environment - Infants

Household Smoke (% of children aged 0-17)	25.9	28	WV	41	UT	12.4	24.1	
Infant Child Care Cost (% of median income)	14.2	42	MN	15.2	LA	6.9	11.6	
Community & Environment Infants Total*	-0.048	48	WV	-0.061	UT	0.065	0.000	

Policy - Infants

Baby-Friendly Facility (% of live births)	5.2	26	AR	NA	NH	36	7.8	
Home Health Visit (% of children aged 0-3)	8.1	44	TX	3.7	MN	30.6	13.6	
mPINC Score (Maternity Practices in Infant and Nutrition Care survey score)	71.0	35	MS	59	NH	91	75.0	
Policy Infants Total*	-0.038	40	AR	-0.077	NH	0.133	0.000	

Clinical Care - Infants

Low-Risk Cesarean Delivery (% of singleton, term, vertex first births)	28.7	43	NJ	31.6	NM	17	26.0	
Prenatal Care Before 3rd Trimester (% of live births)	89.1	36	MD	84.7	VT	97.8	86.9	
Well-Baby Check (% of babies)	90.9	28	NJ	86.4	VA	96.8	90.9	
Clinical Care Infants Total*	0.001	41	NJ	-0.107	VT	0.124	0.000	
All Determinants Infants*	-0.056	43	AR	-0.155	NH	0.28	0.000	

Outcomes - Infants

Infant Mortality (deaths in infants aged <1 year per 1,000 live births)	5.1	13	MS	9.3	MA	4.2	6.0	
Low Birthweight (% of live births)	8.3	31	MS	11.3	AK	5.9	8.0	
Neonatal Mortality (deaths in infants aged 0-27 days per 1,000 live births)	3.7	18	MS	5.5	AK	2.8	4.0	
Preterm Birth (% of live births)	10.1	36	MS	12.9	OR	7.7	9.6	
All Outcomes Infants*	0.009	23	MS	-0.133	WA	0.088	0.000	

NA=not available

*Negative value denotes below US average; positive value denotes above US average


Nevada 2016


	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value	State Value = solid diamond US Value = open diamond
Behaviors - Children								
Drug Dependence or Abuse (% of children aged 12-17)	5.4	33	CO	6.4	OK	4.1	5.1	
High School Graduation (% of students)	70.0	49	NM	68.5	IA	90.5	82.3	
Overweight or Obese (% of children aged 10-17)	33.2	36	LA	39.8	UT	22.1	31.3	
Tobacco Use (% of children aged 12-17)	7.6	17	WV	12.5	CA	5	7.4	
Behaviors Children Total*	-0.052	44	AK	-0.093	UT	0.075	0.000	
Community & Environment - Children								
Adverse Childhood Experiences (% of children aged 0-17 with 2+ experiences)	25.8	33	OK	32.9	NJ	16.3	22.6	
Neighborhood Amenities (% of children aged 0-17)	63.0	8	MS	29.4	CO	69.6	54.1	
Protective Home Environment (Ages 0-5) (% of children aged 0-5)	31.1	47	MS	24.1	VT	62.7	39.4	
Protective Home Environment (Ages 6-17) (% of children aged 6-17)	17.4	42	MS	10.3	UT	38.5	21.9	
Supportive Neighborhoods (% of children aged 0-17)	65.9	50	NV	65.9	UT	89.2	75.0	
Community & Environment Children Total*	-0.047	42	MS	-0.098	UT	0.11	0.000	
Policy - Children								
Adequate Health Insurance (% of insured children aged 0-17)	72.9	49	FL	72.5	VT	81.9	76.5	
Children with Health Insurance (% of children aged 0-17)	86.7	50	NV	86.7	MA	99	94.5	
Homeless Family Households (number per 10,000 households)	4.3	12	NY	33.2	MS	2.1	8.3	
Water Fluoridation (% of population served)	73.7	29	HI	11.7	KY	99.9	74.7	
Policy Children Total*	-0.050	49	MT	-0.055	IA	0.064	0.000	
Clinical Care - Children								
Adolescent Well-Visit (% of children aged 12-17)	67.3	49	ID	65.7	NJ	93.3	81.7	
Developmental Screening (% of children aged 10 months-5 years)	21.9	46	MS	17.5	NC	58	30.8	
Immunizations - Adolescents (combined average z score)*	-0.7	37	MS	-1.958	RI	1.309	NA	
Immunization HPV Female (% of females aged 13-17 years)	32.5	43	TN	20.1	NC	54	39.7	
Immunization HPV Male (% of males aged 13-17 years)	15.7	37	AL	9	RI	42.9	21.6	
Immunization MCV4 (% of adolescents aged 13-17 years)	66.5	41	MS	46	PA	95.2	79.3	
Immunization Tdap (% of adolescents aged 13-17 years)	87.6	25	ID	70.8	CT	94.8	87.6	
Immunizations - Children (% of children aged 19-35 months)	67.7	37	WV	63.4	ME	84.7	71.6	
Medical Home for Special Care Child (% of children with special care needs)	36.8	46	NM	34.9	AL	50.7	43.0	
Clinical Care Children Total*	-0.081	49	MS	-0.083	MA	0.084	0.000	
All Determinants Children*	-0.230	49	MS	-0.248	MA	0.166	0.000	
Outcomes - Children								
Child Mortality (deaths per 100,000 children aged 1-18 years)	21.8	21	MS	34.3	RI	13.9	21.8	
Missed School Days (% of children aged 6-17 years missing 11+ days)	5.8	15	WV	10.6	GA	3.6	6.2	
Teen Births (births per 1,000 females aged 15-19 years)	28.5	37	AR	39.5	MA	10.6	24.2	
Teen Suicide (deaths per 100,000 adolescents aged 15-19 years)	8.3	17	AK	30.3	NJ	5	8.4	
All Outcomes Children*	-0.004	22	WV	-0.1	CT	0.067	NA	

NA=not available

*Negative value denotes below US average; positive value denotes above US average


Census Division States	Overall Rank	Women Rank	Infant Rank	Children Rank
AZ	43	38	20	49
CO	14	8	13	23
ID	26	29	6	36
NM	37	39	25	40





The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

Percentage of women aged 18 to 44 who report having a personal doctor or health care provider



Rate of Infant Mortality


Group	Value
White Race	4.5
Black Race	9.8
Hispanic	3.6

NA = not available

Subpopulation data only available for race/ethnicity

Number of infant deaths (before age 1) per 1,000 live births

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.



The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

U.S. Census Bureau	Y
American Community Survey	Y
Child Care Aware	Y
Centers for Disease Control and Prevention	Y
Breastfeeding Report Card	Y
Behavioral Risk Factor Surveillance System	Y
Pregnancy Risk Assessment Monitoring System	N
National Center for Environmental Health	Y
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	Y
National Immunization Survey	Y
National Intimate Partner and Sexual Violence Survey	Y
National Survey of Children's Health	Y
National Survey of Children with Special Health Care Needs	Y
Water Fluoridation Reporting System	Y
Youth Risk Behavior Surveillance System	Y
Guttmacher Institute	Y
National Alliance to End Homelessness	Y
National Center for Education Statistics	Y
National Survey on Drug Use and Health	Y
National Vital Statistics System	Y
Linked Birth/Infant Death Records	Y
Multiple Cause of Death	Y
Natality	Y
United States Department of Agriculture	Y

Y = All data available

P = Data partially available

A = Alternative comparable data source

N = No data available