

# New Jersey 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
<b>Overall</b>	0.191	19	MS	-0.867	MA	0.736	0.000	.....◆.....	
<b>Women</b>	0.116	15	MS	-0.309	MA	0.327	0.000	.....◆.....	
<b>Infants</b>	0.003	30	MS	-0.267	NH	0.347	0.000	.....◆.....	
<b>Children</b>	0.072	17	MS	-0.291	MA	0.231	0.000	.....◆.....	

## Strengths

Low prevalence of lifetime intimate partner violence in women

Low infant mortality rate

Low prevalence of adverse childhood experiences

## Challenges

High maternal mortality rate

High percentage of low-risk cesarean deliveries

Low percentage of children with adequate health insurance



	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
<b>Behaviors - Women</b>									
Chlamydia (cases per 100,000 females aged 15-44)	1216.6	7	AK	2598.7	UT	842.7	1559.0	.....◆.....	
Excessive Drinking (% of women aged 18-44)	18.8	28	ND	28.7	WV	10.7	17.7	.....◆.....	
Obesity (% of women aged 18-44)	22.3	11	AR	36.6	MA	18.5	25.9	.....◆.....	
Physical Inactivity (% of women aged 18-44)	25.0	42	MS	34.4	OR	14	22.5	.....◆.....	
Smoking (% of women aged 18-44)	13.5	3	WV	33.6	CA	8.2	17.4	.....◆.....	
<b>Behaviors Women Total*</b>	0.023	10	MS	-0.088	UT	0.102	0.000	.....◆.....	
<b>Community &amp; Environment - Women</b>									
Concentrated Disadvantage (% of households)	9.7	19	MS	31	ND	2.6	16.0	.....◆.....	
Food Insecurity (% of households)	11.7	10	MS	22	ND	8.4	14.3	.....◆.....	
Intimate Partner Violence - Lifetime (% of women)	26.2	2	OK	49.1	ND	25.3	35.6	.....◆.....	
Intimate Partner Violence - Pregnancy (% of women with a recent live birth)	2.2	NA	CA	8.8	NH	1.3	NA	.....◆.....	
<b>Community &amp; Environment Women Total*</b>	0.083	2	MS	-0.109	ND	0.131	0.000	.....◆.....	
<b>Policy - Women</b>									
Postpartum Visit (% of women with a recent live birth)	88.8	NA	NM	85.6	IL	93.8	NA	.....◆.....	
Publicly-Funded Family Planning (% of need met)	25.0	32	LA	14	VT	61	29.0	.....◆.....	
Uninsured Women (% of women aged 18-44)	15.7	26	TX	28.3	MA	3.6	16.8	.....◆.....	
<b>Policy Women Total*</b>	-0.006	29	TX	-0.107	VT	0.132	0.000	.....◆.....	
<b>Clinical Care - Women</b>									
Cervical Cancer Screening (% of women aged 18-44)	94.6	2	AR	83.6	MA	95.4	90.8	.....◆.....	
Dedicated Health Care Provider (% of women aged 18-44)	77.4	16	NV	60.1	ME	86.9	71.6	.....◆.....	
Dental Visit (% of women aged 18-44)	71.3	12	AZ	56.6	MA	77.2	65.6	.....◆.....	
Flu Vaccine (% of women aged 18-44)	30.2	43	FL	20.7	SD	49	32.8	.....◆.....	
Well-Woman Visit (% of women aged 18-44)	74.1	3	ID	53.3	MA	75.4	66.5	.....◆.....	
<b>Clinical Care Women Total*</b>	0.055	12	NV	-0.078	MA	0.123	0.000	.....◆.....	
<b>All Determinants Women*</b>	0.156	9	MS	-0.231	MA	0.297	0.000	.....◆.....	

NA=not available, \*Negative value denotes below US average; positive value denotes above US average.

# New Jersey 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
<b>Outcomes - Women</b>									
Diabetes (% of women aged 18-44)	2.4	10	AL	4.8	AK	1.9	3.1		
Drug Deaths (deaths per 100,000 population females aged 15-44)	11.6	17	WV	34	ND	4.2	12.0		
Maternal Mortality (deaths per 100,000 births)	37.3	47	GA	39.3	MA	5.8	19.9		
Postpartum Depression (% of women with a recent live birth)	9.7	NA	AR	20.4	IL	7.2	NA		
Unintended Pregnancy (% of all pregnancies)	53.0	32	MS	62	UT	36	45.0		
<b>All Outcomes Women*</b>	-0.040	33	AR	-0.091	MN	0.061	0.000		
<b>Behaviors - Infants</b>									
Alcohol During Pregnancy (% of pregnant women aged 18-44)	10.2	28	OR	17.5	WV	2.2	10.0		
Breastfed (% of infants exclusive at 6 months)	22.3	14	MS	10.1	VT	29.6	18.8		
Sleep Position (% of women who usually place infant on back)	69.9	NA	GA	45.6	NH	88.8	NA		
Smoking During Pregnancy (% of women who smoke while pregnant)	6.2	8	WV	24.2	CT	1.4	10.5		
<b>Behaviors Infants Total*</b>	0.033	8	PA	-0.085	UT	0.064	0.000		
<b>Community &amp; Environment - Infants</b>									
Household Smoke (% of children aged 0-17)	20.3	8	WV	41	UT	12.4	24.1		
Infant Child Care Cost (% of median income)	10.3	15	MN	15.2	LA	6.9	11.6		
<b>Community &amp; Environment Infants Total*</b>	0.041	3	WV	-0.061	UT	0.065	0.000		
<b>Policy - Infants</b>									
Baby-Friendly Facility (% of live births)	6.0	23	AR	NA	NH	36	7.8		
Home Health Visit (% of children aged 0-3)	9.4	40	TX	3.7	MN	30.6	13.6		
mPINC Score (Maternity Practices in Infant and Nutrition Care survey score)	78.0	17	MS	59	NH	91	75.0		
<b>Policy Infants Total*</b>	-0.008	28	AR	-0.077	NH	0.133	0.000		
<b>Clinical Care - Infants</b>									
Low-Risk Cesarean Delivery (% of singleton, term, vertex first births)	31.6	50	NJ	31.6	NM	17	26.0		
Prenatal Care Before 3rd Trimester (% of live births)	NA	NA	MD	84.7	VT	97.8	86.9		
Well-Baby Check (% of babies)	86.4	50	NJ	86.4	VA	96.8	90.9		
<b>Clinical Care Infants Total*</b>	-0.107	50	NJ	-0.107	VT	0.124	0.000		
<b>All Determinants Infants*</b>	-0.041	42	AR	-0.155	NH	0.28	0.000		
<b>Outcomes - Infants</b>									
Infant Mortality (deaths in infants aged <1 year per 1,000 live births)	4.5	3	MS	9.3	MA	4.2	6.0		
Low Birthweight (% of live births)	8.1	27	MS	11.3	AK	5.9	8.0		
Neonatal Mortality (deaths in infants aged 0-27 days per 1,000 live births)	3.1	4	MS	5.5	AK	2.8	4.0		
Preterm Birth (% of live births)	9.6	28	MS	12.9	OR	7.7	9.6		
<b>All Outcomes Infants*</b>	0.043	15	MS	-0.133	WA	0.088	0.000		

NA=not available

\*Negative value denotes below US average; positive value denotes above US average


# New Jersey 2016


	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
<b>Behaviors - Children</b>									
Drug Dependence or Abuse (% of children aged 12-17)	5.1	24	CO	6.4	OK	4.1	5.1		
High School Graduation (% of students)	88.6	3	NM	68.5	IA	90.5	82.3		
Overweight or Obese (% of children aged 10-17)	24.7	4	LA	39.8	UT	22.1	31.3		
Tobacco Use (% of children aged 12-17)	7.2	14	WV	12.5	CA	5	7.4		
<b>Behaviors Children Total*</b>	0.047	2	AK	-0.093	UT	0.075	0.000		
<b>Community &amp; Environment - Children</b>									
Adverse Childhood Experiences (% of children aged 0-17 with 2+ experiences)	16.3	1	OK	32.9	NJ	16.3	22.6		
Neighborhood Amenities (% of children aged 0-17)	59.6	13	MS	29.4	CO	69.6	54.1		
Protective Home Environment (Ages 0-5) (% of children aged 0-5)	38.6	31	MS	24.1	VT	62.7	39.4		
Protective Home Environment (Ages 6-17) (% of children aged 6-17)	20.4	37	MS	10.3	UT	38.5	21.9		
Supportive Neighborhoods (% of children aged 0-17)	77.0	26	NV	65.9	UT	89.2	75.0		
<b>Community &amp; Environment Children Total*</b>	0.029	21	MS	-0.098	UT	0.11	0.000		
<b>Policy - Children</b>									
Adequate Health Insurance (% of insured children aged 0-17)	73.5	47	FL	72.5	VT	81.9	76.5		
Children with Health Insurance (% of children aged 0-17)	96.5	14	NV	86.7	MA	99	94.5		
Homeless Family Households (number per 10,000 households)	6.1	26	NY	33.2	MS	2.1	8.3		
Water Fluoridation (% of population served)	14.7	49	HI	11.7	KY	99.9	74.7		
<b>Policy Children Total*</b>	-0.037	45	MT	-0.055	IA	0.064	0.000		
<b>Clinical Care - Children</b>									
Adolescent Well-Visit (% of children aged 12-17)	93.3	1	ID	65.7	NJ	93.3	81.7		
Developmental Screening (% of children aged 10 months-5 years)	25.0	39	MS	17.5	NC	58	30.8		
Immunizations - Adolescents (combined average z score)*	0.5	10	MS	-1.958	RI	1.309	NA		
Immunization HPV Female (% of females aged 13-17 years)	34.5	38	TN	20.1	NC	54	39.7		
Immunization HPV Male (% of males aged 13-17 years)	21.2	26	AL	9	RI	42.9	21.6		
Immunization MCV4 (% of adolescents aged 13-17 years)	94.9	2	MS	46	PA	95.2	79.3		
Immunization Tdap (% of adolescents aged 13-17 years)	90.1	17	ID	70.8	CT	94.8	87.6		
Immunizations - Children (% of children aged 19-35 months)	67.2	40	WV	63.4	ME	84.7	71.6		
Medical Home for Special Care Child (% of children with special care needs)	38.3	44	NM	34.9	AL	50.7	43.0		
<b>Clinical Care Children Total*</b>	-0.006	30	MS	-0.083	MA	0.084	0.000		
<b>All Determinants Children*</b>	0.033	24	MS	-0.248	MA	0.166	0.000		
<b>Outcomes - Children</b>									
Child Mortality (deaths per 100,000 children aged 1-18 years)	15.9	4	MS	34.3	RI	13.9	21.8		
Missed School Days (% of children aged 6-17 years missing 11+ days)	7.4	38	WV	10.6	GA	3.6	6.2		
Teen Births (births per 1,000 females aged 15-19 years)	13.1	4	AR	39.5	MA	10.6	24.2		
Teen Suicide (deaths per 100,000 adolescents aged 15-19 years)	5.0	1	AK	30.3	NJ	5	8.4		
<b>All Outcomes Children*</b>	0.039	5	WV	-0.1	CT	0.067	NA		

NA=not available

\*Negative value denotes below US average; positive value denotes above US average

Census Division States	Overall Rank	Women Rank	Infant Rank	Children Rank
NJ	19	15	30	17
NY	20	13	23	27
PA	24	18	43	10






**Percentage with a Dedicated Health Care Provider**

Group	Value	95% CI
Non-Hispanic White	84.4	82.1-86.6
Non-Hispanic Black	81.8	77.9-85.7
Hispanic	62.1	58.0-66.2
Less Than High School	53.8	46.4-61.3
High School Graduate	76.8	72.8-80.8
Some College	79.6	75.8-83.4
College Graduate	87.4	85.3-89.4
Less Than \$25,000	64.0	59.5-68.6
\$25,000 to \$49,999	81.1	76.8-85.4
\$50,000 to \$74,999	81.9	76.5-87.4
\$75,000 or More	88.3	85.9-90.8
Aged 18 to 24	73.2	68.9-77.5
Aged 25 to 34	72.9	70.0-75.8
Aged 35 to 44	84.3	82.0-86.6

NA = not available

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

Percentage of women aged 18 to 44 who report having a personal doctor or health care provider



**Rate of Infant Mortality**


Group	Value
White Race	3.4
Black Race	8.8
Hispanic	4.2

NA = not available

Subpopulation data only available for race/ethnicity

Number of infant deaths (before age 1) per 1,000 live births

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.



The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

U.S. Census Bureau	
American Community Survey	Y
Child Care Aware	Y
Centers for Disease Control and Prevention	
Breastfeeding Report Card	Y
Behavioral Risk Factor Surveillance System	Y
Pregnancy Risk Assessment Monitoring System	Y
National Center for Environmental Health	Y
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	Y
National Immunization Survey	Y
National Intimate Partner and Sexual Violence Survey	Y
National Survey of Children's Health	Y
National Survey of Children with Special Health Care Needs	Y
Water Fluoridation Reporting System	Y
Youth Risk Behavior Surveillance System	P
Guttmacher Institute	Y
National Alliance to End Homelessness	Y
National Center for Education Statistics	Y
National Survey on Drug Use and Health	Y
National Vital Statistics System	
Linked Birth/Infant Death Records	Y
Multiple Cause of Death	Y
Nativity	P*data missing for prenatal care measure
United States Department of Agriculture	Y

Y = All data available

P = Data partially available

A = Alternative comparable data source

N = No data available