

Metric	2015 Value	2015 Rank	2015 Best State	2014 Value	2014 Rank	2013 Value	2013 Rank
Behaviors							
Smoking (% of adult population)	17.5	23	9.7	16.2	8	17.2	11
Excessive Drinking (% of adult population)	18.9	33	10.3	18.4	27	-	-
Drug Deaths (deaths per 100,000 population)	14.5	32	2.7	13.4	29	11.2	19
Obesity (% of adult population)	27.4	14	21.3	26.7	16	27.3	22
Physical Inactivity (% of adult population)	19.3	8	16.4	22.4	9	19.9	11
High School Graduation (% of students)	87.3	7	89.7	86.0	38	86.0	-
Behaviors Total*	0.11	11	-0.33				
Community & Environment							
Violent Crime (offenses per 100,000 population)	215.3	6	121.1	187.9	3	187.9	3
Occupational Fatalities (deaths per 100,000 workers)	3.4	8	2.0	3.7	10	3.4	9
Children in Poverty (% of children)	11.1	2	10.6	13.5	5	10.9	2
Infectious Disease (combined value <i>Chlamydia</i> , <i>Pertussis</i> , <i>Salmonella</i>)*	-0.64	4	-1.09	-	3	-0.37	-
<i>Chlamydia</i> (cases per 100,000 population)	236.2	1	236.2	233.0	1	140.6	1
<i>Pertussis</i> (cases per 100,000 population)	9.9	27	1.0	20.4	36	12.8	42
<i>Salmonella</i> (cases per 100,000 population)	16.1	33	8.4	11.8	12	13.4	21
Air Pollution (micrograms of fine particles per cubic meter)	7.2	10	5.0	7.5	11	7.6	11
Community & Environment Total*	0.19	2	-0.24				
Policy							
Lack of Health Insurance (% of population)	9.9	16	3.5	10.7	12	12.3	15
Public Health Funding (dollars per person)	\$57	33	\$227	\$57	37	\$57	39
Immunizations—Children (% of children aged 19 to 35 months)	80.4	3	84.7	74.9	10	80.1	2
Immunizations—Adolescents (combined value of HPV, MCV4, and Tdap)*	1.18	2	1.31	-	-	-	-
HPV Females (% of females aged 13 to 17 years)	50.1	3	54.0	43.2	9	-	-
HPV Males (% of males aged 13 to 17 years)	33.0	2	42.9	-	-	-	-
MCV4 (% of adolescents aged 13 to 17 years)	90.6	9	95.2	85.6	12	-	-
Tdap (% of adolescents aged 13 to 17 years)	94.4	2	94.8	94.7	4	-	-
Policy Total*	0.10	6	0.16				
Clinical Care							
Low Birthweight (% of live births)	6.8	10	5.8	7.3	17	7.1	15
Primary Care Physicians (number per 100,000 population)	137.5	11	206.7	135.7	10	133.6	10
Dentists (number per 100,000 population)	64.0	15	81.2	63.6	15	63.2	15
Preventable Hospitalizations (discharges per 1,000 in Medicare)	46.3	15	24.4	50.7	15	58.2	18
Clinical Care Total*	0.10	12	0.17				
All Determinants*	0.50	5	0.67			0.50	5
Outcomes							
Diabetes (% of adult population)	9.1	13	7.1	9.2	16	9.1	16
Poor Mental Health Days (days in previous 30)	3.5	19	2.7	3.5	18	3.8	22
Poor Physical Health Days (days in previous 30)	3.3	6	2.9	3.6	15	3.7	16
Disparity in Health Status (% difference by education level)**	24.7	10	14.9	27.7	21	22.9	4
Infant Mortality (deaths per 1,000 live births)	4.9	7	4.2	4.5	2	4.4	1
Cardiovascular Deaths (deaths per 100,000 population)	213.3	7	186.5	213.8	7	218.9	8
Cancer Deaths (deaths per 100,000 population)	190.8	24	146.1	191.6	26	188.6	20
Premature Death (years lost per 100,000 population)	5,809	6	5,414	5,580	3	5,822	5
All Outcomes*	0.19	6	-0.33	0.16	8		7
Overall	0.69	5	0.89	0.68	7		5

Strengths

Low percentage of children in poverty

High immunization coverage among adolescents

High immunization coverage among children

Challenges

Low per capita public health funding

High prevalence of excessive drinking

High rate of drug deaths





- Indicated data is missing or is not directly comparable to 2015

* Negative value denotes below US average; positive value denotes above US average.

**Difference in the percentage of adults aged 25 and older with versus without a high school education who report their health is very good or excellent.

Edition	NH	US
1990	30.7	29.5
1991	27.1	25.2
1992	27.1	25.2
1993	22.0	22.7
1994	23.8	23.0
1995	20.1	22.2
1996	21.5	22.7
1997	24.8	23.5
1998	24.7	23.2
1999	23.3	22.9
2000	22.3	22.8
2001	25.3	23.2
2002	24.1	23.2
2003	23.2	23.2
2004	21.2	22.0
2005	21.7	20.9
2006	20.4	20.6
2007	18.7	20.1
2008	19.3	19.8
2009	17.1	18.4
2010	15.8	17.9
2011	16.9	17.3
2012*	19.4	21.2
2013*	17.2	19.6
2014*	16.2	19.0
2015*	17.5	18.1

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Smoking (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	17.3	15.7 - 18.8	9.3	26.7	Less Than \$25,000	35.1	30.6 - 39.7	18.5	40.8
Non-Hispanic Black	NA	NA	13.0	35.1	\$25,000 to \$49,999	19.4	16.2 - 22.6	10.3	26.0
Hispanic	14.6	3.1 - 26.1	8.2	51.0	\$50,000 to \$74,999	14.4	10.9 - 17.9	9.7	24.0
Less Than High School	41.0	32.4 - 49.6	17.0	44.1	\$75,000 or More	8.9	7.0 - 10.8	5.0	16.4
High School Graduate	21.3	18.5 - 24.2	15.3	31.2	Aged 18 to 44 years	23.2	20.1 - 26.3	10.6	33.3
Some College	17.4	14.7 - 20.0	8.5	25.7	Aged 45 to 64 years	16.7	14.8 - 18.7	10.4	27.7
College	7.0	5.6 - 8.3	2.5	13.5	Aged 65 +	7.4	5.8 - 9.0	4.5	12.7
Urban	15.3	11.8 - 18.8	6.0	24.2	Male	18.4	16.0 - 20.7	11.2	27.8
Suburban	11.6	9.2 - 14.0	6.0	23.5	Female	16.7	14.7 - 18.6	8.2	25.6
Rural	12.8	10.8 - 14.8	9.8	26.2					

Edition	NH	US
1990	11.1	11.6
1991	11.1	11.6
1992	10.6	12.6
1993	10.8	12.6
1994	11.2	13.7
1995	12.4	14.4
1996	15.1	15.9
1997	14.5	16.8
1998	14.2	16.5
1999	15.6	18.3
2000	14.6	19.6
2001	18.1	20.0
2002	19.4	20.9
2003	17.9	21.9
2004	20.2	22.9
2005	21.6	23.2
2006	23.1	24.4
2007	22.4	25.1
2008	25.1	26.3
2009	24.9	26.7
2010	26.3	26.9
2011	25.5	27.5
2012*	26.2	27.8
2013*	27.3	27.6
2014*	26.7	29.4
2015*	27.4	29.6

* Not directly comparable to prior data because of change in methodology of BRFSS.




Prevalence of Obesity (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	27.7	26.0 - 29.3	17.6	35.1	Less Than \$25,000	34.8	30.7 - 38.9	27.5	42.4
Non-Hispanic Black	NA	NA	29.4	46.5	\$25,000 to \$49,999	32.3	28.6 - 36.0	23.3	40.1
Hispanic	34.2	20.0 - 48.3	18.5	40.8	\$50,000 to \$74,999	32.5	28.4 - 36.7	21.8	39.7
					\$75,000 or More	25.5	22.7 - 28.3	19.5	35.7
Less Than High School	30.8	23.3 - 38.2	23.1	43.9	Aged 18 to 44 years	24.3	21.3 - 27.2	18.3	35.9
High School Graduate	33.1	29.9 - 36.3	26.3	40.1	Aged 45 to 64 years	30.3	27.9 - 32.7	25.1	41.7
Some College	34.2	30.9 - 37.5	24.3	41.1	Aged 65 +	28.4	25.8 - 31.0	14.1	33.4
College Graduate	21.8	19.6 - 24.0	16.5	31.8					
Urban	31.0	27.1 - 35.0	18.6	36.9	Male	29.5	27.0 - 32.0	21.9	35.8
Suburban	27.2	23.8 - 30.6	22.7	47.6	Female	25.2	23.2 - 27.3	20.7	37.9
Rural	26.3	23.7 - 28.9	19.8	39.4					


Edition	% of adult population	
	NH	US
1990	--	--
1991	--	--
1992	--	--
1993	--	--
1994	--	--
1995	--	--
1996	--	--
1997	--	--
1998	16.5	14.3
1999	16.5	14.3
2000	18.0	14.7
2001	18.0	14.7
2002	16.8	14.9
2003	16.2	15.6
2004	17.2	16.4
2005	17.0	15.8
2006	15.4	14.8
2007†	14.9	14.9
2008†	15.4	15.6
2009†	16.0	15.7
2010†	16.2	15.7
2011†	15.4	15.5
2012*	18.7	18.3
2013*	17.0	16.9
2014*	16.8	16.8
2015*	16.8	16.0

† Edition used revised definition of binge drinking.

* Not directly comparable to prior data because of change in methodology of BRFSS.



Note: 2015 Edition uses Excessive Drinking in calculating overall rank. Binge Drinking is displayed here because more years of data are available.





Prevalence of Binge Drinking (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	17.0	15.4 - 18.7	9.4	23.3	Less Than \$25,000	12.0	8.9 - 15.1	6.3	19.0
Non-Hispanic Black	NA	NA	6.7	22.1	\$25,000 to \$49,999	11.7	9.1 - 14.3	7.9	22.0
Hispanic	20.3	8.4 - 32.2	11.5	38.8	\$50,000 to \$74,999	14.0	10.7 - 17.3	8.8	26.3
					\$75,000 or More	19.8	17.1 - 22.5	10.2	26.1
Less Than High School	12.9	7.2 - 18.5	7.3	21.4	Aged 18 to 44 years	26.6	23.3 - 29.8	14.7	35.0
High School Graduate	13.8	11.0 - 16.5	7.1	23.5	Aged 45 to 64 years	13.1	11.3 - 14.9	8.1	20.6
Some College	15.3	12.5 - 18.0	8.5	24.8	Aged 65 +	4.4	3.4 - 5.5	1.9	9.0
College	14.4	12.5 - 16.4	6.7	20.3					
Urban	11.8	8.6 - 15.0	6.2	20.0	Male	21.6	19.1 - 24.0	14.5	29.9
Suburban	15.6	12.3 - 18.9	5.1	17.8	Female	12.4	10.4 - 14.4	5.0	17.8
Rural	11.3	9.2 - 13.3	5.1	18.8					

Edition	% of adult population	
	NH	US
1990	-	-
1991	-	-
1992	-	-
1993	-	-
1994	-	-
1995	-	-
1996	-	-
1997	25.5	27.8
1998	25.5	27.8
1999	24.8	27.7
2000	24.8	27.7
2001	26.7	26.7
2002	19.5	25.4
2003	19.9	24.1
2004	19.9	22.7
2005	18.5	22.5
2006	21.6	23.8
2007	19.6	22.6
2008	19.1	22.6
2009	21.5	24.6
2010	21.2	23.8
2011	19.9	23.9
2012*	22.5	26.2
2013*	19.9	22.9
2014*	22.4	25.3
2015*	19.3	22.6

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Physical Inactivity (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	19.1	17.7 - 20.5	13.2	30.1	Less Than \$25,000	34.7	30.3 - 39.1	26.5	45.0
Non-Hispanic Black	NA	NA	6.8	39.8	\$25,000 to \$49,999	23.5	20.3 - 26.7	19.9	33.4
Hispanic	14.9	5.4 - 24.5	7.3	37.2	\$50,000 to \$74,999	17.1	14.0 - 20.2	12.9	27.6
					\$75,000 or More	11.4	9.4 - 13.5	7.0	17.8
Less Than High School	47.2	38.7 - 55.6	25.9	52.4	Aged 18 to 44 years	13.9	11.5 - 16.3	12.0	26.6
High School Graduate	26.8	24.1 - 29.6	22.7	39.1	Aged 45 to 64 years	20.0	17.9 - 22.0	15.8	36.1
Some College	17.4	15.0 - 19.8	15.7	28.7	Aged 65 +	29.0	26.3 - 31.7	22.7	41.2
College	11.0	9.4 - 12.7	7.5	17.3					
Urban	20.9	17.4 - 24.3	15.8	31.6	Male	18.2	16.1 - 20.3	14.8	28.9
Suburban	21.1	18.1 - 24.1	14.7	33.9	Female	20.3	18.4 - 22.2	17.2	36.1
Rural	20.7	18.3 - 23.1	19.1	38.6					

Drug Deaths

New Hampshire

Deaths per 100,000		
Edition	NH	US
2011	12.1	12.9
2012	12.3	13.0
2013	11.2	12.2
2014	13.4	13.0
2015	14.5	13.5




Drug Deaths (deaths per 100,000 population)

Group	Value	85% CI	Best	Worse
White	15.0	13.7 - 16.2	2.6	33.0
Black	NA	NA	2.7	27.2
Hispanic	NA	NA	1.4	26.2
Male	18.7	16.7 - 20.6	3.5	40.2
Female	10.4	9.0 - 11.8	6.4	24.4

	% aged 19 to 35 months	
Edition	NH	US
1996	72.7	55.1
1997	77.3	67.7
1998	76.8	68.5
1999	72.7	55.1
2000	78.4	73.2
2001	78.9	72.8
2002	77.6	73.7
2003	83.5	74.8
2004	86.5	79.4
2005	86.3	80.9
2006	82.8	80.8
2007	81.8	80.6
2008	93.2	80.1
2009	85.0	78.2
2010*	-	-
2011*	-	-
2012	70.8	68.5
2013	80.1	68.4
2014	74.9	70.4
2015	80.4	71.6


* comparable data not available for this period of time.



Adolescent Immunizations


HPV - Adolescent Females (% females aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	50.1	41.7 - 58.5	20.1	54.0
White Non-Hispanic	47.7	38.8 - 56.6	19.4	63.0
Black Non-Hispanic	NA	NA	28.8	60.5
Hispanic	NA	NA	34.3	57.5
Below Poverty	NA	NA	29.3	61.7
Above Poverty	48.0	39.2 - 56.8	17.8	56.5




HPV - Adolescent Males (% males aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	33.0	25.4 - 40.6	9.0	42.9
White Non-Hispanic	33.0	25.0 - 41.0	11.8	47.4
Black Non-Hispanic	NA	NA	20.4	45.8
Hispanic	NA	NA	17.5	42.4
Below Poverty	NA	NA	8.1	43.5
Above Poverty	34.7	26.6 - 42.8	8.1	46.6




MCV4 (% aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	90.6	87.4 - 93.8	46.0	95.2
White Non-Hispanic	89.8	86.3 - 93.3	40.8	97.3
Black Non-Hispanic	NA	NA	51.1	94.1
Hispanic	NA	NA	55.8	97.6
Below Poverty	NA	NA	51.2	97.1
Above Poverty	91.2	88.1 - 94.3	42.3	95.6



Tdap (% aged 13 to 17 years)



	Value	85% CI	Best	Worse
Overall	94.4	91.8 - 97.0	70.8	94.8
White Non-Hispanic	94.1	91.2 - 97.0	64.9	96.0
Black Non-Hispanic	NA	NA	73.8	95.7
Hispanic	NA	NA	68.9	99.0
Below Poverty	NA	NA	61.7	98.4
Above Poverty	94.8	92.2 - 97.4	68.0	94.8



NA = Not Available

Edition	% of adult population	
	NH	US
1990	-	-
1991	-	-
1992	-	-
1993	-	-
1994	-	-
1995	-	-
1996	4.5	4.4
1997	4.0	4.5
1998	3.9	4.8
1999	3.9	5.4
2000	4.3	5.6
2001	4.4	6.1
2002	5.4	6.5
2003	6.2	6.5
2004	5.6	7.1
2005	6.5	7.0
2006	6.5	7.3
2007	7.4	7.5
2008	7.2	8.0
2009	7.2	8.2
2010	7.1	8.3
2011	7.9	8.7
2012*	8.7	9.5
2013*	9.1	9.7
2014*	9.2	9.6
2015*	9.1	10.0

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Diabetes (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	9.0	8.0 - 9.9	4.4	13.9	Less Than \$25,000	15.0	12.2 - 17.8	12.7	20.7
Non-Hispanic Black	NA	NA	7.2	19.2	\$25,000 to \$49,999	12.9	10.6 - 15.3	8.1	16.4
Hispanic	8.5	.6 - 16.4	.9	13.6	\$50,000 to \$74,999	9.5	7.1 - 11.9	6.7	13.4
					\$75,000 or More	6.0	4.6 - 7.4	4.2	8.9
Less Than High School	16.1	10.4 - 21.7	9.6	25.0	Aged 18 to 44 years	2.3	1.3 - 3.3	1.8	4.8
High School Graduate	13.3	11.3 - 15.4	8.6	16.7	Aged 45 to 64 years	11.2	9.5 - 12.8	8.3	18.1
Some College	9.9	8.1 - 11.7	8.2	15.2	Aged 65 +	19.5	17.1 - 21.8	16.5	26.7
College	6.5	5.4 - 7.6	5.1	10.9					
Urban	11.5	8.8 - 14.2	8.5	19.9	Male	9.8	8.4 - 11.2	6.3	14.1
Suburban	9.7	7.7 - 11.7	6.3	18.7	Female	8.5	7.3 - 9.8	6.7	14.1
Rural	10.1	8.6 - 11.6	8.6	19.4					

Deaths per 1,000 live births

Edition	NH	US
1990	8.4	10.2
1991	8.0	10.0
1992	8.1	9.9
1993	7.5	9.5
1994	6.6	9.1
1995	6.0	8.7
1996	5.8	8.4
1997	5.9	7.8
1998	5.6	7.4
1999	5.0	7.2
2000	4.3	7.2
2001	5.1	7.1
2002	5.8	7.0
2003	4.8	6.9
2004	4.4	6.8
2005	4.8	6.7
2006	5.6	6.7
2007	5.1	6.8
2008	5.2	6.8
2009	5.7	6.8
2010	5.7	6.7
2011	4.7	6.7
2012	4.4	6.5
2013	4.4	6.3
2014	4.5	6.0
2015	4.9	6.0




Infant Mortality (deaths per 1,000 live births)

Group	Value	Min	Max
White	4.8	3.4	7.3
Black	NA	7.1	14.1
Asian	NA	3.1	8.5
American Indian	NA	5.0	13.6
Hispanic	NA	3.4	10.0
Mother Age 15 to 19	NA	6.2	12.1
Mother Age 20 to 24	5.3	4.6	10.1
Mother Age 25 to 29	4.0	3.8	8.4
Mother Age 30 to 34	5.2	3.5	8.2
Mother Age 35 to 39	NA	3.6	9.8
Mother Age 40 to 44	NA	4.0	14.9


Edition	% of adult population	
	NH	US
2009	0	0
2010	0	0
2011	0	0
2012*	0	0
2013*	0	0
2014*	0	0
2015*	0	0

* Not directly comparable to prior data because of change in methodology of BRFSS.

High Health Status is the percentage of adults reporting their health is very good or excellent.



For high health status, the larger the area, the healthier the subpopulation.



High Health Status (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	60.5	58.7 - 62.3	41.9	65.2	Less Than \$25,000	34.8	30.4 - 39.2	23.4	36.8
Non-Hispanic Black	NA	NA	32.8	53.7	\$25,000 to \$49,999	53.5	49.8 - 57.3	39.7	55.8
Hispanic	66.9	52.8 - 81.1	28.5	68.3	\$50,000 to \$74,999	65.2	61.2 - 69.3	46.9	68.5
Less Than High School	36.8	28.2 - 45.4	16.7	36.8	\$75,000 or More	75.0	72.4 - 77.7	60.3	76.5
High School Graduate	49.9	46.6 - 53.2	34.3	49.9	Aged 18 to 44 years	64.0	60.6 - 67.3	49.1	65.9
Some College	61.2	58.0 - 64.4	44.1	61.2	Aged 45 to 64 years	60.7	58.2 - 63.1	34.6	61.1
College	72.1	69.9 - 74.4	60.4	76.3	Aged 65 +	50.7	47.9 - 53.5	30.4	50.7
Urban	58.4	54.3 - 62.6	39.3	59.9	Male	58.7	56.0 - 61.4	42.5	58.7
Suburban	62.2	58.5 - 65.8	39.3	62.6	Female	61.3	59.0 - 63.6	40.9	61.3
Rural	36.8	28.2 - 45.4	16.7	36.8					