

Oklahoma 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Overall	-0.437	46	MS	-0.867	MA	0.736	0.000◆.....◇.....	
Women	-0.245	47	MS	-0.309	MA	0.327	0.000◆.....◇.....	
Infants	-0.047	39	MS	-0.267	NH	0.347	0.000◆.....◇.....	
Children	-0.144	41	MS	-0.291	MA	0.231	0.000◆.....◇.....	

Strengths

- Low prevalence of excessive drinking in women
- Low prevalence of alcohol during pregnancy
- Low prevalence of drug or alcohol dependence or abuse in children

Challenges

- High prevalence of lifetime intimate partner violence in women
- High neonatal mortality rate
- High prevalence of adverse childhood experiences



	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Behaviors - Women									
Chlamydia (cases per 100,000 females aged 15-44)	1928.9	43	AK	2598.7	UT	842.7	1559.0◆.....◇.....	
Excessive Drinking (% of women aged 18-44)	12.2	5	ND	28.7	WV	10.7	17.7◆.....◇.....◆.....	
Obesity (% of women aged 18-44)	30.8	42	AR	36.6	MA	18.5	25.9◆.....◇.....	
Physical Inactivity (% of women aged 18-44)	25.2	44	MS	34.4	OR	14	22.5◆.....◇.....	
Smoking (% of women aged 18-44)	24.2	41	WV	33.6	CA	8.2	17.4◆.....◇.....	
Behaviors Women Total*	-0.038	42	MS	-0.088	UT	0.102	0.000◆.....◇.....	
Community & Environment - Women									
Concentrated Disadvantage (% of households)	14.0	31	MS	31	ND	2.6	16.0◆.....◇.....	
Food Insecurity (% of households)	16.5	41	MS	22	ND	8.4	14.3◆.....◇.....	
Intimate Partner Violence - Lifetime (% of women)	49.1	50	OK	49.1	ND	25.3	35.6	◆.....◇.....	
Intimate Partner Violence - Pregnancy (% of women with a recent live birth)	2.9	NA	CA	8.8	NH	1.3	NA◆.....◇.....◆.....	
Community & Environment Women Total*	-0.056	47	MS	-0.109	ND	0.131	0.000◆.....◇.....	
Policy - Women									
Postpartum Visit (% of women with a recent live birth)	86.8	NA	NM	85.6	IL	93.8	NA◆.....◇.....	
Publicly-Funded Family Planning (% of need met)	33.0	18	LA	14	VT	61	29.0◆.....◇.....◆.....	
Uninsured Women (% of women aged 18-44)	23.1	47	TX	28.3	MA	3.6	16.8◆.....◇.....	
Policy Women Total*	-0.026	39	TX	-0.107	VT	0.132	0.000◆.....◇.....	
Clinical Care - Women									
Cervical Cancer Screening (% of women aged 18-44)	85.4	48	AR	83.6	MA	95.4	90.8◆.....◇.....	
Dedicated Health Care Provider (% of women aged 18-44)	67.1	41	NV	60.1	ME	86.9	71.6◆.....◇.....	
Dental Visit (% of women aged 18-44)	59.1	46	AZ	56.6	MA	77.2	65.6◆.....◇.....	
Flu Vaccine (% of women aged 18-44)	35.7	20	FL	20.7	SD	49	32.8◆.....◇.....◆.....	
Well-Woman Visit (% of women aged 18-44)	58.5	45	ID	53.3	MA	75.4	66.5◆.....◇.....	
Clinical Care Women Total*	-0.062	46	NV	-0.078	MA	0.123	0.000◆.....◇.....	
All Determinants Women*	-0.183	47	MS	-0.231	MA	0.297	0.000◆.....◇.....	

NA=not available, *Negative value denotes below US average; positive value denotes above US average.

Oklahoma 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Outcomes - Women									
Diabetes (% of women aged 18-44)	3.5	37	AL	4.8	AK	1.9	3.1		
Drug Deaths (deaths per 100,000 population females aged 15-44)	19.4	46	WV	34	ND	4.2	12.0		
Maternal Mortality (deaths per 100,000 births)	26.0	39	GA	39.3	MA	5.8	19.9		
Postpartum Depression (% of women with a recent live birth)	15.4	NA	AR	20.4	IL	7.2	NA		
Unintended Pregnancy (% of all pregnancies)	51.0	24	MS	62	UT	36	45.0		
All Outcomes Women*	-0.063	42	AR	-0.091	MN	0.061	0.000		
Behaviors - Infants									
Alcohol During Pregnancy (% of pregnant women aged 18-44)	5.0	3	OR	17.5	WV	2.2	10.0		
Breastfed (% of infants exclusive at 6 months)	15.5	36	MS	10.1	VT	29.6	18.8		
Sleep Position (% of women who usually place infant on back)	70.2	NA	GA	45.6	NH	88.8	NA		
Smoking During Pregnancy (% of women who smoke while pregnant)	11.7	25	WV	24.2	CT	1.4	10.5		
Behaviors Infants Total*	0.010	18	PA	-0.085	UT	0.064	0.000		
Community & Environment - Infants									
Household Smoke (% of children aged 0-17)	30.3	40	WV	41	UT	12.4	24.1		
Infant Child Care Cost (% of median income)	9.8	12	MN	15.2	LA	6.9	11.6		
Community & Environment Infants Total*	-0.011	26	WV	-0.061	UT	0.065	0.000		
Policy - Infants									
Baby-Friendly Facility (% of live births)	0.4	40	AR	NA	NH	36	7.8		
Home Health Visit (% of children aged 0-3)	12.0	32	TX	3.7	MN	30.6	13.6		
mPINC Score (Maternity Practices in Infant and Nutrition Care survey score)	71.0	35	MS	59	NH	91	75.0		
Policy Infants Total*	-0.038	41	AR	-0.077	NH	0.133	0.000		
Clinical Care - Infants									
Low-Risk Cesarean Delivery (% of singleton, term, vertex first births)	25.1	28	NJ	31.6	NM	17	26.0		
Prenatal Care Before 3rd Trimester (% of live births)	89.0	38	MD	84.7	VT	97.8	86.9		
Well-Baby Check (% of babies)	92.6	20	NJ	86.4	VA	96.8	90.9		
Clinical Care Infants Total*	0.036	33	NJ	-0.107	VT	0.124	0.000		
All Determinants Infants*	-0.003	33	AR	-0.155	NH	0.28	0.000		
Outcomes - Infants									
Infant Mortality (deaths in infants aged <1 year per 1,000 live births)	7.1	41	MS	9.3	MA	4.2	6.0		
Low Birthweight (% of live births)	8.0	25	MS	11.3	AK	5.9	8.0		
Neonatal Mortality (deaths in infants aged 0-27 days per 1,000 live births)	4.7	43	MS	5.5	AK	2.8	4.0		
Preterm Birth (% of live births)	10.3	39	MS	12.9	OR	7.7	9.6		
All Outcomes Infants*	-0.044	40	MS	-0.133	WA	0.088	0.000		

NA=not available

*Negative value denotes below US average; positive value denotes above US average

Oklahoma 2016

State Value State Rank Least Healthy State Value Most Healthy State Value US Value

State Value = solid diamond
US Value = open diamond

Behaviors - Children

Drug Dependence or Abuse (% of children aged 12-17)	4.1	1	CO	6.4	OK	4.1	5.1◆.....◆
High School Graduation (% of students)	82.7	28	NM	68.5	IA	90.5	82.3◆.....◆
Overweight or Obese (% of children aged 10-17)	33.9	39	LA	39.8	UT	22.1	31.3◆.....◆
Tobacco Use (% of children aged 12-17)	11.0	49	WV	12.5	CA	5	7.4◆.....◆
Behaviors Children Total*	-0.013	30	AK	-0.093	UT	0.075	0.000◆.....◆

Community & Environment - Children

Adverse Childhood Experiences (% of children aged 0-17 with 2+ experiences)	32.9	50	OK	32.9	NJ	16.3	22.6◆.....◆
Neighborhood Amenities (% of children aged 0-17)	39.4	44	MS	29.4	CO	69.6	54.1◆.....◆
Protective Home Environment (Ages 0-5) (% of children aged 0-5)	41.9	23	MS	24.1	VT	62.7	39.4◆.....◆
Protective Home Environment (Ages 6-17) (% of children aged 6-17)	20.6	36	MS	10.3	UT	38.5	21.9◆.....◆
Supportive Neighborhoods (% of children aged 0-17)	75.7	37	NV	65.9	UT	89.2	75.0◆.....◆
Community & Environment Children Total*	-0.043	41	MS	-0.098	UT	0.11	0.000◆.....◆

Policy - Children

Adequate Health Insurance (% of insured children aged 0-17)	79.9	7	FL	72.5	VT	81.9	76.5◆.....◆
Children with Health Insurance (% of children aged 0-17)	92.7	42	NV	86.7	MA	99	94.5◆.....◆
Homeless Family Households (number per 10,000 households)	3.5	6	NY	33.2	MS	2.1	8.3◆.....◆
Water Fluoridation (% of population served)	62.5	36	HI	11.7	KY	99.9	74.7◆.....◆
Policy Children Total*	0.018	25	MT	-0.055	IA	0.064	0.000◆.....◆

Clinical Care - Children

Adolescent Well-Visit (% of children aged 12-17)	74.3	45	ID	65.7	NJ	93.3	81.7◆.....◆
Developmental Screening (% of children aged 10 months-5 years)	29.5	27	MS	17.5	NC	58	30.8◆.....◆
Immunizations - Adolescents (combined average z score)*	-0.6	36	MS	-1.958	RI	1.309	NA◆.....◆
Immunization HPV Female (% of females aged 13-17 years)	36.4	32	TN	20.1	NC	54	39.7◆.....◆
Immunization HPV Male (% of males aged 13-17 years)	19.9	29	AL	9	RI	42.9	21.6◆.....◆
Immunization MCV4 (% of adolescents aged 13-17 years)	70.8	37	MS	46	PA	95.2	79.3◆.....◆
Immunization Tdap (% of adolescents aged 13-17 years)	82.6	39	ID	70.8	CT	94.8	87.6◆.....◆
Immunizations - Children (% of children aged 19-35 months)	73.3	18	WV	63.4	ME	84.7	71.6◆.....◆
Medical Home for Special Care Child (% of children with special care needs)	46.1	16	NM	34.9	AL	50.7	43.0◆.....◆
Clinical Care Children Total*	-0.011	33	MS	-0.083	MA	0.084	0.000◆.....◆


All Determinants Children*


Outcomes - Children	-0.049	35	MS	-0.248	MA	0.166	0.000◆.....◆
Child Mortality (deaths per 100,000 children aged 1-18 years)	32.4	46	MS	34.3	RI	13.9	21.8◆.....◆
Missed School Days (% of children aged 6-17 years missing 11+ days)	7.1	34	WV	10.6	GA	3.6	6.2◆.....◆
Teen Births (births per 1,000 females aged 15-19 years)	38.5	49	AR	39.5	MA	10.6	24.2◆.....◆
Teen Suicide (deaths per 100,000 adolescents aged 15-19 years)	14.9	42	AK	30.3	NJ	5	8.4◆.....◆
All Outcomes Children*	-0.095	48	WV	-0.1	CT	0.067	NA◆.....◆

NA=not available

*Negative value denotes below US average; positive value denotes above US average

Census Division States	Overall Rank	Women Rank	Infant Rank	Children Rank
AR	49	46	49	44
LA	48	49	45	45
OK	46	47	39	41
TX	41	48	34	33






Percentage with a Dedicated Health Care Provider

Group	Value	95% CI
Non-Hispanic White	72.1	69.4-74.8
Non-Hispanic Black	63.1	55.0-71.3
Hispanic	50.4	44.2-56.6
Less Than High School	51.8	44.8-58.9
High School Graduate	68.9	64.5-73.4
Some College	76.8	73.1-80.5
College Graduate	80.1	76.9-83.4
Less Than \$25,000	59.2	54.8-63.6
\$25,000 to \$49,999	70.9	66.1-75.6
\$50,000 to \$74,999	84.5	79.8-89.3
\$75,000 or More	86.6	83.3-89.9
Aged 18 to 24	55.9	50.5-61.2
Aged 25 to 34	64.2	60.8-67.6
Aged 35 to 44	79.4	76.7-82.1

NA = not available

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

Percentage of women aged 18 to 44 who report having a personal doctor or health care provider



Rate of Infant Mortality


Group	Value
White Race	6.4
Black Race	12.7
Hispanic	6.4

NA = not available

Subpopulation data only available for race/ethnicity

Number of infant deaths (before age 1) per 1,000 live births

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

**Rate of Teen Suicide**

Group	Value	95% CI
Whites	16.6	13.4 - 20.3
Blacks	NA	NA
Hispanic	NA	NA

NA = not available

Subpopulation data only available for race/ethnicity

Number of deaths by suicide per
100,000 adolescents aged 15 to 19
years

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

U.S. Census Bureau	Y
American Community Survey	Y
Child Care Aware	Y
Centers for Disease Control and Prevention	Y
Breastfeeding Report Card	Y
Behavioral Risk Factor Surveillance System	Y
Pregnancy Risk Assessment Monitoring System	Y
National Center for Environmental Health	Y
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	Y
National Immunization Survey	Y
National Intimate Partner and Sexual Violence Survey	Y
National Survey of Children's Health	Y
National Survey of Children with Special Health Care Needs	Y
Water Fluoridation Reporting System	Y
Youth Risk Behavior Surveillance System	Y
Guttmacher Institute	Y
National Alliance to End Homelessness	Y
National Center for Education Statistics	Y
National Survey on Drug Use and Health	Y
National Vital Statistics System	Y
Linked Birth/Infant Death Records	Y
Multiple Cause of Death	Y
Nativity	Y
United States Department of Agriculture	Y

Y = All data available

P = Data partially available

A = Alternative comparable data source

N = No data available