

Metric	2015 Value	2015 Rank	2015 Best State	2014 Value	2014 Rank	2013 Value	2013 Rank
Behaviors							
Smoking (% of adult population)	17.0	18	9.7	17.3	16	17.9	17
Excessive Drinking (% of adult population)	18.9	33	10.3	19.0	33	-	-
Drug Deaths (deaths per 100,000 population)	12.5	18	2.7	13.1	28	12.7	26
Obesity (% of adult population)	27.9	17	21.3	26.5	15	27.3	22
Physical Inactivity (% of adult population)	16.5	2	16.4	18.5	2	16.2	1
High School Graduation (% of students)	68.7	49	89.7	68.0	2	68.0	-
Behaviors Total*	-0.01	28	-0.33				
Community & Environment							
Violent Crime (offenses per 100,000 population)	254.0	12	121.1	247.6	12	247.6	12
Occupational Fatalities (deaths per 100,000 workers)	3.3	7	2.0	3.0	5	2.9	2
Children in Poverty (% of children)	18.8	26	10.6	17.0	24	18.3	19
Infectious Disease (combined value <i>Chlamydia</i> , <i>Pertussis</i> , <i>Salmonella</i>)*	-0.55	7	-1.09	-	7	-0.42	-
<i>Chlamydia</i> (cases per 100,000 population)	363.7	14	236.2	347.5	9	356.1	14
<i>Pertussis</i> (cases per 100,000 population)	12.5	32	1.0	23.4	37	8.1	36
<i>Salmonella</i> (cases per 100,000 population)	9.6	3	8.4	10.4	9	9.4	8
Air Pollution (micrograms of fine particles per cubic meter)	6.7	8	5.0	6.9	8	7.0	8
Community & Environment Total*	0.17	4	-0.24				
Policy							
Lack of Health Insurance (% of population)	12.2	27	3.5	14.8	34	14.6	29
Public Health Funding (dollars per person)	\$57	35	\$227	\$58	36	\$59	36
Immunizations—Children (% of children aged 19 to 35 months)	65.3	46	84.7	66.6	39	66.7	34
Immunizations—Adolescents (combined value of HPV, MCV4, and Tdap)*	-0.44	32	1.31	-	-	-	-
HPV Females (% of females aged 13 to 17 years)	43.1	14	54.0	39.5	20	-	-
HPV Males (% of males aged 13 to 17 years)	12.3	45	42.9	-	-	-	-
MCV4 (% of adolescents aged 13 to 17 years)	68.4	38	95.2	65.3	38	-	-
Tdap (% of adolescents aged 13 to 17 years)	88.0	23	94.8	87.0	19	-	-
Policy Total*	-0.05	37	0.16				
Clinical Care							
Low Birthweight (% of live births)	6.3	2	5.8	6.1	2	6.1	2
Primary Care Physicians (number per 100,000 population)	134.6	14	206.7	131.5	12	129.4	13
Dentists (number per 100,000 population)	68.9	10	81.2	67.8	11	68.3	10
Preventable Hospitalizations (discharges per 1,000 in Medicare)	34.5	5	24.4	37.7	4	42.2	4
Clinical Care Total*	0.16	2	0.17				
All Determinants*	0.27	17	0.67			0.37	9
Outcomes							
Diabetes (% of adult population)	9.0	11	7.1	9.2	16	9.9	28
Poor Mental Health Days (days in previous 30)	4.1	39	2.7	4.3	44	4.4	44
Poor Physical Health Days (days in previous 30)	4.3	42	2.9	4.3	41	4.4	42
Disparity in Health Status (% difference by education level)**	31.6	36	14.9	28.8	25	27.2	13
Infant Mortality (deaths per 1,000 live births)	5.1	13	4.2	5.0	9	4.9	7
Cardiovascular Deaths (deaths per 100,000 population)	212.0	5	186.5	210.5	5	217.9	6
Cancer Deaths (deaths per 100,000 population)	192.1	27	146.1	192.4	30	191.5	27
Premature Death (years lost per 100,000 population)	6,319	16	5,414	6,371	18	6,516	18
All Outcomes*	0.04	28	-0.33	0.03	27		22
Overall	0.31	20	0.89	0.41	12		13

Strengths

- Low prevalence of physical inactivity
- Low prevalence of low birthweight
- Low rate of cardiovascular deaths

Challenges

- Low rate of high school graduation
- Low immunization coverage among children
- Low immunization among adolescent males for HPV





- Indicated data is missing or is not directly comparable to 2015

* Negative value denotes below US average; positive value denotes above US average.

**Difference in the percentage of adults aged 25 and older with versus without a high school education who report their health is very good or excellent.

Edition	OR	US
1990	27.1	29.5
1991	22.3	25.2
1992	22.3	25.2
1993	21.9	22.7
1994	20.6	23.0
1995	21.2	22.2
1996	21.9	22.7
1997	23.4	23.5
1998	20.7	23.2
1999	21.1	22.9
2000	21.4	22.8
2001	20.7	23.2
2002	20.5	23.2
2003	22.4	23.2
2004	20.9	22.0
2005	20.0	20.9
2006	18.5	20.6
2007	18.5	20.1
2008	16.9	19.8
2009	16.3	18.4
2010	17.9	17.9
2011	15.1	17.3
2012*	19.7	21.2
2013*	17.9	19.6
2014*	17.3	19.0
2015*	17.0	18.1

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Smoking (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	17.1	15.5 - 18.7	9.3	26.7	Less Than \$25,000	30.2	26.5 - 33.9	18.5	40.8
Non-Hispanic Black	NA	NA	13.0	35.1	\$25,000 to \$49,999	17.4	14.3 - 20.5	10.3	26.0
Hispanic	12.7	7.9 - 17.6	8.2	51.0	\$50,000 to \$74,999	11.3	8.0 - 14.7	9.7	24.0
Less Than High School	33.8	26.4 - 41.2	17.0	44.1	\$75,000 or More	8.1	5.9 - 10.2	5.0	16.4
High School Graduate	22.2	18.8 - 25.6	15.3	31.2	Aged 18 to 44 years	19.9	17.2 - 22.5	10.6	33.3
Some College	16.7	14.3 - 19.0	8.5	25.7	Aged 45 to 64 years	18.2	16.0 - 20.5	10.4	27.7
College	6.9	5.5 - 8.3	2.5	13.5	Aged 65 +	8.6	7.0 - 10.1	4.5	12.7
Urban	10.8	8.4 - 13.2	6.0	24.2	Male	18.2	16.0 - 20.3	11.2	27.8
Suburban	14.7	10.4 - 19.1	6.0	23.5	Female	15.8	13.8 - 17.8	8.2	25.6
Rural	17.2	13.2 - 21.2	9.8	26.2					

Edition	% of adult population	
	OR	US
1990	10.9	11.6
1991	10.9	11.6
1992	11.5	12.6
1993	12.3	12.6
1994	11.6	13.7
1995	14.1	14.4
1996	15.2	15.9
1997	16.4	16.8
1998	19.4	16.5
1999	18.3	18.3
2000	19.9	19.6
2001	21.5	20.0
2002	21.1	20.9
2003	20.3	21.9
2004	21.5	22.9
2005	21.2	23.2
2006	23.8	24.4
2007	24.8	25.1
2008	26.3	26.3
2009	25.0	26.7
2010	23.6	26.9
2011	27.6	27.5
2012*	26.7	27.8
2013*	27.3	27.6
2014*	26.5	29.4
2015*	27.9	29.6

* Not directly comparable to prior data because of change in methodology of BRFSS.




Prevalence of Obesity (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	28.4	26.6 - 30.2	17.6	35.1	Less Than \$25,000	35.0	31.3 - 38.8	27.5	42.4
Non-Hispanic Black	NA	NA	29.4	46.5	\$25,000 to \$49,999	30.0	26.5 - 33.4	23.3	40.1
Hispanic	25.6	18.7 - 32.4	18.5	40.8	\$50,000 to \$74,999	27.1	22.6 - 31.7	21.8	39.7
					\$75,000 or More	25.9	22.6 - 29.1	19.5	35.7
Less Than High School	30.8	23.5 - 38.1	23.1	43.9	Aged 18 to 44 years	24.8	21.9 - 27.8	18.3	35.9
High School Graduate	34.5	30.7 - 38.2	26.3	40.1	Aged 45 to 64 years	32.3	29.7 - 34.9	25.1	41.7
Some College	34.2	31.2 - 37.3	24.3	41.1	Aged 65 +	27.1	24.8 - 29.5	14.1	33.4
College	20.5	18.4 - 22.7	16.5	31.8					
Urban	29.0	25.5 - 32.4	18.6	36.9	Male	27.1	24.7 - 29.5	21.9	35.8
Suburban	28.9	24.0 - 33.9	22.7	47.6	Female	28.7	26.4 - 31.1	20.7	37.9
Rural	34.1	29.5 - 38.7	19.8	39.4					


Edition	% of adult population	
	OR	US
1990	--	--
1991	--	--
1992	--	--
1993	--	--
1994	--	--
1995	--	--
1996	--	--
1997	--	--
1998	14.2	14.3
1999	14.2	14.3
2000	14.5	14.7
2001	14.5	14.7
2002	14.8	14.9
2003	15.6	15.6
2004	15.9	16.4
2005	14.3	15.8
2006	13.7	14.8
2007†	14.0	14.9
2008†	14.9	15.6
2009†	14.3	15.7
2010†	13.8	15.7
2011†	14.6	15.5
2012*	16.5	18.3
2013*	15.3	16.9
2014*	16.5	16.8
2015*	16.6	16.0

† Edition used revised definition of binge drinking.

* Not directly comparable to prior data because of change in methodology of BRFSS.



Note: 2015 Edition uses Excessive Drinking in calculating overall rank. Binge Drinking is displayed here because more years of data are available.





Prevalence of Binge Drinking (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	16.0	14.5 - 17.5	9.4	23.3	Less Than \$25,000	16.4	13.3 - 19.5	6.3	19.0
Non-Hispanic Black	NA	NA	6.7	22.1	\$25,000 to \$49,999	15.0	12.0 - 18.1	7.9	22.0
Hispanic	21.8	15.2 - 28.5	11.5	38.8	\$50,000 to \$74,999	14.6	11.1 - 18.2	8.8	26.3
					\$75,000 or More	18.7	15.8 - 21.7	10.2	26.1
Less Than High School	17.9	11.4 - 24.4	7.3	21.4	Aged 18 to 44 years	24.8	22.0 - 27.6	14.7	35.0
High School Graduate	14.8	11.9 - 17.7	7.1	23.5	Aged 45 to 64 years	12.9	11.1 - 14.7	8.1	20.6
Some College	14.5	12.1 - 16.9	8.5	24.8	Aged 65 +	5.1	3.9 - 6.4	1.9	9.0
College	17.1	14.9 - 19.2	6.7	20.3					
Urban	10.9	8.6 - 13.3	6.2	20.0	Male	20.8	18.6 - 23.0	14.5	29.9
Suburban	8.9	5.8 - 11.9	5.1	17.8	Female	12.6	10.8 - 14.5	5.0	17.8
Rural	12.1	8.5 - 15.7	5.1	18.8					

Edition	% of adult population	
	OR	US
1990	-	-
1991	-	-
1992	-	-
1993	-	-
1994	-	-
1995	-	-
1996	-	-
1997	19.6	27.8
1998	19.6	27.8
1999	18.9	27.7
2000	18.9	27.7
2001	20.1	26.7
2002	20.8	25.4
2003	17.9	24.1
2004	18.8	22.7
2005	17.2	22.5
2006	18.6	23.8
2007	16.4	22.6
2008	17.3	22.6
2009	19.0	24.6
2010	17.7	23.8
2011	17.5	23.9
2012*	19.8	26.2
2013*	16.2	22.9
2014*	18.5	25.3
2015*	16.5	22.6

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Physical Inactivity (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	16.0	14.6 - 17.3	13.2	30.1	Less Than \$25,000	27.3	24.0 - 30.6	26.5	45.0
Non-Hispanic Black	NA	NA	6.8	39.8	\$25,000 to \$49,999	20.1	16.9 - 23.2	19.9	33.4
Hispanic	21.2	15.0 - 27.4	7.3	37.2	\$50,000 to \$74,999	13.4	9.8 - 17.0	12.9	27.6
Less Than High School	29.9	23.1 - 36.7	25.9	52.4	\$75,000 or More	7.0	5.2 - 8.9	7.0	17.8
High School Graduate	22.7	19.7 - 25.7	22.7	39.1	Aged 18 to 44 years	12.0	9.8 - 14.2	12.0	26.6
Some College	17.2	15.0 - 19.5	15.7	28.7	Aged 45 to 64 years	18.1	15.9 - 20.2	15.8	36.1
College Graduate	7.9	6.4 - 9.5	7.5	17.3	Aged 65 +	24.0	21.8 - 26.2	22.7	41.2
Urban	15.8	13.3 - 18.4	15.8	31.6	Male	15.8	13.9 - 17.8	14.8	28.9
Suburban	19.4	15.0 - 23.8	14.7	33.9	Female	17.2	15.4 - 19.0	17.2	36.1
Rural	25.1	20.9 - 29.2	19.1	38.6					

Drug Deaths

Oregon

Edition	Deaths per 100,000	
	OR	US
2011	13.7	12.9
2012	13.4	13.0
2013	12.7	12.2
2014	13.1	13.0
2015	12.5	13.5




Drug Deaths (deaths per 100,000 population)

Group	Value	85% CI	Best	Worse
White	13.2	12.5 - 13.9	2.6	33.0
Black	13.5	9.3 - 18.9	2.7	27.2
Hispanic	4.3	3.1 - 5.9	1.4	26.2
Male	14.5	13.6 - 15.5	3.5	40.2
Female	10.5	9.7 - 11.3	6.4	24.4

	% aged 19 to 35 months	
Edition	OR	US
1996	56.6	55.1
1997	62.4	67.7
1998	62.0	68.5
1999	56.6	55.1
2000	63.8	73.2
2001	74.7	72.8
2002	68.5	73.7
2003	70.0	74.8
2004	76.5	79.4
2005	78.9	80.9
2006	72.9	80.8
2007	78.4	80.6
2008	72.4	80.1
2009	72.3	78.2
2010*	-	-
2011*	-	-
2012	61.7	68.5
2013	66.7	68.4
2014	66.6	70.4
2015	65.3	71.6


* comparable data not available for this period of time.



Adolescent Immunizations


HPV - Adolescent Females (% females aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	43.1	34.0 - 52.2	20.1	54.0
White Non-Hispanic	38.8	28.2 - 49.4	19.4	63.0
Black Non-Hispanic	NA	NA	28.8	60.5
Hispanic	42.7	21.4 - 64.0	34.3	57.5
Below Poverty	NA	NA	29.3	61.7
Above Poverty	41.1	30.9 - 51.3	17.8	56.5




HPV - Adolescent Males (% males aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	12.3	7.5 - 17.1	9.0	42.9
White Non-Hispanic	12.1	6.4 - 17.8	11.8	47.4
Black Non-Hispanic	NA	NA	20.4	45.8
Hispanic	NA	NA	17.5	42.4
Below Poverty	NA	NA	8.1	43.5
Above Poverty	12.4	6.9 - 17.9	8.1	46.6




MCV4 (% aged 13 to 17 years)

	Value	85% CI	Best	Worse
Overall	68.4	62.4 - 74.4	46.0	95.2
White Non-Hispanic	67.2	60.2 - 74.2	40.8	97.3
Black Non-Hispanic	NA	NA	51.1	94.1
Hispanic	66.9	51.4 - 82.4	55.8	97.6
Below Poverty	57.9	41.7 - 74.1	51.2	97.1
Above Poverty	70.3	63.8 - 76.8	42.3	95.6



Tdap (% aged 13 to 17 years)



	Value	85% CI	Best	Worse
Overall	88.0	83.8 - 92.2	70.8	94.8
White Non-Hispanic	87.3	82.2 - 92.4	64.9	96.0
Black Non-Hispanic	NA	NA	73.8	95.7
Hispanic	91.0	80.9 - 101.1	68.9	99.0
Below Poverty	90.8	81.5 - 100.1	61.7	98.4
Above Poverty	86.4	81.3 - 91.5	68.0	94.8



NA = Not Available

Edition	% of adult population	
	OR	US
1990	-	-
1991	-	-
1992	-	-
1993	-	-
1994	-	-
1995	-	-
1996	4.0	4.4
1997	4.5	4.5
1998	4.7	4.8
1999	5.3	5.4
2000	4.6	5.6
2001	6.0	6.1
2002	5.7	6.5
2003	6.2	6.5
2004	6.3	7.1
2005	6.6	7.0
2006	6.7	7.3
2007	6.7	7.5
2008	6.9	8.0
2009	6.9	8.2
2010	8.2	8.3
2011	7.2	8.7
2012*	9.3	9.5
2013*	9.9	9.7
2014*	9.2	9.6
2015*	9.0	10.0

* Not directly comparable to prior data because of change in methodology of BRFSS.





Prevalence of Diabetes (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	8.9	8.1 - 9.8	4.4	13.9	Less Than \$25,000	14.2	11.9 - 16.4	12.7	20.7
Non-Hispanic Black	NA	NA	7.2	19.2	\$25,000 to \$49,999	11.4	9.4 - 13.4	8.1	16.4
Hispanic	8.0	4.3 - 11.7	.9	13.6	\$50,000 to \$74,999	7.3	5.3 - 9.2	6.7	13.4
					\$75,000 or More	5.7	4.3 - 7.2	4.2	8.9
Less Than High School	16.2	11.4 - 21.0	9.6	25.0	Aged 18 to 44 years	2.6	1.7 - 3.5	1.8	4.8
High School Graduate	11.3	9.3 - 13.2	8.6	16.7	Aged 45 to 64 years	10.4	8.8 - 12.1	8.3	18.1
Some College	10.5	8.9 - 12.1	8.2	15.2	Aged 65 +	20.7	18.6 - 22.7	16.5	26.7
College	6.4	5.3 - 7.6	5.1	10.9					
Urban	10.2	8.3 - 12.0	8.5	19.9	Male	8.8	7.6 - 10.0	6.3	14.1
Suburban	10.3	7.7 - 12.8	6.3	18.7	Female	9.1	7.9 - 10.3	6.7	14.1
Rural	13.9	11.1 - 16.7	8.6	19.4					

Deaths per 1,000 live births

Edition	OR	US
1990	9.9	10.2
1991	9.5	10.0
1992	8.7	9.9
1993	8.6	9.5
1994	7.8	9.1
1995	7.2	8.7
1996	7.1	8.4
1997	6.6	7.8
1998	5.9	7.4
1999	5.7	7.2
2000	5.6	7.2
2001	5.6	7.1
2002	5.7	7.0
2003	5.5	6.9
2004	5.9	6.8
2005	5.7	6.7
2006	5.6	6.7
2007	5.9	6.8
2008	5.9	6.8
2009	5.7	6.8
2010	5.6	6.7
2011	5.5	6.7
2012	5.0	6.5
2013	4.9	6.3
2014	5.0	6.0
2015	5.1	6.0




Infant Mortality (deaths per 1,000 live births)

Group	Value	Min	Max
White	5.0	3.4	7.3
Black	8.0	7.1	14.1
Asian	4.4	3.1	8.5
American Indian	NA	5.0	13.6
Hispanic	5.4	3.4	10.0
Mother Age 15 to 19	6.2	6.2	12.1
Mother Age 20 to 24	5.6	4.6	10.1
Mother Age 25 to 29	4.8	3.8	8.4
Mother Age 30 to 34	4.4	3.5	8.2
Mother Age 35 to 39	4.9	3.6	9.8
Mother Age 40 to 44	10.1	4.0	14.9


% of adult population		
Edition	OR	US
2009	0	0
2010	0	0
2011	0	0
2012*	0	0
2013*	0	0
2014*	0	0
2015*	0	0

* Not directly comparable to prior data because of change in methodology of BRFSS.

High Health Status is the percentage of adults reporting their health is very good or excellent.



For high health status, the larger the area, the healthier the subpopulation.



High Health Status (% of adult population)

Group	Value	95% CI	Min	Max	Group	Value	95% CI	Min	Max
Non-Hispanic White	56.0	54.1 - 57.9	41.9	65.2	Less Than \$25,000	34.0	30.4 - 37.6	23.4	36.8
Non-Hispanic Black	NA	NA	32.8	53.7	\$25,000 to \$49,999	48.6	44.7 - 52.5	39.7	55.8
Hispanic	39.1	32.0 - 46.1	28.5	68.3	\$50,000 to \$74,999	63.0	58.3 - 67.7	46.9	68.5
					\$75,000 or More	72.3	69.1 - 75.5	60.3	76.5
Less Than High School	25.3	18.8 - 31.7	16.7	36.8	Aged 18 to 44 years	59.4	56.2 - 62.6	49.1	65.9
High School Graduate	45.0	41.2 - 48.9	34.3	49.9	Aged 45 to 64 years	51.1	48.4 - 53.8	34.6	61.1
Some College	53.3	50.1 - 56.4	44.1	61.2	Aged 65 +	47.2	44.6 - 49.7	30.4	50.7
College	68.1	65.6 - 70.6	60.4	76.3					
Urban	56.4	52.8 - 60.0	39.3	59.9	Male	52.7	50.1 - 55.4	42.5	58.7
Suburban	53.5	47.9 - 59.1	39.3	62.6	Female	55.4	52.9 - 57.8	40.9	61.3
Rural	25.3	18.8 - 31.7	16.7	36.8					