Alabama

State Health Department Website: alabamapublichealth.gov



Summary

Strengths:

- High rate of high school graduation
- · Low racial gap in high school graduation rates
- Low prevalence of excessive drinking among women

Highlights:

CHILDREN IN POVERTY

from 27.2% to 21.4% of children ages 0-17 ▼21% from 27.2% to 21.4% or 6 between 2013 and 2019

HOUSEHOLD SMOKE

from 21.5% to 16.8% of children ages 0-17 22% between 2016-2017 and 2019-2020

Challenges:

- · High child mortality rate
- Low prevalence of food sufficiency among children
- High prevalence of multiple chronic conditions among women

FLU VACCINATION

▼16% from 32.8% to 27.6% of women ages 18-44 between 2014-2015 and 2018-2019

TEEN SUICIDE

18% from 9.1 to 10.7 deaths per 100,000 adolescents ages 15-19 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	44	-0.626	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.7%	3.0%
Violent Crime	+	44	511	379
Economic Resources				
Concentrated Disadvantage	+	41	29.0%	25.1%
Food Insecurity	+	45	13.9%	11.1%
Gender Pay Gap‡	+	46	74.5%	81.0%
Poverty	+	44	19.7%	15.2%
Unemployment	++++	17	3.3%	3.6%
Education				
College Graduate	+	44	28.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++++	3	9.1%	12.5%
Residential Segregation — Black/White	++++	14	57	62
Voter Participation	++	40	57.0%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	33	-0.102	_
Community and Family Safety				
Child Victimization [‡]	+++	30	10.7%	8.9%
Economic Resources				
Children in Poverty	+	45	21.4%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	+	45	89.3%	92.6%
Students Experiencing Homelessness	+++	25	2.2%	3.0%
WIC Coverage	++++	14	56.0%	53.9%
Education				
Early Childhood Education	++	37	43.7%	48.9%
Fourth Grade Reading Proficiency	+	47	28.2%	34.3%
High School Graduation	+++++	1	91.7%	85.8%
High School Graduation Racial Disparity	+++++	2	3.0	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	30	16.3%	14.8%
Foster Care Instability	+	41	20.6%	16.0%
Neighborhood Amenities	+	43	20.6%	37.4%
Reading, Singing or Storytelling	+	45	50.0%	55.9%
	++	31	-0.014	_
	++	35	8.0	8.3
	+++	30	0.3%	0.8%
	++	34	16.8%	14.0%
	++	40	8,593,189	361,963,972
	+++	23	78.0%	73.0%
	++	36	0	_
	++	36	10.1	8.7
	+	49	85.1%	75.4%
		49 13	11.7%	17.6%
	++++			
	++++	14	13.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	45	-0.549	_
Access to Care				
Adequate Prenatal Care	+	43	72.8%	76.7%
Avoided Care Due to Cost	+	49	26.1%	18.8%
Publicly-funded Women's Health Services	++++	19	28%	29%
Uninsured	++	37	14.9%	12.9%
Women's Health Providers	+	49	31.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	19	81.5%	79.9%
Dental Visit	++	38	63.5%	67.6%
Flu Vaccination	+	43	27.6%	31.5%
Postpartum Visit*		_	92.8%	90.7%
Well-woman Visit	++	31	72.6%	73.2%
Quality of Care		4.5	CO C0/	0.4.00/
Breastfeeding Initiation*	+	45	69.6%	84.0%
Dedicated Health Care Provider	+++	29 45	71.3% 28.4%	71.1%
Low-risk Cesarean Delivery	++++	45 24	28.4% 78	25.6% 79
Maternity Practices Score	TTT	24	70	/9
BEHAVIORS*	+	48	-1.033	
Nutrition and Physical Activity				
Exercise	+	47	16.9%	21.5%
Fruit and Vegetable Consumption	++	38	8.3%	10.4%
Physical Inactivity	+	48	27.6%	22.6%
Sexual Health				
Chlamydia	+	42	2,011	1,743
High-risk HIV Behaviors	+	45	11.5%	9.7%
Unintended Pregnancy*			38.4%	30.6%
Sleep Health	++	39	39.5%	2010/
Insufficient Sleep	***	39	39.3%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	12	5.0%	5.3%
Smoking	+	45	20.9%	14.3%
Smoking During Pregnancy	+++	26	8.1%	6.0%
HEALTH OUTCOMES*	+	47	-1.077	
Behavioral Health	<u> </u>		-1.077	
Drug Deaths‡	+++	23	19.2	20.7
Excessive Drinking	+++++	4	14.0%	19.2%
Frequent Mental Distress	++	40	21.8%	18.1%
Illicit Drug Use	++	40	12.3%	10.8%
Postpartum Depression*		_	23.5%	13.4%
Mortality				
Maternal Mortality*		_	35.8	20.1
Mortality Rate	+	44	142.2	97.2
Physical Health		4.0	40.40:	
Frequent Physical Distress	+	42	10.4%	8.4%
High Blood Pressure	+	45	17.8%	10.6%
High Health Status*	+	46	49.7%	53.8%
Maternal Morbidity*		— 4E	5.0	6.6
Multiple Chronic Conditions	+	45 45	7.1%	4.4%
Obesity	+	45	37.1% -0. 671	30.0%
OVERALL — WOMEN*			-0.671	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	18	0.324	_
Access to Care				
ADD/ADHD Treatment	+++++	8	4.5%	3.0%
Pediatricians	++	38	77.3	104.6
Uninsured	++++	11	3.5%	5.7%
orimbarea.			0.070	0.770
Proceeding Official Com-				
Preventive Clinical Care		10	01.00/	75.00/
Childhood Immunizations	+++++		81.0%	75.8%
HPV Vaccination	++++	42	47.3%	54.2%
Preventive Dental Care		23	78.2%	77.5%
Well-child Visit	++	37	77.8%	80.7%
Quality of Care				
Adequate Insurance	+++++	2	75.9%	66.7%
Developmental Screening	++	31	33.3%	36.9%
Medical Home	++	34	47.9%	46.8%
BEHAVIORS*	+	46	-0.903	_
Nutrition and Physical Activity				
Breastfed	+	47	20.4%	25.6%
Food Sufficiency	+	46	61.7%	69.8%
Physical Activity	+++++	8	25.2%	20.6%
Soda Consumption — Youth‡		_	14.1%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	88.2%	90.9%
Teen Births	+	46	25.6	16.7
Sleep Health				
Adequate Sleep	+	47	59.2%	66.1%
Sleep Position [‡]		_	72.0%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	19.4%	32.7%
Tobacco Use	++	35	5.3%	4.0%
HEALTH OUTCOMES*	++	34	-0.232	_
Behavioral Health		_	0.00/	
Alcohol Use — Youth	+++++	7	8.2%	9.2%
Anxiety	+++++	4	7.4%	9.1%
Depression	+++++	2	2.5%	3.9%
Flourishing	+++++	4	71.8%	69.1%
Illicit Drug Use — Youth	+++++	10	7.0%	8.4%
Teen Suicide‡			10.7	11.2
Mortality				
Child Mortality	+	47	38.3	25.4
Infant Mortality	+	46	7.2	5.7
Physical Health		07	7.00/	
Asthma	+++	27	7.6%	7.5%
High Health Status	+	47	88.8%	90.4%
Low Birthweight	+	48	10.5%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	+	42	36.9%	32.1%
OVERALL — CHILDREN*		_	-0.196	_
OVERALL — WOMEN AND CHILDREN*		_	-0.452	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Alaska

State Health Department Website: dhss.alaska.gov



Summary

Strengths:

- · Low prevalence of low birthweight
- Low percentage of low-risk cesarean deliveries
- · Low prevalence of asthma among children

Highlights:

WELL-WOMAN VISIT

from 52.7% to 71.0% of women ages 18-44 between 2016-2017 and 2018-2019

SMOKING DURING PREGNANCY

▼28% from 13.3% to 9.6% of live births between 2014 and 2019

Challenges:

- · High child mortality rate
- · Low immunization coverage among children
- High prevalence of unemployment among women

INFANTS EXCLUSIVELY BREASTFED FOR SIX MONTHS

▼15% from 41.7% to 35.3% between 2016 and 2017

CHILD MORTALITY

44% from 33.1 to 47.7 deaths per 100,000 children ages 1-19 between 2012-2014 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	36	-0.193	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.7%	3.0%
Violent Crime	+	50	867	379
Economic Resources				
Concentrated Disadvantage	+++	22	18.6%	25.1%
Food Insecurity	+++	23	10.7%	11.1%
Gender Pay Gap‡	+++++	9	83.1%	81.0%
Poverty	++++	11	12.8%	15.2%
Unemployment	+	46	4.6%	3.6%
Education				
College Graduate	++	36	31.4%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++++	19	11.7%	12.5%
Residential Segregation — Black/White	+++++	10	53	62
Voter Participation	++	33	59.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	42	-0.329	_
Community and Family Safety				
Child Victimization*	+	46	17.0%	8.9%
Economic Resources				
Children in Poverty	++++	14	13.0%	16.8%
Children in Poverty Racial Disparity	++	35	3.5	3.0
High-speed Internet	+++	22	93.4%	92.6%
Students Experiencing Homelessness	++	36	2.7%	3.0%
WIC Coverage	+++	22	54.1%	53.9%
Education				
Early Childhood Education	++	33	44.0%	48.9%
Fourth Grade Reading Proficiency	+	49	25.1%	34.3%
High School Graduation	+	46	80.4%	85.8%
High School Graduation Racial Disparity	++	35	17.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	44	18.9%	14.8%
Foster Care Instability	+	44	21.8%	16.0%
Neighborhood Amenities	++	36	29.7%	37.4%
Reading, Singing or Storytelling	+++++	9	63.5%	55.9%
	++	32	-0.018	_
	++++	15	6.9	8.3
	+	47	4.8%	0.8%
	+++	21	14.5%	14.0%
	+++++	2	11,929	361,963,972
	+	43	49.6%	73.0%
	++	36	0	_
	+	50	22.3	8.7
			00.70/	75 40/
	+++++	4	69.7%	75.4%
	+++++	3	7.7%	17.6%
	+	46	20.5%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	16	0.404	_
Access to Care				
Adequate Prenatal Care	+	48	68.7%	76.7%
Avoided Care Due to Cost	+++	30	19.1%	18.8%
Publicly-funded Women's Health Services	+++++	4	54%	29%
Uninsured	+	42	16.0%	12.9%
Women's Health Providers	+++++	1	102.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	25	80.8%	79.9%
Dental Visit	+++++	7	73.3%	67.6%
Flu Vaccination	+++	27	32.5%	31.5%
Postpartum Visit [‡]		_	88.3%	90.7%
Well-woman Visit	++	38	71.0%	73.2%
Quality of Care			00.00/	0.4.00/
Breastfeeding Initiation*	+++++	4	92.8%	84.0%
Dedicated Health Care Provider	+	43	65.8%	71.1%
Low-risk Cesarean Delivery	+++++	1	17.1%	25.6%
Maternity Practices Score	++++	11	83	79
BEHAVIORS*	++	31	-0.229	_
Nutrition and Physical Activity				
Exercise	+	42	18.3%	21.5%
Fruit and Vegetable Consumption	++++	12	11.6%	10.4%
Physical Inactivity	+++++	8	18.2%	22.6%
Sexual Health				
Chlamydia	+	49	2,615	1,743
High-risk HIV Behaviors	++++	16	8.8%	9.7%
Unintended Pregnancy*			28.1%	30.6%
Sleep Health Insufficient Sleep	+++++	10	32.2%	36.1%
Insufficient Sleep	******	10	JZ.Z/0	30.1%
Tobacco Use				
E-cigarette Use*	+++	25	5.9%	5.3%
Smoking	++	34	18.8%	14.3%
Smoking During Pregnancy	++	34	9.6%	6.0%
HEALTH OUTCOMES*	+++	23	-0.095	
Behavioral Health			0.000	
Drug Deaths‡	+++	27	20.2	20.7
Excessive Drinking	++++	14	17.7%	19.2%
Frequent Mental Distress	+++++	8	15.6%	18.1%
Illicit Drug Use	+++	27	11.2%	10.8%
Postpartum Depression‡		_	12.2%	13.4%
Mortality				004
Maternal Mortality Mortality Rate	_	 /17	1521	20.1
Physical Health	+	47	153.1	97.2
Frequent Physical Distress	++++	13	7.9%	8.4%
High Blood Pressure	++	38	12.6%	
High Health Status	+++	28	54.6%	10.6% 53.8%
Maternal Morbidity*	117	_	10.4	6.6
Multiple Chronic Conditions	++++	11	3.7%	4.4%
Obesity	++++	20	28.3%	30.0%
OVERALL — WOMEN*		_	-0.050	
OTENALE WOMEN			5.555	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children		01-1-	0	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	46	-0.620	_
Access to Care				
ADD/ADHD Treatment	+++	29	3.0%	3.0%
Pediatricians	++	32	83.7	104.6
Uninsured	+	48	9.4%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	49	66.6%	75.8%
HPV Vaccination	++	32	52.6%	54.2%
Preventive Dental Care	++	37	76.2%	77.5%
Well-child Visit	++	38	77.4%	80.7%
Quality of Care				
Adequate Insurance	++	35	65.3%	66.7%
Developmental Screening	+++++	10	47.4%	36.9%
Medical Home	+	44	44.5%	46.8%
BEHAVIORS*	++++	18	0.383	_
Nutrition and Physical Activity				
Breastfed	+++++	5	35.3%	25.6%
Food Sufficiency	++++	19	71.0%	69.8%
Physical Activity	+++++	3	28.0%	20.6%
Soda Consumption — Youth‡		_	8.5%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	86.8%	90.9%
Teen Births	+++	30	18.3	16.7
Sleep Health				
Adequate Sleep	+++++	6	72.5%	66.1%
Sleep Position [‡]			79.4%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	26.1%	32.7%
Tobacco Use	+	44	6.6%	4.0%
HEALTH OUTCOMES*	+++	26	-0.047	_
Behavioral Health				
Alcohol Use — Youth	++++	12	8.7%	9.2%
Anxiety	+++++	10	8.3%	9.1%
Depression	+++	24	4.2%	3.9%
Flourishing	++	33	68.6%	69.1%
Illicit Drug Use — Youth	++	37	9.8%	8.4%
Teen Suicide‡		_	44.9	11.2
Mortality			477	
Child Mortality	+	50	47.7	25.4
Infant Mortality	+++	25	6.0	5.7
Physical Health Asthma	+++++	E	5.5%	7.50/
High Health Status	+++++	5 6	92.8%	7.5%
Low Birthweight	+++++	1	6.3%	90.4%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	++	31	32.4%	32.1%
OVERALL — CHILDREN*		_	-0.130	_
OVERALL — WOMEN AND CHILDREN*			-0.101	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: azdhs.gov



Summary

Strengths:

- · Low prevalence of youth alcohol use
- · Low percentage of housing with lead risk
- High prevalence of exercise among women

Highlights:

FOOD INSECURITY

▼25% from 15.6% to 11.7% of households between 2011-2013 and 2017-2019

WELL-WOMAN VISIT

from 60.4% to 70.0% of women ages 18-44 ▲16% Trom 60.4% to 70.5% cm. 1218-2019 between 2013-2014 and 2018-2019

Challenges:

- · Low rate of high school graduation
- · High prevalence of unemployment among women
- High prevalence of high-risk HIV behaviors among women

UNINSURED

from 7.7% to 9.2% of children ages 0-18 ▲19% from 7.7% to 9.2% of Grand between 2017 and 2019

CHILD MORTALITY

from 25.8 to 29.6 deaths per 100,000 children ages 1-19 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	40	-0.448	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+	41	455	379
Economic Resources				
Concentrated Disadvantage	+	46	34.7%	25.1%
Food Insecurity	+++	30	11.7%	11.1%
Gender Pay Gap‡	+++++	9	83.1%	81.0%
Poverty	+++	29	15.9%	15.2%
Unemployment	+	48	5.2%	3.6%
Education				
College Graduate	+	42	29.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++	31	13.4%	12.5%
Residential Segregation — Black/White	+++++	8	52	62
Voter Participation	+++++	7	68.6%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	47	-0.546	_
Community and Family Safety				
Child Victimization [‡]	+++	22	7.8%	8.9%
Economic Resources				
Children in Poverty	++	38	19.1%	16.8%
Children in Poverty Racial Disparity	++	37	3.9	3.0
High-speed Internet	+	42	90.5%	92.6%
Students Experiencing Homelessness	++++	14	1.8%	3.0%
WIC Coverage	++	32	49.8%	53.9%
Education				
Early Childhood Education	+	42	40.7%	48.9%
Fourth Grade Reading Proficiency	+	41	31.4%	34.3%
High School Graduation	+	49	77.8%	85.8%
High School Graduation Racial Disparity	+++	30	15.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	35	17.3%	14.8%
Foster Care Instability	++++	16	13.0%	16.0%
Neighborhood Amenities	+++	26	34.8%	37.4%
Reading, Singing or Storytelling	+	48	48.3%	55.9%
	++++	18	0.150	_
	+	45	8.6	8.3
	++	34	0.5%	0.8%
	+++++	10	12.6%	14.0%
	++++	20	2,557,937	361,963,972
	++	37	58.0%	73.0%
	+++	23	2	_
	+++++	10	7.7	8.7
	++++	14	75.0%	75.4%
	++++	2	6.8%	17.6%
	+	41	18.0%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	44	-0.509	_
Access to Care				
Adequate Prenatal Care	+	47	69.4%	76.7%
Avoided Care Due to Cost	+++	30	19.1%	18.8%
Publicly-funded Women's Health Services	+	41	19%	29%
Uninsured	++	38	15.3%	12.9%
Women's Health Providers	++	37	41.7	48.5
Preventive Clinical Care				10.0
Cervical Cancer Screening	+++	29	79.4%	79.9%
Dental Visit	+	46	59.9%	67.6%
Flu Vaccination	+	42	28.3%	31.5%
Postpartum Visit*		-12	20.070	90.79
Well-woman Visit	++	39	70.0%	73.29
Quality of Care	- ' '	- 55	70.076	73.27
Breastfeeding Initiation*	++++	13	89.0%	84.09
-	+	43	65.8%	
Dedicated Health Care Provider	++++	12		71.1%
Low-risk Cesarean Delivery			21.9%	25.69
Maternity Practices Score	+++	28	77	79
BEHAVIORS*	++++	18	0.154	_
Nutrition and Physical Activity				
Exercise	+++++	4	25.6%	21.5%
Fruit and Vegetable Consumption	+++++	2	13.5%	10.49
Physical Inactivity	+++	27	21.9%	22.69
Physical inactivity	777	21	21.376	22.07
Sexual Health				
Chlamydia	++	39	1,934	1,743
High-risk HIV Behaviors	+	48	12.0%	9.7%
Unintended Pregnancy*		_	_	30.69
Sleep Health				
Insufficient Sleep	+++	23	35.2%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	20	5.6%	5.3%
Smoking	++++	13	13.0%	14.3%
Smoking During Pregnancy	++++	12	4.4%	6.0%
HEALTH OUTCOMES*	+++	27	-0.248	_
Behavioral Health		0.5		
Drug Deaths*	+++	25	20.0	20.7
Excessive Drinking	+++++	9	16.9%	19.2%
Frequent Mental Distress	++++	18	18.5%	18.1%
Illicit Drug Use	+	42	12.8%	10.89
Postpartum Depression*		_	_	13.49
Mortality				
Maternal Mortality [‡]		_	25.2	20.1
Mortality Rate	+++	25	100.7	97.2
Physical Health				07.2
Frequent Physical Distress	+	44	10.7%	8.4%
High Blood Pressure	+++	25	10.7%	10.69
High Health Status*	++	40	51.3%	
-	TT			53.89
Maternal Morbidity*		- 20	8.7	6.6
Multiple Chronic Conditions	+++	30	5.0%	4.4%
Obesity	++++	15	27.2%	30.09
OVERALL — WOMEN*		_	-0.170	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children		٥	٥	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	49	-0.923	_
Access to Care				
ADD/ADHD Treatment	++	39	2.2%	3.0%
Pediatricians	++	37	77.6	104.6
Uninsured	+	47	9.2%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	46	70.3%	75.8%
HPV Vaccination	++++	20	56.9%	54.2%
Preventive Dental Care	+++	25	77.5%	77.5%
Well-child Visit	+	47	75.7%	80.7%
Quality of Care				
Adequate Insurance	++	37	64.2%	66.7%
Developmental Screening	+	47	24.9%	36.9%
Medical Home	+	50	34.7%	46.8%
BEHAVIORS*	++	36	-0.348	_
Nutrition and Physical Activity			0.4.00/	
Breastfed	+++	30	24.6%	25.6%
Food Sufficiency	++	40	64.5%	69.8%
Physical Activity	+	48	15.0%	20.6%
Soda Consumption — Youth‡			8.2%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	90.0%	90.9%
Teen Births	++	31	18.5	16.7
Sleep Health				
Adequate Sleep	+++	29	66.0%	66.1%
Sleep Position [‡]		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	17.9%	32.7%
Tobacco Use	+++++	4	2.9%	4.0%
HEALTH OUTCOMES*	++++	12	0.159	_
Behavioral Health			7.00/	
Alcohol Use — Youth	+++++	4	7.9%	9.2%
Anxiety	++++	18	9.0%	9.1%
Depression	+++	27	4.6%	3.9%
Flourishing	+	45	66.3%	69.1%
Illicit Drug Use — Youth	++++	18	7.7%	8.4%
Teen Suicide [‡]			13.7	11.2
Mortality		0.5	20.6	05.4
Child Mortality	++	35	29.6	25.4
Infant Mortality	++++	18	5.7	5.7
Physical Health		20	70%	750/
Asthma	++++	20	7.0%	7.5%
High Health Status	++	39	89.5%	90.4%
Low Birthweight	++++	13	7.4%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	2.1
Overweight or Obesity — Youth	+++++	7	26.6%	32.1%
OVERALL — CHILDREN*			-0.270	_

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Arkansas

State Health Department Website: healthy.arkansas.gov



Summary

Strengths:

- High prevalence of physical activity among children
- Low prevalence of illicit drug use among youth
- High prevalence of women with a dedicated health care provider

Highlights:

HIGH-SPEED INTERNET

from 78.7% to 88.1% of households with 12% from 78.7% to 66.1% of Flourischool children between 2016 and 2019

SMOKING DURING PREGNANCY

from 15.0% to 12.1% of live births between ▼19% Trom 15.0% to 1

Challenges:

- Low percentage of female college graduates
- · High teen birth rate
- · High percentage of children in poverty

UNINSURED

▲34% from 4.4% to 0.5% between 2017 and 2019 from 4.4% to 5.9% of children ages 0-18

FREQUENT MENTAL DISTRESS

from 19.3% to 25.6% of women ages 18-44 ▲33% between 2013-2014 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	47	-0.925	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.8%	3.0%
Violent Crime	+	47	585	379
Economic Resources				
Concentrated Disadvantage	++	35	26.0%	25.1%
Food Insecurity	+	44	13.8%	11.1%
Gender Pay Gap‡	++	31	79.0%	81.0%
Poverty	+	45	19.9%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	+	48	26.2%	35.7%
0.110				
Social Support and Engagement		0	0.00/	10 50/
Infant Child Care Cost*	+++++	2	8.9%	12.5%
Residential Segregation — Black/White	+++	28	65	62
Voter Participation	+	50	49.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	46	-0.489	_
Community and Family Safety				
Child Victimization [‡]	++	34	12.0%	8.9%
Economic Resources				
Children in Poverty	+	47	22.1%	16.8%
Children in Poverty Racial Disparity	+++++	3	2.5	3.0
High-speed Internet	+	48	88.1%	92.6%
Students Experiencing Homelessness	++	37	2.8%	3.0%
WIC Coverage	++	35	48.6%	53.9%
Education				
Early Childhood Education	++++	19	48.3%	48.9%
Fourth Grade Reading Proficiency	+	42	31.2%	34.3%
High School Graduation	++++	16	87.6%	85.8%
High School Graduation Racial Disparity	++++	12	10.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	48	22.5%	14.8%
Foster Care Instability	+	46	23.4%	16.0%
Neighborhood Amenities	+	42	21.1%	37.4%
Reading, Singing or Storytelling	+	41	51.5%	55.9%
	+++	30	0.013	_
	+++	25	7.3	8.3
	+++	24	0.2%	0.8%
	+	49	23.5%	14.0%
	++	31	5,878,808	361,963,972
	++++	20	85.4%	73.0%
	+++	28	1	_
	++	32	9.5	8.7
	+	47	82.6%	75.4%
	+++++	9	82.6% 10.9%	17.6%
	++++	17	14.1%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	42	-0.450	_
Access to Care				
Adequate Prenatal Care	++	39	73.8%	76.7%
Avoided Care Due to Cost	+	46	24.7%	18.8%
Publicly-funded Women's Health Services	+++	30	23%	29%
Uninsured	++	32	13.1%	12.9%
Women's Health Providers	+	50	30.4	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	9	83.6%	79.9%
Dental Visit	+	50	58.9%	67.6%
Flu Vaccination	+++	25	32.7%	31.5%
Postpartum Visit*		_	88.8%	90.7%
Well-woman Visit	++++	19	75.5%	73.2%
Quality of Care		4.0	70.00/	
Breastfeeding Initiation*	+	42	73.3%	84.0%
Dedicated Health Care Provider	++++	17	76.9%	71.1%
Low-risk Cesarean Delivery	+	41	27.7%	25.6%
Maternity Practices Score	+	48	69	79
BEHAVIORS*	+	50	-1.135	_
Nutrition and Physical Activity				
Exercise	+	44	17.7%	21.5%
Fruit and Vegetable Consumption	+	43	8.0%	10.4%
Physical Inactivity	+	46	26.0%	22.6%
Sexual Health				
Chlamydia	+	43	2,124	1,743
High-risk HIV Behaviors	+++	25	9.9%	9.7%
Unintended Pregnancy*			35.4%	30.6%
Sleep Health	+	49	42.6%	20.10/
Insufficient Sleep	т	49	42.0%	36.1%
Tobacco Use				
E-cigarette Use‡	++	36	6.5%	5.3%
Smoking	+	48	22.8%	14.3%
Smoking During Pregnancy	+	44	12.1%	6.0%
HEALTH OUTCOMES*	+	49	-1.341	
Behavioral Health	•	70	1.0-71	
Drug Deaths‡	++++	18	16.1	20.7
Excessive Drinking	++++	18	18.2%	19.2%
Frequent Mental Distress	+	49	25.6%	18.1%
Illicit Drug Use	++	34	11.5%	10.8%
Postpartum Depression*		_	19.1%	13.4%
Mortality				001
Maternal Mortality		-	120.6	20.1
Mortality Rate	++	40	129.6	97.2
Physical Health Frequent Physical Distress	+	50	12.6%	Q /10/
	+	50 47	12.6% 18.7%	8.4%
High Blood Pressure High Health Status‡		47	18.7%	10.6%
High Health Status* Maternal Morbidity*	+	48 —	49.3% 6.2	53.8%
,	+	44	6.2 7.0%	6.6
Multiple Chronic Conditions Obesity	+	49	42.4%	4.4% 30.0%
OVERALL — WOMEN*	г	-	-0. 792	30.0%
OVERALL - WOIVIEW			-0.732	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children		01-1-	01-1-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	41	-0.400	_
Access to Care				
ADD/ADHD Treatment	+++	29	3.0%	3.0%
Pediatricians	+	41	72.0	104.6
Uninsured	++	35	5.9%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	30	75.7%	75.8%
HPV Vaccination	++	35	50.5%	54.2%
Preventive Dental Care	++	36	76.5%	77.5%
Well-child Visit	+	48	74.7%	80.7%
Quality of Care				
Adequate Insurance	+++	22	68.1%	66.7%
Developmental Screening	+	46	25.9%	36.9%
Medical Home	+	41	46.4%	46.8%
BEHAVIORS*	+	49	-1.226	_
Nutrition and Physical Activity				
Breastfed	+	49	19.4%	25.6%
Food Sufficiency	+	49	59.3%	69.8%
Physical Activity	++++	15	24.4%	20.6%
Soda Consumption — Youth‡		_	16.9%	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse*		_	89.4%	90.9%
Teen Births	+	50	30.0	16.7
Sleep Health				
Adequate Sleep	+	48	56.7%	66.1%
Sleep Position [‡]		_	79.1%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	24.3%	32.7%
Tobacco Use	++	38	5.5%	4.0%
HEALTH OUTCOMES*	+	47	-0.624	_
Behavioral Health				
Alcohol Use — Youth	+++++	10	8.4%	9.2%
Anxiety	++	35	10.9%	9.1%
Depression	+	41	5.4%	3.9%
Flourishing	++	40	67.9%	69.1%
Illicit Drug Use — Youth	+++++	4	6.5%	8.4%
Teen Suicide [‡]		_	15.3	11.2
Mortality				
Child Mortality	+	45	36.4	25.4
Infant Mortality	+	49	7.8	5.7
Physical Health		٠.	770/	
Asthma	++	31	7.7%	7.5%
High Health Status*	++	40	89.4%	90.4%
Low Birthweight	++	38	9.2%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	+	41	36.2%	32.1%
OVERALL — CHILDREN*		_	-0.544	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

California

State Health Department Website: cdph.ca.gov



Summary

Strengths:

- Low mortality rate among women ages 20-44
- High WIC coverage among eligible children ages 1-4
- Low prevalence of smoking during pregnancy

Highlights:

FOOD INSECURITY

▼34% from 15.0% to 9.9% of households between 2011-2013 and 2017-2019

WELL-WOMAN VISIT

from 61.8% to 69.6% of women ages 18-44 **13%** from 61.0% to 66.0% 51.11 between 2013-2014 and 2018-2019

Challenges:

- High prevalence of severe housing problems
- · High prevalence of illicit drug use among youth
- High prevalence of unemployment among women

ANXIETY

from 3.8% to 7.6% of children ages 3-17 **100%** from 3.8% to 7.0% of Grind, 67.3321 between 2017-2018 and 2019-2020

LOW BIRTHWEIGHT

▲6%

from 6.7% to 7.1% of live births between 2014 and 2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	++	34	-0.129	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	++	39	441	379
Economic Resources				
Concentrated Disadvantage	+	43	31.0%	25.1%
Food Insecurity	++++	13	9.9%	11.1%
Gender Pay Gap‡	+++++	3	87.5%	81.0%
Poverty	++++	13	13.5%	15.2%
Unemployment	+	44	4.1%	3.6%
Education				
College Graduate	+++	26	35.2%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+	48	17.5%	12.5%
Residential Segregation — Black/White	+++	22	62	62
Voter Participation	++	31	60.2%	61.7%
voter i articipation	1.1	31	00.276	01.776
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	16	0.259	-
Community and Family Safety				
Child Victimization [‡]	++++	19	7.2%	8.9%
Economic Resources				
Children in Poverty	+++	27	15.6%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	++++	14	94.2%	92.6%
Students Experiencing Homelessness	+	49	4.3%	3.0%
WIC Coverage	++++	2	65.7%	53.9%
Education				
Early Childhood Education	++++	16	50.3%	48.9%
Fourth Grade Reading Proficiency	++	37	32.1%	34.3%
High School Graduation	++	31	84.5%	85.8%
High School Graduation Racial Disparity	+++	21	13.4	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	9	13.1%	14.8%
Foster Care Instability	++++	12	12.2%	16.0%
Neighborhood Amenities	+++++	1	55.1%	37.4%
Reading, Singing or Storytelling	+++	28	56.1%	55.9%
	+	44	-0.339	_
	+	50	12.6	8.3
	+++++	1	0.0%	0.8%
	+++++	3	8.6%	14.0%
	++	36	7,184,517	361,963,972
	++	36	59.3%	73.0%
	+++++	1	4	_
	++++	12	7.8	8.7
			70.40/	75 40/
	++++	9	72.4%	75.4%
	+++	28	17.6%	17.6%
	+	49	26.4%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	25	0.292	_
Access to Care				
Adequate Prenatal Care	+++	22	78.7%	76.7%
Avoided Care Due to Cost	++++	18	16.2%	18.8%
Publicly-funded Women's Health Services	+++++	2	64%	29%
Uninsured	+++	21	10.0%	12.9%
Women's Health Providers	++	32	44.4	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+	45	77.6%	79.9%
Dental Visit	+++	26	68.0%	67.6%
Flu Vaccination	++	35	30.1%	31.5%
Postpartum Visit [‡]		_		90.7%
Well-woman Visit	+	41	69.6%	73.2%
Quality of Care				
Breastfeeding Initiation*		_		84.0%
Dedicated Health Care Provider	++	39	69.4%	71.1%
Low-risk Cesarean Delivery	++++	20	23.8% 86	25.6%
Maternity Practices Score	+++++	3	80	79
BEHAVIORS*	+++++	8	0.464	_
Nutrition and Physical Activity				
Exercise	++	32	20.9%	21.5%
Fruit and Vegetable Consumption	++++	15	11.4%	10.4%
Physical Inactivity	+++	22	21.4%	22.6%
, , , , , ,				
Sexual Health				
Chlamydia	+++	26	1,692	1,743
High-risk HIV Behaviors	++	34	10.3%	9.7%
Unintended Pregnancy*				30.6%
Sleep Health				
Insufficient Sleep	++++	15	33.1%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	1	3.0%	5.3%
Smoking	+++++	2	7.4%	14.3%
Smoking During Pregnancy	++++	1	1.1%	6.0%
HEALTH OUTCOMES*	+++++	2	0.711	_
Behavioral Health				
Drug Deaths‡	+++++	2	8.5	20.7
Excessive Drinking	++++	12	17.6%	19.2%
Frequent Mental Distress	+++++	7	15.4%	18.1%
Illicit Drug Use	++	32	11.4%	10.8%
Postpartum Depression*		_	_	13.4%
Mortality				
Maternal Mortality*		_	11.2	20.1
Mortality Rate	+++++	1	68.4	97.2
Physical Health				
Frequent Physical Distress	++++	11	7.7%	8.4%
High Blood Pressure	++++	17	9.5%	10.6%
High Health Status‡	+	41	51.2%	53.8%
Maternal Morbidity [‡]		_	4.5	6.6
Multiple Chronic Conditions	+++++	2	2.6%	4.4%
Obesity	+++++	4	23.8%	30.0%
OVERALL — WOMEN*		_	0.196	-

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	35	-0.156	_
Access to Care				
ADD/ADHD Treatment	+	48	1.4%	3.0%
Pediatricians	+++	21	101.1	104.6
Uninsured	++++	14	3.6%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	41	72.4%	75.8%
HPV Vaccination	+++	22	56.4%	54.2%
Preventive Dental Care	+++	25	77.5%	77.5%
Well-child Visit	+	43	76.8%	80.7%
Quality of Care				
Adequate Insurance	++++	15	69.8%	66.7%
Developmental Screening	+++	23	38.4%	36.9%
Medical Home	+	45	41.4%	46.8%
BEHAVIORS*	+++++	9	0.562	_
Nutrition and Physical Activity				
Breastfed	++++	17	28.2%	25.6%
Food Sufficiency	+++++	10	73.9%	69.8%
Physical Activity	+	42	18.5%	20.6%
Soda Consumption — Youth‡			9.0%	9.3%
Sexual Health — Youth			00.10/	
Dual Contraceptive Nonuse [‡]		- 10	88.1%	90.9%
Teen Births	++++	12	12.4	16.7
Sleep Health				
Adequate Sleep	++++	16	69.4%	66.1%
Sleep Position*		_		79.6%
Tobacco Use — Youth			40.00/	
Electronic Vapor Product Use*		_	18.2%	32.7%
Tobacco Use	+++++	2	2.6%	4.0%
HEALTH OUTCOMES:		•	0.200	
HEALTH OUTCOMES* Behavioral Health	+++++	6	0.392	
Alcohol Use — Youth	++++	13	8.9%	9.2%
Anxiety	+++++	5	7.6%	9.1%
Depression	+++	25	4.3%	3.9%
Flourishing	+++	30	68.7%	69.1%
Illicit Drug Use — Youth	+	41	10.4%	8.4%
Teen Suicide*		_	6.8	11.2
Mortality				11.2
Child Mortality	+++++	6	18.8	25.4
Infant Mortality	+++++	4	4.2	5.7
Physical Health				
Asthma	++++	14	6.4%	7.5%
High Health Status‡	++	37	90.0%	90.4%
Low Birthweight	++++	11	7.1%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	+++	21	30.4%	32.1%
OVERALL — CHILDREN*		_	0.191	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Colorado

State Health Department Website: cdphe.colorado.gov



Summary

Strengths:

- High prevalence of exercise among women
- High percentage of infants exclusively breastfed for six months
- High prevalence of high-speed internet in households with children

Highlights:

WIC COVERAGE

from 41.3% to 48.0% of eligible children ages ▲16% from 41.3% to 46.0% of engine 1-4 between 2016 and 2018

SMOKING

from 18.4% to 13.1% of women ages 18-44 ▼29% from 10.4% to 10.1% of 1.0.1 between 2013-2014 and 2018-2019

State State

U.S.

Challenges:

- · High prevalence of illicit drug use among youth
- · High racial gap in high school graduation rates
- · High prevalence of excessive drinking among women

UNINSURED

from 4.3% to 5.5% of children ages 28% 0-18 between 2017 and 2019

CHILD MORTALITY

from 24.0 to 27.5 deaths per 100,000 children ages 1-19 between 2012-2014 and 2017-2019

State

State

U.S.

Women

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	11	0.691	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.4%	3.0%
Violent Crime	+++	30	381	379
Economic Resources				
Concentrated Disadvantage	++++	12	12.7%	25.1%
Food Insecurity	++++	20	10.2%	11.1%
Gender Pay Gap‡	+++	24	79.9%	81.0%
Poverty	+++++	8	12.1%	15.2%
Unemployment	++++	13	2.9%	3.6%
Education				
College Graduate	+++++	6	43.7%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+	45	16.0%	12.5%
Residential Segregation — Black/White	+++	26	64	62
Voter Participation	++++	15	64.5%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	11	0.291	_
Community and Family Safety				
Child Victimization [‡]	+++	27	9.7%	8.9%
Economic Resources				
Children in Poverty	+++++	5	10.9%	16.8%
Children in Poverty Racial Disparity	+++	29	3.3	3.0
High-speed Internet	+++++	5	96.0%	92.6%
Students Experiencing Homelessness	++	31	2.4%	3.0%
WIC Coverage	++	37	48.0%	53.9%
Education				
Early Childhood Education	++++	12	52.3%	48.9%
Fourth Grade Reading Proficiency	+++++	6	39.7%	34.3%
High School Graduation	+	42	81.1%	85.8%
High School Graduation Racial Disparity	+	42	20.9	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	31	16.7%	14.8%
Foster Care Instability	++++	19	13.8%	16.0%
Neighborhood Amenities	+++++	3	53.9%	37.4%
Reading, Singing or Storytelling	+++++	4	66.5%	55.9%
	+++++	4	0.455	_
	++++	13	6.7	8.3
	++++	14	0.1%	0.8%
	+++++	9	11.4%	14.0%
	++++	15	1,147,930	361,963,972
	+++	28	74.9%	73.0%
		40	0	
	++++	13	3	_
	++++	17	8.0	8.7
	++++	12	74.3%	75.4%
	++++	14	74.3% 12.2%	17.6%
		33	16.4%	17.5%
	++	33	10.4%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

sures		Rating	State Rank	State Value	U.S. Value
LINICAL CARE*		+++	23	0.321	_
ccess to Care					
dequate Prenatal Care		+	46	69.6%	76.7%
voided Care Due to Cost		+++	23	16.9%	18.8%
ublicly-funded Women's He	ealth Services	+++++	10	35%	29%
ninsured		+++	26	11.2%	12.99
/omen's Health Providers		+++++	9	62.8	48.5
reventive Clinical Care					
ervical Cancer Screening		+	42	78.1%	79.99
ental Visit		+++	24	68.5%	67.69
lu Vaccination		+++++	7	39.1%	31.59
ostpartum Visit‡			_	90.8%	90.79
/ell-woman Visit		+	45	67.6%	73.29
uality of Care					
reastfeeding Initiation‡		+++++	3	92.9%	84.0
edicated Health Care Provi	der	++	32	70.9%	71.19
ow-risk Cesarean Delivery		+++++	10	21.4%	25.6
laternity Practices Score		+++++	6	85	79
laterrity i raetices ocore			Ü	00	/ / /
HAVIORS*		+++++	2	0.771	_
utrition and Physical Activ	rity				
ercise		+++++	5	25.2%	21.59
uit and Vegetable Consump	otion	++++	17	11.3%	10.49
ysical Inactivity		+++++	2	15.4%	22.6
,					
xual Health					
nlamydia		++++	18	1,583	1,743
gh-risk HIV Behaviors		++++	14	8.7%	9.79
nintended Pregnancy‡			_	24.3%	30.6
eep Health					
sufficient Sleep		+++++	9	32.0%	36.19
bacco Use					
cigarette Use‡		++++	14	5.2%	5.39
noking		++++	14	13.1%	14.39
noking During Pregnancy		++++	15	5.1%	6.09
			40	0.040	
EALTH OUTCOMES*		++++	13	0.246	_
havioral Health		++++	20	17 E	00-
ug Deaths‡			20	17.5	20.7
cessive Drinking		++	38	22.8%	19.29
equent Mental Distress		+++++	9	16.0%	18.19
cit Drug Use		+	50	17.7%	10.89
stpartum Depression‡			_	11.9%	13.49
ortality					
aternal Mortality‡			_	_	20.1
ortality Rate		++++	14	86.0	97.2
ysical Health					
equent Physical Distress		+++++	5	7.1%	8.49
gh Blood Pressure		+++++	5	7.5%	10.69
gh Health Status‡		+++++	10	57.5%	53.8
aternal Morbidity‡			_	6.8	6.6
ultiple Chronic Conditions		+++++	10	3.6%	4.49
pesity		+++++	1	21.1%	30.0
			_	0.509	30.0
ZERALL — WOMEN*			_	0.5	609

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	24	0.200	_
Access to Care				
ADD/ADHD Treatment	+	41	2.0%	3.0%
Pediatricians	++++	16	109.2	104.6
Uninsured	+++	28	5.5%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	30	75.7%	75.89
HPV Vaccination	+++++	7	63.5%	54.29
Preventive Dental Care	++++	11	81.8%	77.5%
Well-child Visit	++++	14	83.3%	80.79
Quality of Care				
Adequate Insurance	+	46	61.5%	66.79
Developmental Screening	+++	21	39.0%	36.99
Medical Home	+++	29	48.9%	46.8
BEHAVIORS*	+++++	4	0.687	
Nutrition and Physical Activity	******	-	0.067	_
Breastfed	+++++	6	34.1%	25.69
Food Sufficiency	++++	15	71.8%	69.8
Physical Activity	+++++	9	25.0%	20.6
Soda Consumption — Youth‡		_	20.070	9.39
Sexual Health — Youth				9.57
Dual Contraceptive Nonuse*		_	83.6%	90.9
Teen Births	++++	17	13.9	
reen Births	*****	17	13.9	16.7
Sleep Health				
Adequate Sleep	++++	12	70.8%	66.19
Sleep Position [‡]		_	89.1%	79.6
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	28.9%	32.79
Tobacco Use	+++	23	4.1%	4.0%
HEALTH OUTCOMES*	++++	17	0.081	
Behavioral Health		•••	0.00.	
	+	41	10.7%	9.29
Alcohol Use — Youth			8.1%	9.1%
	+++++	9	0.1/0	
Anxiety	+++++			3 99
Anxiety Depression	++++	12	3.5%	
Anxiety Depression Flourishing	++++	12 29	3.5% 68.8%	69.19
Anxiety Depression Flourishing Illicit Drug Use — Youth	++++	12	3.5% 68.8% 11.6%	69.19 8.49
Flourishing Illicit Drug Use — Youth Teen Suicide‡	++++	12 29	3.5% 68.8%	69.19 8.49
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide [‡] Mortality	++++	12 29 46 —	3.5% 68.8% 11.6% 21.0	3.9% 69.1% 8.4% 11.2
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide [‡] Mortality Child Mortality	++++ +++ +	12 29 46 —	3.5% 68.8% 11.6% 21.0	69.19 8.49 11.2
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide† Mortality Child Mortality Infant Mortality	++++	12 29 46 —	3.5% 68.8% 11.6% 21.0	69.19 8.49 11.2
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health	++++ +++ + ++++++	12 29 46 — 28 8	3.5% 68.8% 11.6% 21.0 27.5 4.6	69.19 8.49 11.2 25.4 5.7
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide* Mortality Child Mortality Infant Mortality Physical Health Asthma	++++ ++++++++++++++++++++++++++++++++++	12 29 46 — 28 8	3.5% 68.8% 11.6% 21.0 27.5 4.6	69.19 8.49 11.2 25.4 5.7
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide# Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status#	++++ ++ + +++ +++++	12 29 46 — 28 8 34 9	3.5% 68.8% 11.6% 21.0 27.5 4.6 7.9% 92.2%	69.19 8.49 11.2 25.4 5.7 7.5% 90.4
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide* Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status* Low Birthweight	++++ ++ ++ ++++++ ++ ++ ++	12 29 46 — 28 8 8 34 9 42	3.5% 68.8% 11.6% 21.0 27.5 4.6 7.9% 92.2% 9.4%	69.19 8.49 11.2 25.4 5.7 7.59 90.4 8.39
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status Low Birthweight Low Birthweight Racial Disparity	++++ + + +++ +++++ ++++++ + ++++++	12 29 46 28 8 34 9 42 6	3.5% 68.8% 11.6% 21.0 27.5 4.6 7.9% 92.2% 9.4% 1.6	69.19 8.49 11.2 25.4 5.7 7.5% 90.4' 8.39 2.1
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality	++++ ++ ++ ++++++ ++ ++ ++	12 29 46 — 28 8 8 34 9 42	3.5% 68.8% 11.6% 21.0 27.5 4.6 7.9% 92.2% 9.4%	69.19 8.49 11.2 25.4 5.7 7.5% 90.44 8.39
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status‡ Low Birthweight Low Birthweight Racial Disparity	++++ + + +++ +++++ ++++++ + ++++++	12 29 46 28 8 34 9 42 6	3.5% 68.8% 11.6% 21.0 27.5 4.6 7.9% 92.2% 9.4% 1.6	69.19 8.49 11.2 25.4 5.7 7.5% 90.4' 8.39 2.1

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Connecticut

State Health Department Website: ct.gov/dph



Summary

Strengths:

- Low prevalence of students experiencing homelessness
- High enrollment in early childhood education
- Low prevalence of multiple chronic conditions among women

Highlights:

TEEN BIRTHS

▼40% from 12.9 to 7.7 births per 1,000 females ages 15-19 between 2013 and 2019

SMOKING DURING PREGNANCY

▼20% from 4.5% to 3.6% of live births between 2017 and 2019

State State

U.S.

Challenges:

- High racial disparity among children in poverty
- High prevalence of asthma among children
- · High percentage of low-risk cesarean deliveries

FLU VACCINATION

from 41.7% to 35.6% of women ages 18-44

DRUG DEATHS

43% from 18.7 to 26.8 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	18	0.333	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.4%	3.0%
Violent Crime	+++++	3	184	379
Economic Resources				
Concentrated Disadvantage	+++	28	21.5%	25.1%
Food Insecurity	++	40	12.9%	11.1%
Gender Pay Gap‡	+++++	8	83.2%	81.0%
Poverty	+++++	9	12.5%	15.2%
Unemployment	++++	19	3.4%	3.6%
Education				
College Graduate	+++++	8	41.9%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++	30	12.7%	12.5%
Residential Segregation — Black/White	++	35	67	62
Voter Participation	+++	27	61.6%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	6	0.572	_
Community and Family Safety				
Child Victimization [‡]	++	31	11.1%	8.9%
Economic Resources				
Children in Poverty	+++	22	14.1%	16.8%
Children in Poverty Racial Disparity	+	47	6.2	3.0
High-speed Internet	+++++	4	96.1%	92.6%
Students Experiencing Homelessness	+++++	1	0.9%	3.0%
WIC Coverage	++	36	48.3%	53.9%
Education				
Early Childhood Education	+++++	3	65.9%	48.9%
Fourth Grade Reading Proficiency	+++++	4	40.1%	34.3%
High School Graduation	++++	11	88.5%	85.8%
High School Graduation Racial Disparity	+++	21	13.4	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	5	12.1%	14.8%
Foster Care Instability	+++	28	17.0%	16.0%
Neighborhood Amenities	++++	12	40.2%	37.4%
Reading, Singing or Storytelling	++++	12	61.7%	55.9%
	+++	23	0.086	_
	++++	17	7.0	8.3
	++++	14	0.1%	0.8%
	+++++	7	10.1%	14.0%
	++	35	6,686,972	361,963,972
	++++	14	89.5%	73.0%
	+++++	1	4	_
	+++++	3	6.6	8.7
		0.4	70.00/	75 40/
	+++	24	78.6%	75.4%
	+	46	26.6%	17.6%
	++	40	17.8%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Dental Visit	Measures	Rating	State Rank	State Value	U.S. Value
Adequate Prenatal Care Avoided Care Due to Cost Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score Breat Avoided Activity Exercise Fruit and Vegetable Consumption Physical Inactivity Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy Unintended Pregnancy HEALTH OUTCOMES Behavioral Health Drug Deathst Excessive Drinking Frequent Mental Distress Illicit Drug Use ++++ 5 15.1% 18.1% 18.8% 18.9% 19.9% 17.7% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1% 18.1%	CLINICAL CARE*	+++++	5	0.920	_
Avoided Care Due to Cost Publicly-funded Women's Health Services	Access to Care				
Avoided Care Due to Cost Publicly-funded Women's Health Services		+++++	6	84.9%	76.7%
Publicly-funded Women's Health Services Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Guality of Care Breastfeeding Initiation* Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy* Sieep Health Insufficient Sleep Tobacco Use E-cigarette Use* Smoking Smoking During Pregnancy Frequent Mental Distress Hillicit Drug Use Hillicit Drug Use Hill Tor 18.7% Has 18.7% Health Chan, 28.9% Health Drug Deaths* Excessive Drinking Frequent Mental Distress Hillicit Drug Use Health Chan, 27.9% Health Chan, 28.9% Health Drug Deaths* Frequent Mental Distress Hillicit Drug Use Health Linsufficient Sleep Health Frequent Mental Distress Hillicit Drug Use Hillicit Drug Use Health Linsufficient Sleep Health Frequent Mental Distress Hillicit Drug Use Health Chan, 27.9% Health Linsufficient Sleep Health Frequent Mental Distress Hillicit Drug Use Health Chan, 27.9% Health High-risk Hive Beath Health Frequent Mental Distress Hillicit Drug Use Health High-risk Hive Beath Health Frequent Mental Distress Hillicit Drug Use Health High-risk Hive Beath Health Frequent Mental Distress Hillicit Drug Use Health High-risk Hive Beath Health Frequent Mental Distress Hillicit Drug Use Health High-risk Hive Beath High-risk Hive Beath High-risk Hive Beath Hillicit Drug Use Health High-risk Hive Beath Hillicit Preventions Health High-risk Hive Beath Hill Hill Health Hill Hill Health Frequent Mental Distress Hill Hill Health Hill Hill Hill Health Hill Health Hill Hill Health Hill Hill Health	·	+++++	6	13.6%	
Women's Health Providers		+++++	7	38%	
Women's Health Providers	, , , , , , , , , , , , , , , , , , , ,	+++++	9	7.7%	
Preventive Clinical Care Cervical Cancer Screening H+++		+++++	6		
Dental Visit					
Flu Vaccination	Cervical Cancer Screening	++++	17	82.2%	79.9%
Postpartum Visit*	Dental Visit	+++++	3	75.2%	67.6%
Postpartum Visit*	Flu Vaccination	++++	19	35.6%	31.5%
Quality of Care Breastfeeding Initiation* ++++ 17 87.7% 84.0% Dedicated Health Care Provider ++++ 15 77.5% 71.1% Low-risk Cesarean Delivery + 48 28.9% 25.6% Maternity Practices Score +++++ 6 85 79 BEHAVIORS* Nutrition and Physical Activity Exercise +++++ 7 24.9% 21.5% Fruit and Vegetable Consumption +++++ 9 12.1% 10.4% Physical Inactivity +++ 29 22.5% 22.6% Sexual Health Chlamydia ++++ 17 1,557 1,743 High-risk HIV Behaviors +++ 27 10.0% 9.7% Unintended Pregnancy* - 24.2% 30.6% Sleep Health Insufficient Sleep ++++ 13 32.7% 36.1% Tobacco Use E-cigarette Use* ++++ 7 4.7%			_	95.2%	90.7%
Breastfeeding Initiation	Well-woman Visit	+++++	4	77.3%	73.2%
Breastfeeding Initiation	Quality of Care				
Dedicated Health Care Provider	-	++++	17	87.7%	84.0%
Maternity Practices Score	_	++++	15	77.5%	71.1%
Maternity Practices Score		+	48	28.9%	25.6%
Nutrition and Physical Activity Exercise +++++ 7 24.9% 21.5% Fruit and Vegetable Consumption +++++ 9 12.1% 10.4% Physical Inactivity +++ 29 22.5% 22.6%	,	+++++	6		
Nutrition and Physical Activity	,				
Exercise +++++ 7 24.9% 21.5% Fruit and Vegetable Consumption +++++ 9 12.1% 10.4% Physical Inactivity +++ 29 22.5% 22.6% Sexual Health Chlamydia ++++ 17 1,557 1,743 High-risk HIV Behaviors +++ 27 10.0% 9.7% Unintended Pregnancy* - 24.2% 30.6% Sleep Health Insufficient Sleep ++++ 13 32.7% 36.1% Tobacco Use E-cigarette Use* ++++ 7 4.7% 5.3% Smoking During Pregnancy ++++ 9 12.1% 14.3% Smoking During Pregnancy ++++ 9 0.356 - Behavioral Health Drug Deaths* +++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress ++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%	BEHAVIORS*	+++++	7	0.479	
Exercise +++++ 7 24.9% 21.5% Fruit and Vegetable Consumption +++++ 9 12.1% 10.4% Physical Inactivity +++ 29 22.5% 22.6% Sexual Health Chlamydia ++++ 17 1,557 1,743 High-risk HIV Behaviors +++ 27 10.0% 9.7% Unintended Pregnancy* - 24.2% 30.6% Sleep Health Insufficient Sleep ++++ 13 32.7% 36.1% Tobacco Use E-cigarette Use* ++++ 7 4.7% 5.3% Smoking During Pregnancy ++++ 9 12.1% 14.3% Smoking During Pregnancy ++++ 9 0.356 - Behavioral Health Drug Deaths* +++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress ++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%	Nutrition and Physical Activity				
Physical Inactivity	Exercise	+++++	7	24.9%	21.5%
Sexual Health Chlamydia ++++ 17 1,557 1,743 High-risk HIV Behaviors +++ 27 10.0% 9.7% Unintended Pregnancy* - 24.2% 30.6% Sleep Health	Fruit and Vegetable Consumption	+++++	9	12.1%	10.4%
Sexual Health Chlamydia		+++	29	22.5%	22.6%
Chlamydia ++++ 17 1,557 1,743 High-risk HIV Behaviors +++ 27 10.0% 9.7% Unintended Pregnancy* - 24.2% 30.6% Sleep Health ++++ 13 32.7% 36.1% Tobacco Use E-cigarette Use* +++++ 7 4.7% 5.3% Smoking +++++ 9 12.1% 14.3% Smoking During Pregnancy +++++ 7 3.6% 6.0% HEALTH OUTCOMES* +++++ 9 0.356 - Behavioral Health	,				
High-risk HIV Behaviors	Sexual Health				
Unintended Pregnancy‡ — 24.2% 30.6% Sleep Health Insufficient Sleep ++++ 13 32.7% 36.1% Tobacco Use E-cigarette Use‡ +++++ 7 4.7% 5.3% Smoking Smoking During Pregnancy +++++ 9 12.1% 14.3% Smoking During Pregnancy +++++ 7 3.6% 6.0% HEALTH OUTCOMES* +++++ 9 0.356 — Behavioral Health Drug Deaths* +++++ 35 26.8 20.7 Excessive Drinking +++ 36 21.9% 19.2% Frequent Mental Distress +++++ 5 15.1% 18.1% Illicit Drug Use ++++ 27 11.2% 10.8%	Chlamydia	++++	17	1,557	1,743
Sleep Health Insufficient Sleep	High-risk HIV Behaviors	+++	27	10.0%	9.7%
Insufficient Sleep	Unintended Pregnancy*		_	24.2%	30.6%
Tobacco Use	Sleep Health				
E-cigarette Use+	Insufficient Sleep	++++	13	32.7%	36.1%
E-cigarette Use+					
Smoking +++++ 9 12.1% 14.3% Smoking During Pregnancy +++++ 7 3.6% 6.0% HEALTH OUTCOMES* +++++ 9 0.356 Behavioral Health Drug Deaths* ++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress ++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%	Tobacco Use				
Smoking During Pregnancy +++++ 7 3.6% 6.0% HEALTH OUTCOMES* +++++ 9 0.356 - Behavioral Health	E-cigarette Use‡	+++++			5.3%
HEALTH OUTCOMES*	Smoking	+++++	9		14.3%
Behavioral Health Drug Deaths* ++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress ++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%	Smoking During Pregnancy	+++++	7	3.6%	6.0%
Behavioral Health Drug Deaths* ++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress ++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%	HEALTH OUTCOMES:		0	0.256	
Drug Deaths* ++ 35 26.8 20.7 Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress +++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%			Э	0.336	_
Excessive Drinking ++ 36 21.9% 19.2% Frequent Mental Distress +++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%			٥٦	00.0	007
Frequent Mental Distress +++++ 5 15.1% 18.1% Illicit Drug Use +++ 27 11.2% 10.8%					
Illicit Drug Use +++ 27 11.2% 10.8%	g .				
Postpartum Depression* – 11.1% 13.4%	U U	+++	27		
	Postpartum Depression‡		_	11.1%	13.4%
	A				
Mortality	-				001
Maternal Mortality [‡] – – 20.1			_	-	07.0
Mortality Rate +++++ 8 79.0 97.2		+++++	8	/9.0	97.2
Physical Health					
Frequent Physical Distress +++ 26 8.7% 8.4%					
					10.6%
	_	+++++			53.8%
Maternal Morbidity [‡] – 6.5 6.6	,				6.6
Multiple Chronic Conditions +++++ 4 3.1% 4.4%	Multiple Chronic Conditions	+++++		3.1%	4.4%
,	Obesity	+++++	10		30.0%
OVERALL MOMENS	OVERALL — WOMEN*		_	0.413	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	5	1.065	_
Access to Care				
ADD/ADHD Treatment	++++	19	3.5%	3.0%
Pediatricians	+++++	5	145.5	104.6
Uninsured	++++	11	3.5%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	5	83.2%	75.8%
HPV Vaccination	+++	28	53.8%	54.2%
Preventive Dental Care	+++++	2	85.1%	77.5%
Well-child Visit	+++++	8	85.7%	80.7%
Quality of Care				
Adequate Insurance	+++++	10	70.7%	66.7%
Developmental Screening	+++++	7	49.0%	36.9%
Medical Home	+++	22	51.0%	46.8%
BEHAVIORS*	+++++	8	0.608	_
Nutrition and Physical Activity Breastfed	+++	27	25.7%	0E C0/
Food Sufficiency	++++	12	73.1%	25.6% 69.8%
Physical Activity	+++	27	22.6%	20.6%
Soda Consumption — Youth‡		_	7.6%	9.3%
Sexual Health — Youth			7.070	3.376
Dual Contraceptive Nonuse*		_	88.4%	90.9%
Teen Births	+++++	4	7.7	16.7
Sleep Health				
Adequate Sleep	+++	23	67.1%	66.1%
Sleep Position*		_	81.5%	79.6%
Tobacco Use — Youth			27.0%	00.70/
Electronic Vapor Product Use [‡] Tobacco Use	+++++	_ 5	3.0%	32.7% 4.0%
lobacco ose		9	0.076	4.0%
HEALTH OUTCOMES*	+++	25	-0.036	_
Behavioral Health				
Alcohol Use — Youth	+	47	11.2%	9.2%
Anxiety	++	32	10.5%	9.1%
Depression	+++++	8	3.1%	3.9%
Flourishing	+	45	66.3%	69.1%
Illicit Drug Use — Youth	++	35	8.8%	8.4%
Teen Suicide‡		_	8.0	11.2
Mortality				
Child Mortality	+++++	4	17.3	25.4
Infant Mortality	+++++	6	4.4	5.7
Physical Health	+	E0	11 00/	750/
Asthma		50	11.0%	7.5%
High Health Status	+++	21 20	91.3% 7.8%	90.4%
Low Birthweight Pacial Disparity	++++	20 17	7.8% 1.9	8.3%
Low Birthweight Racial Disparity Overweight or Obesity — Youth	++++	23	30.9%	2.1
Overweight of Obesity — foutfl	177	20	JU.3/0	32.1%
OVERALL — CHILDREN*		_	0.405	_
OVERALL — WOMEN AND CHILDREN*			0.441	

 $[\]mbox{\ensuremath{^{\dagger}}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Delaware

State Health Department Website: dhss.delaware.gov



Summary

Strengths:

- Low racial gap in high school graduation rates
- High rate of high school graduation
- · High immunization coverage among children

Highlights:

FOOD INSECURITY

from 12.9% to 10.2% of households between ▼21% from 12.9% to 10.2% of 110 2011-2013 and 2017-2019

TEEN BIRTHS

▼39% from 24.4 to 14.9 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High prevalence of overweight or obesity among children
- High prevalence of illicit drug use among women
- · High prevalence of low birthweight

MORTALITY

439% from 102.1 to 142.4 deaths per 100,000 women ages 20-44 between 2016 and 2019

FREQUENT MENTAL DISTRESS

from 13.0% to 21.1% of women ages 18-44 between 2013-2014 and 2018-2019

State State

U.S.

Women

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	19	0.330	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.0%	3.0%
Violent Crime	++	36	423	379
Economic Resources				
Concentrated Disadvantage	+++	23	19.4%	25.1%
Food Insecurity	++++	20	10.2%	11.1%
Gender Pay Gap‡	++++	13	82.6%	81.0%
Poverty	+++	27	15.8%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	+++	25	36.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	12	11.2%	12.5%
Residential Segregation — Black/White	+++++	1	45	62
Voter Participation	+++	28	61.5%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	22	0.113	_
Community and Family Safety				
Child Victimization [‡]	++++	16	6.1%	8.9%
Economic Resources				
Children in Poverty	+++	29	16.4%	16.8%
Children in Poverty Racial Disparity	+++	29	3.3	3.0
High-speed Internet	+++	30	92.5%	92.6%
Students Experiencing Homelessness	++	34	2.6%	3.0%
WIC Coverage	++	38	46.1%	53.9%
Education				
Early Childhood Education	+++++	10	54.1%	48.9%
Fourth Grade Reading Proficiency	++	35	32.5%	34.3%
High School Graduation	+++++	10	89.0%	85.8%
High School Graduation Racial Disparity	+++++	6	7.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	23	15.5%	14.8%
Foster Care Instability	+++	24	16.4%	16.0%
Neighborhood Amenities	++	37	29.1%	37.4%
Reading, Singing or Storytelling	++	38	53.6%	55.9%
	++++	16	0.158	_
	++	39	8.3	8.3
	++++	1	0.0%	0.8%
	+++	25	15.0%	14.0%
	++++	17	1,513,402	361,963,972
	++++	19	85.9%	73.0%
	+++++	1	4	_
	+++	23	8.7	8.7
			00.00/	75.40/
	++	32	80.8%	75.4%
	+++	22	15.1%	17.6%
	++++	19	14.3%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

CLINICAL CARE*	Measures	Rating	State Rank	State Value	U.S. Value
Adequate Prenatal Care Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Well-woman Visit - 90.2% 90.7% Well-woman Visit - 90.2% 90.7% Well-woman Visit - 10 76.9% 73.2% Quality of Care Breastfeeding Initiation* Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score BEHAVIORS* Nutrition and Physical Activity Exercise Fruit and Vegetable Consumption Physical Inactivity Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy* Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy* Sexual Health Chamydia Fluit Sepanancy* Sexual Health Insufficient Sleep Fruit and Vegetable Consumption Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Physical Inac	CLINICAL CARE*	++++	19	0.372	_
Adequate Prenatal Care Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Well-woman Visit - 90.2% 90.7% Well-woman Visit - 90.2% 90.7% Well-woman Visit - 10 76.9% 73.2% Quality of Care Breastfeeding Initiation* Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score BEHAVIORS* Nutrition and Physical Activity Exercise Fruit and Vegetable Consumption Physical Inactivity Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy* Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy* Sexual Health Chamydia Fluit Sepanancy* Sexual Health Insufficient Sleep Fruit and Vegetable Consumption Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Fruit and Vegetable Consumption Physical Inactivity Physical Inac	Access to Care				
Avoided Care Due to Cost		++	35	75.5%	76.7%
Publicly-funded Women's Health Services		++++	15	15.8%	
Women's Health Providers		++++	16	30%	29%
Preventive Clinical Care Cervical Cancer Screening +++ 22 81.2% 79.9% Dental Visit ++ 36 64.1% 67.6% Flu Vaccination +++ 28 32.4% 31.5% Postpartum Visit ++++ 10 76.9% 73.2% Guality of Care Breastfeeding Initiation ++ 36 80.2% 84.0% Dedicated Health Care Provider ++++ 16 77.4% 71.1% Low-risk Cesarean Delivery +++ 24 24.4% 25.6% Maternity Practices Score ++++ 11 83 79 BEHAVIORS	Uninsured	++++	14	8.7%	12.9%
Cervical Cancer Screening	Women's Health Providers	+++	21	51.2	48.5
Dental Visit	Preventive Clinical Care				
Flu Vaccination		+++			79.9%
Postpartum Visit					
Well-woman Visit		+++			
Quality of Care Breastfeeding Initiation* ++ 36 80.2% 84.0% Dedicated Health Care Provider ++++ 16 77.4% 71.1% Low-risk Cesarean Delivery ++++ 24 24.4% 25.6% Maternity Practices Score ++++ 11 83 79 BEHAVIORS* ++++ 36 -0.448 - Nutrition and Physical Activity Exercise ++++ 17 22.5% 21.5% Fruit and Vegetable Consumption ++ 38 8.3% 10.4% 10.4% Physical Inactivity ++ 38 8.3% 10.4% 22.6% Sexual Health 34.6% 30.6% 30.6% 30.6% Sepe Health 39 10.9% 9.7% 10.14% 30.6% 36.1% Tobacco Use ++++ 22 34.6% 36.1% 36.1% Tobacco Use 34.6% 36.1% 36.1% T					
Breastfeeding Initiation*		++++	10	76.9%	73.2%
Dedicated Health Care Provider				0.0.00/	
Low-risk Cesarean Delivery H++ 24 24.4% 25.6% Maternity Practices Score H+++ 11 83 79					
Maternity Practices Score					
Nutrition and Physical Activity Exercise					
Nutrition and Physical Activity	Maternity Practices Score	++++	11	83	/9
Nutrition and Physical Activity	BEHAVIORS*	++	36	-0.448	_
Exercise +++++ 17 22.5% 21.5% Fruit and Vegetable Consumption ++ 38 8.3% 10.4% Physical Inactivity ++ 33 23.8% 22.6% Sexual Health Chlamydia + 44 2,170 1,743 11.6% Physical Pressure + 44 2,170 1,743 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 97% 10.9% 10.9% 97% 10.9% 10.9% 97% 10.9% 10.9% 10.9% 97% 10.9%					
Fruit and Vegetable Consumption	-	++++	17	22.5%	21.5%
Physical Inactivity		++			
Sexual Health Chlamydia		++			
Chlamydia + 44 2,170 1,743 High-risk HIV Behaviors ++ 39 10.9% 9.7% Unintended Pregnancy‡ - 34.6% 30.6% Sleep Health Insufficient Sleep +++ 22 34.6% 36.1% Tobacco Use E-cigarette Use‡ +++ 25 5.9% 5.3% Smoking +++ 28 17.8% 14.3% Smoking During Pregnancy ++ 31 8.9% 6.0% HEALTH OUTCOMES* + 43 -0.908 Behavioral Health Drug Deaths* + 48 45.3 20.7 Excessive Drinking ++ 33 20.8% 19.2% Frequent Mental Distress ++ 34 21.1% 18.1% Illicit Drug Use + 47 15.5% 10.8% Postpartum Depression* - 10.4% 13.4% Mortality Maternal Mortality* - - - 20.1	, my ordan madarvity				22.070
High-risk HIV Behaviors ++ 39 10.9% 9.7% Unintended Pregnancy‡ - 34.6% 30.6% Sleep Health - 34.6% 36.1% Tobacco Use - 2 34.6% 36.1% E-cigarette Use‡ +++ 25 5.9% 5.3% Smoking +++ 28 17.8% 14.3% Smoking During Pregnancy ++ 31 8.9% 6.0% HEALTH OUTCOMES* + 43 -0.908 - Behavioral Health 0.908 - Behavioral Health 20.7 Excessive Drinking ++ 48 45.3 20.7 Excessive Drinking ++ 33 20.8% 19.2% Frequent Mental Distress ++ 34 21.1% 18.1% Illicit Drug Use + 47 15.5% 10.8% Postpartum Depression‡ - 10.4% 13.4% Mortality	Sexual Health				
Unintended Pregnancy	Chlamydia	+	44	2,170	1,743
Sleep Health Insufficient Sleep	High-risk HIV Behaviors	++	39	10.9%	9.7%
Insufficient Sleep	Unintended Pregnancy*			34.6%	30.6%
Tobacco Use	Sleep Health				
E-cigarette Use*	Insufficient Sleep	+++	22	34.6%	36.1%
Smoking	Tobacco Use				
Smoking	E-cigarette Use‡	+++	25	5.9%	5.3%
HEALTH OUTCOMES*	_	+++	28	17.8%	14.3%
Behavioral Health Drug Deaths*	Smoking During Pregnancy	++	31	8.9%	6.0%
Drug Deaths† + 48 45.3 20.7 Excessive Drinking ++ 33 20.8% 19.2% Frequent Mental Distress ++ 34 21.1% 18.1% Illicit Drug Use + 47 15.5% 10.8% Postpartum Depression‡ - 10.4% 13.4% Mortality Maternal Mortality‡ - - - 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status‡ +++ 24 55.4% 53.8% Maternal Morbidity‡ - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	HEALTH OUTCOMES*	+	43	-0.908	_
Excessive Drinking	Behavioral Health				
Frequent Mental Distress ++ 34 21.1% 18.1% Illicit Drug Use + 47 15.5% 10.8% Postpartum Depression‡ - 10.4% 13.4% Mortality Maternal Mortality‡ - - - 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status‡ +++ 24 55.4% 53.8% Maternal Morbidity‡ - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Drug Deaths‡	+	48	45.3	20.7
Illicit Drug Use	Excessive Drinking	++	33	20.8%	19.2%
Mortality − 10.4% 13.4% Mortality − − − 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status¹ +++ 24 55.4% 53.8% Maternal Morbidity¹ − 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Frequent Mental Distress	++	34	21.1%	18.1%
Mortality — — — 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* — 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Illicit Drug Use	+	47	15.5%	10.8%
Maternal Mortality* - - 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Postpartum Depression*		_	10.4%	13.4%
Maternal Mortality* - - 20.1 Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Mortality				
Mortality Rate + 45 142.4 97.2 Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	-		_	_	20.1
Physical Health Frequent Physical Distress ++ 32 9.2% 8.4% High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	1	+	45	142.4	070
High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	Physical Health				
High Blood Pressure + 43 14.7% 10.6% High Health Status* +++ 24 55.4% 53.8% Maternal Morbidity* - 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%		++	32	9.2%	8.4%
Maternal Morbidity* — 11.1 6.6 Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%		+	43	14.7%	10.6%
Multiple Chronic Conditions +++ 27 4.9% 4.4% Obesity +++ 27 31.6% 30.0%	High Health Status*	+++	24	55.4%	53.8%
Obesity +++ 27 31.6% 30.0%	Maternal Morbidity*		_	11.1	6.6
,	Multiple Chronic Conditions	+++	27	4.9%	4.4%
OVERALL – WOMEN* – -0.118 –		+++	27	31.6%	30.0%
	OVERALL — WOMEN*			-0.118	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	12	0.500	_
Access to Care				
ADD/ADHD Treatment	+++++	8	4.5%	3.0%
Pediatricians	+++++	3	173.0	104.6
Uninsured	+++	23	4.8%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+++++	8	82.0%	75.8%
HPV Vaccination	++++	18	59.2%	54.2%
Preventive Dental Care	+++	27	77.4%	77.5%
Well-child Visit	+++	23	80.9%	80.7%
Quality of Care			07.00/	
Adequate Insurance	+++	26	67.2%	66.7%
Developmental Screening	++	39	29.1%	36.9%
Medical Home	++	31	48.3%	46.8%
BEHAVIORS*	+++	30	-0.114	_
Nutrition and Physical Activity				
Breastfed	++	36	23.6%	25.6%
Food Sufficiency	++++	17	71.5%	69.8%
Physical Activity	++	40	19.6%	20.6%
Soda Consumption — Youth*		_	_	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	_	90.9%
Teen Births	+++	21	14.9	16.7
Sleep Health				
Adequate Sleep	+	42	61.5%	66.1%
Sleep Position [‡]		_	80.1%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	_	32.7%
Tobacco Use	++++	20	4.0%	4.0%
HEALTH OUTCOMES*	+	45	-0.547	_
Behavioral Health	<u> </u>	•••	0.0	
Alcohol Use — Youth	++	37	10.1%	9.2%
Anxiety	+++	23	9.6%	9.1%
Depression	+++	29	4.8%	3.9%
Flourishing	+++	28	68.9%	69.1%
Illicit Drug Use — Youth	++	38	9.9%	8.4%
Teen Suicide [‡]		_	_	11.2
Mortality				11.2
Child Mortality	+++	29	28.2	25.4
Infant Mortality	+++	28	6.1	5.7
Physical Health				
Asthma	+	44	9.6%	7.5%
High Health Status*	+	43	89.1%	90.4%
Low Birthweight	+	42	9.4%	8.3%
Low Birthweight Racial Disparity	++++	17	1.9	2.1
Overweight or Obesity — Youth	+	47	38.1%	32.1%
OVERALL — CHILDREN*		_	-0.031	_
OVERALL — WOMEN AND CHILDREN*			-0.004	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Florida

State Health Department Website: floridahealth.gov



Summary

Strengths:

- High prevalence of exercise among women
- · Low percentage of housing with lead risk
- Low prevalence of tobacco use among adolescents

Highlights:

SMOKING

from 16.7% to 12.2% of women ages 18-44 ▼27% from 16.7% to 12.2% of worther ages between 2014-2015 and 2018-2019

TEEN BIRTHS

34% from 24.5 to 16.2 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- Low flu vaccination coverage among women
- Low prevalence of preventive dental care in children
- · Low percentage of infants exclusively breastfed for six months

OBESITY

^21%

from 23.4% to 28.4% of women ages 18-44 between 2015-2016 and 2018-2019

DRUG DEATHS

40% from 17.9 to 25.1 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	28	-0.018	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.8%	3.0%
Violent Crime	+++	29	378	379
Economic Resources				
Concentrated Disadvantage	++	39	27.9%	25.1%
Food Insecurity	+++	27	10.9%	11.1%
Gender Pay Gap‡	++++	12	82.9%	81.0%
Poverty	++++	19	14.6%	15.2%
Unemployment	++++	17	3.3%	3.6%
Education				
College Graduate	+++	30	33.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	19	11.7%	12.5%
Residential Segregation — Black/White	++++	17	58	62
Voter Participation	++	36	58.8%	61.7%
PHYSICAL ENVIRONMENT*				

1easures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	20	0.143	_
Community and Family Safety				
Child Victimization [‡]	+++	22	7.8%	8.9%
Economic Resources				
Children in Poverty	++	34	17.7%	16.8%
Children in Poverty Racial Disparity	+++++	4	2.6	3.0
High-speed Internet	++	34	92.0%	92.6%
Students Experiencing Homelessness	++	40	3.2%	3.0%
WIC Coverage	+++	24	53.8%	53.9%
Education				
Early Childhood Education	++++	11	53.1%	48.9%
Fourth Grade Reading Proficiency	++++	11	37.7%	34.3%
High School Graduation	++++	20	87.2%	85.8%
High School Graduation Racial Disparity	++++	17	12.4	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	23	15.5%	14.8%
Foster Care Instability	++	32	18.3%	16.0%
Neighborhood Amenities	++	31	32.9%	37.4%
Reading, Singing or Storytelling	++	31	55.1%	55.9%
	+++	25	0.070	_
	+++	25	7.3	8.3
	++	40	1.3%	0.8%
	++++	14	13.4%	14.0%
	+	42	10,964,185	361,963,97
	+++	24	77.8%	73.0%
	+++	28	1	_
	++++	19	8.1	8.7
	++++	20	78.0%	75.4%
	+++++	4	8.3%	17.6%
	+	45	19.5%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

leasures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	48	-0.809	_
Access to Care				
Adequate Prenatal Care	+	44	71.1%	76.7%
Avoided Care Due to Cost	+	43	23.4%	18.8%
Publicly-funded Women's Health Services	+	46	16%	29%
Uninsured	+	46	19.6%	12.99
Women's Health Providers	++	39	41.5	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++	38	78.9%	79.99
Dental Visit	+++	29	66.7%	67.69
Flu Vaccination	+	49	23.1%	31.59
Postpartum Visit [‡]		_	89.3%	90.79
Well-woman Visit	+++	23	74.3%	73.29
Quality of Care				
Breastfeeding Initiation*	++++	20	87.1%	84.09
Dedicated Health Care Provider	+	48	61.9%	71.1%
Low-risk Cesarean Delivery	+	49	29.6%	25.69
Maternity Practices Score	++++	17	81	79
,				
BEHAVIORS*	++++	19	0.144	_
Nutrition and Physical Activity				
Exercise	+++++	3	26.4%	21.59
Fruit and Vegetable Consumption	++++	20	10.8%	10.49
Physical Inactivity	++	36	24.1%	22.69
Sexual Health				
Chlamydia	+++	28	1,744	1,743
High-risk HIV Behaviors	++	37	10.8%	9.7%
Unintended Pregnancy‡		_	42.1%	30.6
Sleep Health				
Insufficient Sleep	++	31	37.3%	36.19
Tobacco Use				
E-cigarette Use‡	++++	20	5.6%	5.3%
Smoking	+++++	10	12.2%	14.39
Smoking During Pregnancy	++++	10	4.1%	6.09
HEALTH OUTCOMES*	++++	15	0.124	_
Behavioral Health				
Drug Deaths‡	+++	30	25.1	20.7
Excessive Drinking	+++	25	19.3%	19.29
Frequent Mental Distress	++++	13	17.3%	18.19
Illicit Drug Use	++++	19	10.6%	10.89
Postpartum Depression‡		_	13.0%	13.49
Mortality				
Maternal Mortality‡		_	26.8	20.1
Mortality Rate	++	33	111.0	97.2
Physical Health				37.2
Frequent Physical Distress	++++	16	8.2%	8.4%
High Blood Pressure	++++	18	9.6%	10.69
High Health Status‡	+++	30	54.4%	53.89
Maternal Morbidity‡		_	3.6	6.6
Multiple Chronic Conditions	+++++	8	3.5%	4.4%
Manuple Critoriic Conditions				
Obacity				
Obesity OVERALL — WOMEN*	+++	21	28.4% - 0.064	30.0

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	42	-0.464	_
Access to Care				
ADD/ADHD Treatment	++++	19	3.5%	3.0%
Pediatricians	+++	25	97.6	104.6
Uninsured	+	41	7.6%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	18	78.6%	75.8%
HPV Vaccination	+++	23	56.0%	54.2%
Preventive Dental Care	+	49	72.4%	77.5%
Well-child Visit	+++	24	80.7%	80.7%
Quality of Care				
Adequate Insurance	+	42	62.4%	66.7%
Developmental Screening	+	41	27.8%	36.9%
Medical Home	+	47	39.6%	46.8%
BEHAVIORS*	++	32	-0.211	_
Nutrition and Physical Activity				
Breastfed	+	48	19.9%	25.6%
Food Sufficiency	++	39	65.6%	69.8%
Physical Activity	++	38	20.0%	20.6%
Soda Consumption — Youth‡			10.3%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	93.6%	90.9%
Teen Births	+++	27	16.2	16.7
Sleep Health				
Adequate Sleep	+++	22	67.3%	66.1%
Sleep Position‡		_	74.3%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	_	32.7%
Tobacco Use	+++++	8	3.3%	4.0%
HEALTH OUTCOMES*	++++	20	0.040	_
Behavioral Health		15	0.10/	0.00/
Alcohol Use — Youth	++++	15	9.1%	9.2%
Anxiety	++++	12 11	8.5%	9.1%
Depression	++++	20	3.3%	3.9%
Flourishing	++++	20	69.6%	69.1%
Illicit Drug Use — Youth Teen Suicide [‡]	+++	22	7.9% 9.2	8.4%
Mortality			3.2	11.2
Child Mortality	+++	24	26.1	25.4
Infant Mortality	+++	28	6.1	5.7
Physical Health		20	0.1	5.7
Asthma	+++	27	7.6%	7.5%
High Health Status*	++	31	90.5%	90.4%
Low Birthweight	++	32	8.7%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	++	33	32.8%	32.1%
OVERALL — CHILDREN*		_	-0.021	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: dph.georgia.gov



Summary

Strengths:

- · Low prevalence of youth alcohol use
- · Low prevalence of smoking during pregnancy
- High immunization coverage among children

Highlights:

CHILDREN IN POVERTY

▼29% from 26.5% to 18.7% of children ages 0-17 between 2013 and 2019

TEEN RIRTHS

▼35% from 30.4 to 19.7 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High infant mortality rate
- High prevalence of asthma among children
- · Low prevalence of exercise among women

PREVENTIVE DENTAL CARE

from 83.5% to 76.2% of children ages 1-17 between 2016-2017 and 2019-2020

FREQUENT MENTAL DISTRESS

32% from 13.6% to 18.0% of women ages 18-44 between 2015-2016 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	29	-0.039	-
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.1%	3.0%
Violent Crime	+++	25	341	379
Economic Resources				
Concentrated Disadvantage	+	45	32.5%	25.1%
Food Insecurity	++++	16	10.0%	11.1%
Gender Pay Gap‡	++++	19	80.2%	81.0%
Poverty	+++	27	15.8%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	++	37	31.3%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	8	10.4%	12.5%
Residential Segregation — Black/White	++++	11	55	62
Voter Participation	++++	18	63.5%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	38	-0.231	
Community and Family Safety				
Child Victimization [‡]	+++++	8	4.0%	8.9%
Economic Resources				
Children in Poverty	++	37	18.7%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	+	43	90.4%	92.6%
Students Experiencing Homelessness	+++	25	2.2%	3.0%
WIC Coverage	++	40	45.5%	53.9%
Education				
Early Childhood Education	++++	13	51.9%	48.9%
Fourth Grade Reading Proficiency	++	36	32.2%	34.3%
High School Graduation	++	39	82.0%	85.8%
High School Graduation Racial Disparity	+++++	10	9.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	34	17.0%	14.8%
Foster Care Instability	+++	25	16.5%	16.0%
Neighborhood Amenities	++	39	27.6%	37.4%
Reading, Singing or Storytelling	++	32	55.0%	55.9%
	++++	13	0.226	_
	++	33	7.9	8.3
	+++	24	0.2%	0.8%
	+++	27	15.4%	14.0%
	++	38	7,821,663	361,963,97
	+++++	6	95.2%	73.0%
	++	36	0	_
	+++	24	8.9	8.7
	+++	27	79.0%	75.4%
	+++++	5	9.3%	17.6%
	++	32	16.3%	17.5%
	1.1	JZ	10.576	17.5/6

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Access to Care	Measures	Rating	State Rank	State Value	U.S. Value
Adequate Prenatal Care Avoided Care Due to Cost Avoided Care Due to Cost Publicity-funded Women's Health Services Uninsured Uninsured Women's Health Providers H++ 22 26% 29% Uninsured Women's Health Providers H++ 24 47.7 48.5 Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit H++ 28 72.9% 73.2% Quality of Care Breastfeeding Initiation* Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score H++ 45 17.6% 21.5% Rutrition and Physical Activity Exercise Fruit and Vegetable Consumption Physical Inactivity H++ 40 25.0% 22.6% Sexual Health Chlamydia H-+ 41 1.999 1.743 High-risk HIV Behaviors Unintended Pregnancy* Sexual Health Chlamydia H 441 1.999 1.743 Unintended Pregnancy* Sexual Health Chlamydia H+- 41 1.999 1.743 Unintended Pregnancy* Sexual Health Chlamydia H+- 41 1.999 1.743 Unintended Pregnancy* Sexual Health Chlamydia H+- 41 1.999 1.743 Sleep Health Insufficient Sleep H 43 40.2% 36.1% Tobacco Use E-cigarette Use* Smoking Smoking H 25 16.0% 14.3% Smoking H 25 16.0% 14.3% Smoking During Pregnancy H+- 12 13.5 20.7 Excessive Drinking Frequent Mental Distress H++ 15 18.0% 18.1% Mortality Mortality Mortality Mortality Maternal Mortality Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 27 10.4.7 97.2 Physical Health Frequent Physical Distress H++ 24 8.5% 8.4% Helph Hood Pressure H 41 13.7% 10.6% Halth Health Status* H++ 28 31.7% 30.0% Obesity H-+ 28 31.7% 30.0%	CLINICAL CARE*	+	47	-0.733	_
Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers + 47 19.7% 12.9% Women's Health Providers +++ 22 4 477 48.5 Preventive Clinical Care Cervical Cancer Screening Dental Visit +++ 37 Postpartum Visit +++ 37 Postpartum Visit +++ 28 Prevantive Glinical Care Cervical Cancer Screening H+++ 12 Searny 15.5% Filu Vaccination + 48 23.7% 31.5% Postpartum Visit ++- 28 Postpartum Visit 91.5% 90.7% Well-woman Visit +++ 28 Postpartum Visit 91.5% 90.7% Well-woman Visit ++- 25 Breastfeeding Initiation* Dedicated Health Care Provider Low-risk Cesarean Delivery + 44 28.2% 25.6% Maternity Practices Score ++- 40 73 79 BEHAVIORS* ++- 40 73 79 BEHAVIORS* Nutrition and Physical Activity Exercise +- 45 Fruit and Vegetable Consumption Physical Inactivity H+- 40 25.0% 22.6% Sexual Health Chlamydia ++- 41 High-risk HIV Behaviors High-risk HIV Behaviors Unintended Pregnancy* 32.6% 30.6% Sleep Health Insufficient Sleep Tobacco Use E-cigarette Use* F-cigarette Use* F-cigarette Use* Smoking HEALTH OUTCOMES* HEALTH OUTCOMES* H+- 12 Frequent Mental Distress H+- 15 Find No.7% HEALTH OUTCOMES* H+- 15 Find No.7% HEALTH OUTCOMES* H+- 15 Find No.7% H 14.5% 13.4% Mortality Mortality Maternal Mortality* H 34 Mortality Maternal Mortality* Frequent Physical Distress H+- 24 Bressive Drinking H+- 25 Find No.7% H 34.0 Postpartum Users H 14.5% H 15.6 H 14.5% H 14.5% H 15.6 H 14.5% H 14.6 H 14.7% H 14.6 H 14.7% H 14	Access to Care				
Publicly-funded Women's Health Services	Adequate Prenatal Care	++	34	75.7%	76.7%
Uninsured	Avoided Care Due to Cost	+	50	27.6%	18.8%
Women's Health Providers	Publicly-funded Women's Health Services	+++	22	26%	29%
Preventive Clinical Care Cervical Cancer Screening ++++ 12 82.7% 79.9% Dental Visit ++ 37 63.8% 67.6% Flu Vaccination + 48 23.7% 31.5% Postpartum Visit 91.5% 90.7% Well-woman Visit +++ 28 72.9% 73.2% Guality of Care Breastfeeding Initiation† +++ 25 83.2% 84.0% Dedicated Health Care Provider + 46 63.9% 71.1% Low-risk Cesarean Delivery + 44 28.2% 25.6% Maternity Practices Score ++ 40 73 79 The Variation and Physical Activity Exercise + 45 17.6% 21.5% Fruit and Vegetable Consumption ++ 31 9.4% 10.4% Physical Inactivity ++ 40 25.0% 22.6% Sexual Health Chlamydia + 41 1.999 1.743 High-risk HIV Behaviors ++ 31 10.2% 30.6% Sleep Health Insufficient Sleep + 43 40.2% 36.1% Tobacco Use E-cigarette Use† +++ 18 5.3% 5.3% 5.3% Smoking During Pregnancy +++ 18 18.2% 19.2% Smoking During Pregnancy +++ 12 13.5 20.7 Excessive Drinking +++ 12 13.5 20.7 Excessive Drinking +++ 18 18.2% 19.2% Frequent Mental Distress +++ 16 9.9% 10.8% Postpartum Depression* +++ 16 9.9% 10.8% Postpartum Depression* +++ 16 9.9% 10.8% Postpartum Depression* +++ 24 8.5% 8.4% Meternal Morbidity* 34.0 20.1 34.9% 36.9	Uninsured	+	47	19.7%	12.9%
Cervical Cancer Screening	Women's Health Providers	+++	24	47.7	48.5
Dental Visit	Preventive Clinical Care				
Flu Vaccination	Cervical Cancer Screening	++++	12	82.7%	79.9%
Postpartum Visit	Dental Visit	++	37	63.8%	67.6%
Well-woman Visit	Flu Vaccination	+	48	23.7%	31.5%
Reastfeeding Initiation	Postpartum Visit [‡]		_	91.5%	90.7%
Breastfeeding Initiation*	Well-woman Visit	+++	28	72.9%	73.2%
Dedicated Health Care Provider	Quality of Care				
Low-risk Cesarean Delivery	Breastfeeding Initiation*	+++	25	83.2%	84.0%
Maternity Practices Score	Dedicated Health Care Provider	+	46	63.9%	71.1%
Nutrition and Physical Activity Exercise	Low-risk Cesarean Delivery	+	44	28.2%	25.6%
Nutrition and Physical Activity	Maternity Practices Score	++	40	73	79
Nutrition and Physical Activity	PEULVIADA		20	0.500	
Exercise		**	39	-0.526	_
Fruit and Vegetable Consumption Physical Inactivity ## 40 25.0% 22.6% Sexual Health Chlamydia			4 =	17.00/	01 50/
Physical Inactivity					
Sexual Health Chlamydia					
Chlamydia	Physical Inactivity	++	40	25.0%	22.6%
High-risk HIV Behaviors	Sexual Health				
Unintended Pregnancy*	Chlamydia	+	41	1,999	1,743
Sleep Health Insufficient Sleep	High-risk HIV Behaviors	++	31	10.2%	9.7%
Tobacco Use	Unintended Pregnancy [‡]		_	32.6%	30.6%
Tobacco Use	Sleep Health				
E-cigarette Use#	Insufficient Sleep	+	43	40.2%	36.1%
Smoking +++ 25 16.0% 14.3% Smoking During Pregnancy ++++ 11 4.2% 6.0% HEALTH OUTCOMES* ++++ 12 -0.049 - Behavioral Health	Tobacco Use				
Smoking During Pregnancy	E-cigarette Use‡	++++	18	5.3%	5.3%
HEALTH OUTCOMES*	Smoking	+++	25	16.0%	14.3%
Behavioral Health Drug Deaths† ++++ 12 13.5 20.7 Excessive Drinking ++++ 18 18.2% 19.2% Frequent Mental Distress ++++ 15 18.0% 18.1% Illicit Drug Use ++++ 16 9.9% 10.8% Postpartum Depression‡ - 14.5% 13.4% Mortality - 34.0 20.1 Mortality Rate +++ 27 104.7 97.2 Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	Smoking During Pregnancy	++++	11	4.2%	6.0%
Drug Deaths‡ ++++ 12 13.5 20.7 Excessive Drinking ++++ 18 18.2% 19.2% Frequent Mental Distress ++++ 15 18.0% 18.1% Illicit Drug Use ++++ 16 9.9% 10.8% Postpartum Depression‡ - 14.5% 13.4% Mortality - 34.0 20.1 Mortality Rate +++ 27 104.7 97.2 Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	HEALTH OUTCOMES*	+++	22	-0.049	_
Excessive Drinking	Behavioral Health				
Excessive Drinking	Drug Deaths‡	++++	12	13.5	20.7
Frequent Mental Distress	Excessive Drinking	++++	18	18.2%	19.2%
Illicit Drug Use		++++	15	18.0%	18.1%
Postpartum Depression*		++++	16	9.9%	10.8%
Maternal Mortality‡ — 34.0 20.1 Mortality Rate +++ 27 104.7 97.2 Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ — 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	_		_	14.5%	13.4%
Maternal Mortality‡ — 34.0 20.1 Mortality Rate +++ 27 104.7 97.2 Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ — 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	Mortality				
Mortality Rate +++ 27 104.7 97.2 Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	_		_	34.0	201
Physical Health Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status* ++ 34 53.2% 53.8% Maternal Morbidity* - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	14 . 10 B .	+++	27		07.0
Frequent Physical Distress +++ 24 8.5% 8.4% High Blood Pressure + 41 13.7% 10.6% High Health Status* ++ 34 53.2% 53.8% Maternal Morbidity* - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%					
High Blood Pressure + 41 13.7% 10.6% High Health Status‡ ++ 34 53.2% 53.8% Maternal Morbidity‡ - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%		+++	24	8.5%	8.4%
High Health Status* ++ 34 53.2% 53.8% Maternal Morbidity* - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%					
Maternal Morbidity* - 5.6 6.6 Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%	0				
Multiple Chronic Conditions ++++ 18 4.2% 4.4% Obesity +++ 28 31.7% 30.0%					
Obesity +++ 28 31.7% 30.0%	,	++++			
·					
	OVERALL — WOMEN*		_	- 0.202	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	36	-0.199	_
Access to Care				
ADD/ADHD Treatment	+++++	3	4.9%	3.0%
Pediatricians	++	31	84.8	104.6
Uninsured	++	40	7.4%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	++++	14	79.5%	75.8%
HPV Vaccination	++	36	49.7%	54.2%
Preventive Dental Care	++	37	76.2%	77.5%
Well-child Visit	++++	15	83.1%	80.7%
Quality of Care			00.00/	
Adequate Insurance	+	44	62.2%	66.7%
Developmental Screening	+	43	26.4%	36.9%
Medical Home	+	43	46.0%	46.8%
BEHAVIORS*	++	31	-0.173	_
Nutrition and Physical Activity				
Breastfed	+	41	22.1%	25.6%
Food Sufficiency	++	33	67.3%	69.8%
Physical Activity	+++++	10	24.9%	20.6%
Soda Consumption — Youth‡		_	_	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	_	90.9%
Teen Births	++	37	19.7	16.7
Sleep Health				
Adequate Sleep	++	40	61.8%	66.1%
Sleep Position [‡]		_	72.2%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	17.0%	32.7%
Tobacco Use	++++	14	3.6%	4.0%
HEALTH OUTCOMES*	++	33	-0.230	_
Behavioral Health			0.200	
Alcohol Use — Youth	+++++	3	7.3%	9.2%
Anxiety	++++	13	8.6%	9.1%
Depression	++++	12	3.5%	3.9%
Flourishing	+++	24	69.2%	69.1%
Illicit Drug Use — Youth	+++++	6	6.8%	8.4%
Teen Suicide‡		_	9.8	11.2
Mortality				
Child Mortality	+++	30	28.4	25.4
Infant Mortality	+	43	7.1	5.7
Physical Health				
Asthma	+	47	10.0%	7.5%
High Health Status*	++	36	90.2%	90.4%
Low Birthweight	+	47	10.0%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	++	38	34.4%	32.1%
OVERALL — CHILDREN*		_	-0.141	_
OVERALL — WOMEN AND CHILDREN*			0.208	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Hawaii

State Health Department Website: health.hawaii.gov



Summary

Strengths:

- · Low prevalence of anxiety among children
- Low prevalence of unemployment among women
- Low prevalence of tobacco use among adolescents

Highlights:

EARLY CHILDHOOD EDUCATION ENROLLMENT

20% from 45.9% to 55.2% of children ages 3-4 between 2017 and 2019

TEEN RIRTHS

▼37% from 25.1 to 15.7 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · Low percentage of early and adequate prenatal care
- High prevalence of severe housing problems
- · Low prevalence of physical activity among children

LOW-RISK CESAREAN DELIVERY

from 17.9% to 23.1% of singleton, term, vertex, first births between 2014 and 2019

INFANT MORTALITY

from 5.1 to 6.1 deaths per 1,000 live births between 2014-2015 and 2017-2018

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++++	6	0.873	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	1.9%	3.0%
Violent Crime	++++	17	286	379
Economic Resources				
Concentrated Disadvantage	++++	17	14.7%	25.1%
Food Insecurity	+++++	6	8.4%	11.1%
Gender Pay Gap‡	+++++	5	86.8%	81.0%
Poverty	+++++	2	10.6%	15.2%
Unemployment	+++++	1	2.0%	3.6%
Education				
College Graduate	++++	16	39.1%	35.7%
0				
Social Support and Engagement		00	4.4.00/	10 50/
Infant Child Care Cost*	++	38	14.3%	12.5%
Residential Segregation — Black/White	++++	12	56	62
Voter Participation	+	48	54.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	2	0.705	_
Community and Family Safety				
Child Victimization [‡]	++++	11	4.5%	8.9%
Economic Resources				
Children in Poverty	++++	13	12.4%	16.8%
Children in Poverty Racial Disparity	+++	29	3.3	3.0
High-speed Internet	++++	12	94.3%	92.6%
Students Experiencing Homelessness	++++	20	2.0%	3.0%
WIC Coverage	+++	21	54.5%	53.9%
Education				
Early Childhood Education	++++	9	55.2%	48.9%
Fourth Grade Reading Proficiency	++	32	33.8%	34.3%
High School Graduation	+++	28	85.2%	85.8%
High School Graduation Racial Disparity	+++++	1	1.0	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	5	12.1%	14.8%
Foster Care Instability	+++++	1	8.9%	16.0%
Neighborhood Amenities	+++++	7	48.0%	37.4%
Reading, Singing or Storytelling	++++	18	59.0%	55.9%
	+++	22	0.128	_
	+++++	3	4.8	8.3
	+++++	1	0.0%	0.8%
	+++	24	14.8%	14.0%
	+++++	10	153,792	361,963,972
	+	50	8.8%	73.0%
	++++	13	3	_
	+	46	12.3	8.7
	+++++	2	65.9%	75.4%
	++++	11	11.3%	17.6%
	+	50	26.7%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

leasures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	17	0.385	_
Access to Care				
Adequate Prenatal Care	+	50	63.7%	76.7%
Avoided Care Due to Cost	+++++	1	9.6%	18.8%
Publicly-funded Women's Health Services	++	35	21%	29%
Uninsured	+++++	5	6.6%	12.9%
Women's Health Providers	++++	12	58.3	48.5
Preventive Clinical Care				10.0
Cervical Cancer Screening	++++	19	81.5%	79.99
Dental Visit	++++	17	71.7%	67.69
Flu Vaccination	+++	22	34.1%	31.5%
Postpartum Visit*		_	93.0%	90.79
Well-woman Visit	+++++	4	77.3%	73.29
Quality of Care		-	77.070	70.27
Breastfeeding Initiation*	+++++	10	89.4%	84.09
Dedicated Health Care Provider	+++++	9	80.9%	71.1%
Low-risk Cesarean Delivery	++++	16	23.1%	25.69
,	+	49	68	79
Maternity Practices Score	т	49	00	/9
BEHAVIORS*	++++	11	0.397	_
Nutrition and Physical Activity				
Exercise	++++	17	22.5%	21.5%
Fruit and Vegetable Consumption	+++++	10	12.0%	10.49
Physical Inactivity	+++	22	21.4%	22.69
Thysical mactivity		22	21170	22.07
Sexual Health				
Chlamydia	+++	29	1,754	1,743
High-risk HIV Behaviors	+++++	1	6.4%	9.7%
Unintended Pregnancy‡		_	23.0%	30.69
Sleep Health				
Insufficient Sleep	+	46	41.0%	36.1%
Tobacco Use				
E-cigarette Use‡	++	39	6.6%	5.3%
Smoking	++++	12	12.9%	14.39
Smoking During Pregnancy	++++	2	2.2%	6.0%
HEALTH OUTCOMES*	+++++	1	0.877	
Behavioral Health		•	0.077	
Drug Deaths‡	+++++	1	7.6	20.7
Excessive Drinking	++	32	20.6%	19.29
Frequent Mental Distress	+++++	1	12.4%	18.1%
Illicit Drug Use	+++	27	11.2%	10.17
Postpartum Depression‡		_	11.1%	13.49
· · · · · · · · · · · · · · · · · · ·				
Mortality				
Maternal Mortality*		_	70.1	20.1
Mortality Rate	+++++	3	73.1	97.2
Physical Health				
Frequent Physical Distress	+++++	1	5.5%	8.4%
High Blood Pressure	+++	23	10.2%	10.69
High Health Status‡	++	33	53.5%	53.89
		_	_	6.6
Maternal Morbidity [‡]				
Maternal Morbidity* Multiple Chronic Conditions	+++++	1	2.3%	4.4%
,	+++++		2.3% 24.9%	4.4%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	8	0.758	_
Access to Care				
ADD/ADHD Treatment	+	44	1.8%	3.0%
Pediatricians	++++	13	118.4	104.6
Uninsured	+++++	5	2.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	21	77.9%	75.8%
HPV Vaccination	+++++	5	66.0%	54.2%
Preventive Dental Care	+++++	1	85.6%	77.5%
Well-child Visit	+++	29	79.7%	80.7%
Quality of Care				
Adequate Insurance	+++++	1	80.6%	66.7%
Developmental Screening	++++	17	41.2%	36.9%
Medical Home	++	34	47.9%	46.8%
		20	0407	
BEHAVIORS* Nutrition and Physical Activity	+++	29	-0.107	_
Breastfed	++++	12	30.6%	25.6%
Food Sufficiency	++	38	65.7%	69.8%
Physical Activity	+	47	15.7%	20.6%
Soda Consumption — Youth‡		_	6.3%	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse*		_	93.4%	90.9%
Teen Births	+++	26	15.7	16.7
Sleep Health				
Adequate Sleep	+	46	59.5%	66.1%
Sleep Position*		_	84.0%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	30.6%	32.7%
Tobacco Use	+++++	1	2.2%	4.0%
HEALTH OUTCOMES*	+++++	1	0.842	
Behavioral Health		'	0.042	
Alcohol Use — Youth	+++++	2	6.0%	9.2%
Anxiety	+++++	1	4.0%	9.1%
Depression	+++++	1	1.5%	3.9%
Flourishing	+++++	2	72.6%	69.1%
Illicit Drug Use — Youth	++++	13	7.1%	8.4%
Teen Suicide‡		_	10.4	11.2
Mortality				
Child Mortality	+++++	10	21.7	25.4
Infant Mortality	+++	28	6.1	5.7
Physical Health		01	770/	7.50/
Asthma	++	31	7.7%	7.5%
High Health Status	+++++	10	92.1%	90.4%
Low Birthweight Low Birthweight Racial Disparity	++++	26 17	8.4% 1.9	8.3%
Overweight or Obesity — Youth	++++	13	28.3%	2.1 32.1%
Overweight of Obesity — Toutil		.0		JZ.1/0
OVERALL — CHILDREN*			0.520	_
OVERALL — WOMEN AND CHILDREN*			0.572	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Idaho

State Health Department Website: healthandwelfare.idaho.gov



Summary

Strengths:

- · Low infant mortality rate
- High prevalence of high-speed internet in households with children
- Low prevalence of unemployment among women

Highlights:

CHILDREN IN POVERTY

▼31% from 19.1% to 10.2% co. 2 between 2013 and 2019 from 19.1% to 13.2% of children ages 0-17

TEEN BIRTHS

42% from 25.6 to 14.9 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- Low enrollment in early childhood education
- Low WIC coverage among eligible children ages 1-4
- Low supply of pediatricians

HIGH BLOOD PRESSURE

92% from 6.0% to 11.5% of women ages 18-44 between 2013 and 2019

FREQUENT MENTAL DISTRESS

from 13.6% to 20.6% of women ages 18-44 between 2013-2014 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use* **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	22	0.194	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+++++	10	224	379
Economic Resources				
Concentrated Disadvantage	++++	13	12.8%	25.1%
Food Insecurity	+++++	10	9.6%	11.1%
Gender Pay Gap‡	+	45	74.9%	81.0%
Poverty	+++	25	15.1%	15.2%
Unemployment	++++	11	2.8%	3.6%
Education				
College Graduate	+	41	29.6%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++	22	11.8%	12.5%
Residential Segregation — Black/White	+	42	70	62
Voter Participation	++	39	57.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	36	-0.155	_
Community and Family Safety				
Child Victimization [‡]	+++++	9	4.2%	8.9%
Economic Resources				
Children in Poverty	++++	17	13.2%	16.8%
Children in Poverty Racial Disparity	+++++	9	2.8	3.0
High-speed Internet	++++	10	95.1%	92.6%
Students Experiencing Homelessness	++	33	2.5%	3.0%
WIC Coverage	+	44	44.3%	53.9%
Education				
Early Childhood Education	+	48	32.9%	48.9%
Fourth Grade Reading Proficiency	++++	12	37.4%	34.3%
High School Graduation	+	45	80.8%	85.8%
High School Graduation Racial Disparity	+++	25	14.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	23	15.5%	14.8%
Foster Care Instability	+++	27	16.9%	16.0%
Neighborhood Amenities	++	35	29.9%	37.4%
Reading, Singing or Storytelling	+	44	50.5%	55.9%
	+++	26	0.051	_
	++++	12	6.6	8.3
	+	42	1.8%	0.8%
	++++	15	13.5%	14.0%
	++++	7	67,190	361,963,972
	+	46	31.7%	73.0%
	++	36	0	_
	++	31	9.3	8.7
	+++	25	78.8%	75.4%
	++++	17	12.6%	17.6%
	+++	21	14.4%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	43	-0.497	_
Access to Care				
Adequate Prenatal Care	+++++	9	84.2%	76.7%
Avoided Care Due to Cost	+	45	24.6%	18.8%
Publicly-funded Women's Health Services	+	42	18%	29%
Uninsured	+	44	18.3%	12.9%
Women's Health Providers	+++	25	47.1	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+	48	74.5%	79.9%
Dental Visit	+	43	62.2%	67.6%
Flu Vaccination	++	38	29.7%	31.5%
Postpartum Visit*		_	_	90.7%
Well-woman Visit	+	48	66.5%	73.2%
Quality of Care		_		
Breastfeeding Initiation*	+++++	5	92.0%	84.0%
Dedicated Health Care Provider	+	41	68.2%	71.1%
Low-risk Cesarean Delivery	+++++	4	19.0%	25.6%
Maternity Practices Score	++	36	75	79
BEHAVIORS*	++++	13	0.303	_
Nutrition and Physical Activity				
Exercise	++++	16	22.7%	21.5%
Fruit and Vegetable Consumption	+++	27	9.8%	10.4%
Physical Inactivity	++++	14	20.0%	22.6%
Thysical mastricy		•	20.070	22.070
Sexual Health				
Chlamydia	+++++	7	1,322	1,743
High-risk HIV Behaviors	+++	25	9.9%	9.7%
Unintended Pregnancy*		_	_	30.6%
Sleep Health				
Insufficient Sleep	++++	12	32.6%	36.1%
Tobacco Use				
E-cigarette Use‡	+	44	7.0%	5.3%
Smoking	++++	19	14.5%	14.3%
Smoking During Pregnancy	+++	23	7.5%	6.0%
HEALTH OUTCOMES*	++++	17	0.078	
Behavioral Health	*****	17	0.078	_
Drug Deaths‡	++++	16	14.1	20.7
Excessive Drinking	+++++	6	16.3%	19.2%
Frequent Mental Distress	++	32	20.6%	18.1%
Illicit Drug Use	++++	11	9.3%	10.1%
Postpartum Depression*		_	-	13.4%
Mortality				
Maternal Mortality*		_	-	20.1
Mortality Rate	+++++	9	81.2	97.2
Physical Health		00	0.00/	0.00
Frequent Physical Distress	++	39	9.9%	8.4%
High Blood Pressure	++	33	11.5%	10.6%
High Health Status*	++++	14	56.8%	53.8%
Maternal Morbidity*		-	5.8	6.6
Multiple Chronic Conditions	+++	24	4.4%	4.4%
Obesity	++++	19	28.2%	30.0%
OVERALL — WOMEN*			0.053	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	37	-0.212	_
Access to Care				
ADD/ADHD Treatment	++	33	2.6%	3.0%
Pediatricians	+	50	43.8	104.6
Uninsured	+++	26	5.0%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	++	36	74.0%	75.8%
HPV Vaccination	+	45	44.1%	54.2%
Preventive Dental Care	+++++	8	83.3%	77.5%
Well-child Visit	++	36	78.0%	80.7%
Quality of Care				
Adequate Insurance	++	33	65.6%	66.7%
Developmental Screening	++	40	29.0%	36.9%
Medical Home	++++	12	52.1%	46.8%
BEHAVIORS*	+++	25	0.189	_
Nutrition and Physical Activity				
Breastfed	+++	30	24.6%	25.6%
Food Sufficiency	+++	29	68.1%	69.8%
Physical Activity	++++	19	24.0%	20.6%
Soda Consumption — Youth‡		_	6.5%	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse‡		_	_	90.9%
Teen Births	+++	21	14.9	16.7
Sleep Health				
Adequate Sleep	++++	15	69.5%	66.1%
Sleep Position*		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	21.5%	32.7%
Tobacco Use	++++	18	3.9%	4.0%
HEALTH OUTCOMES*	+++++	9	0.264	_
Behavioral Health				
Alcohol Use — Youth	+++++	4	7.9%	9.2%
Anxiety	+	41	11.9%	9.1%
Depression	++	36	5.2%	3.9%
Flourishing	+	43	66.8%	69.1%
Illicit Drug Use — Youth	++++	16	7.5%	8.4%
Teen Suicide [‡]			20.7	11.2
Mortality		00	00.4	
Child Mortality	++	33	29.4	25.4
Infant Mortality	+++++	9	4.8	5.7
Physical Health		10	C 00/	750/
Asthma	+++++	10	6.0%	7.5%
High Health Status*	++++	14	91.8%	90.4%
Low Birthweight	+++++	8	6.9%	8.3%
Low Birthweight Racial Disparity	+++++	2	1.2	2.1
Overweight or Obesity — Youth	++++	15	29.2%	32.1%
OVERALL — CHILDREN*			0.029	_
OVERALL — WOMEN AND CHILDREN*			0.020	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: dph.illinois.gov



State State

U.S.

Summary

Strengths:

- High enrollment in early childhood education
- Low prevalence of high-risk HIV behaviors among women
- · High prevalence of neighborhood amenities

Highlights:

POVERTY

from 15.5% to 13.9% of women ages 18-44 ▼10% from 15.5% to 16.5% 5.1 between 2018 and 2019

TEEN BIRTHS

from 24.6 to 14.6 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · High racial disparity in low birthweight
- Low WIC coverage among eligible children ages 1-4
- · High percentage of housing with lead risk

FREQUENT MENTAL DISTRESS

44% from 11.6% to 16.7% of women ages 18-44 between 2016-2017 and 2018-2019

UNINSURED

▲38% from 2.9% to 4.0% of children ages 0-18 between 2017 and 2019

Women

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++	27	0.022	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	1.8%	3.0%
Violent Crime	++	33	407	379
Economic Resources				
Concentrated Disadvantage	++	31	24.5%	25.1%
Food Insecurity	++++	13	9.9%	11.1%
Gender Pay Gap‡	++	34	78.0%	81.0%
Poverty	++++	15	13.9%	15.2%
Unemployment	++	38	3.8%	3.6%
Education				
College Graduate	++++	14	39.4%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++	36	14.0%	12.5%
Residential Segregation — Black/White	+	45	73	62
Voter Participation	+++	23	62.4%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	14	0.276	_
Community and Family Safety				
Child Victimization [‡]	++	33	11.8%	8.9%
Economic Resources				
Children in Poverty	+++	28	15.7%	16.8%
Children in Poverty Racial Disparity	++	37	3.9	3.0
High-speed Internet	++++	14	94.2%	92.6%
Students Experiencing Homelessness	++	37	2.8%	3.0%
WIC Coverage	+	43	44.8%	53.9%
Education				
Early Childhood Education	++++	8	56.0%	48.9%
Fourth Grade Reading Proficiency	+++	28	34.4%	34.3%
High School Graduation	+++	27	86.2%	85.8%
High School Graduation Racial Disparity	+++	24	14.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	4	11.3%	14.8%
Foster Care Instability	++	31	18.2%	16.0%
Neighborhood Amenities	+++++	2	54.8%	37.4%
Reading, Singing or Storytelling	++++	13	60.8%	55.9%
	++	37	-0.089	_
	+	49	9.5	8.3
	++++	14	0.1%	0.8%
	++++	11	12.7%	14.0%
	+	46	20,605,020	361,963,972
	+++++	3	98.2%	73.0%
	+++	23	2	_
	++++	17	8.0	8.7
		0	71 00/	75 /0/
	+++++	8	71.8% 24.9%	75.4%
	+	44		17.6%
	++	34	16.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	26	0.267	_
Access to Care				
Adequate Prenatal Care	++++	20	78.8%	76.7%
Avoided Care Due to Cost	+++	24	17.3%	18.8%
Publicly-funded Women's Health Services	+++	27	24%	29%
Uninsured	+++	21	10.0%	12.9%
Women's Health Providers	++++	20	52.5	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++	34	79.2%	79.9%
Dental Visit	+++	22	69.2%	67.6%
Flu Vaccination	++	36	30.0%	31.5%
Postpartum Visit [‡]		_	93.9%	90.7%
Well-woman Visit	++++	17	75.7%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++	27	83.0%	84.0%
Dedicated Health Care Provider	++++	14	78.6%	71.1%
Low-risk Cesarean Delivery	+++	26	24.7%	25.6%
Maternity Practices Score	++++	19	80	79
PEU-1/10 PO1		20	0124	
BEHAVIORS*	++++	20	0.134	
Nutrition and Physical Activity		07	10.10/	04 50/
Exercise	++	37	19.1%	21.5%
Fruit and Vegetable Consumption	++	35	8.5%	10.4%
Physical Inactivity	++	32	23.6%	22.6%
Sexual Health				
Chlamydia	++	38	1,916	1,743
High-risk HIV Behaviors	+++++	6	7.4%	9.7%
Unintended Pregnancy*		_	31.5%	30.6%
Sleep Health				
Insufficient Sleep	+++++	8	31.9%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	14	5.2%	5.3%
Smoking	++++	14	13.1%	14.3%
Smoking During Pregnancy	++++	18	5.3%	6.0%
HEALTH OUTCOMES*	++++	12	0.270	_
Behavioral Health				
Drug Deaths‡	+++	22	18.8	20.7
Excessive Drinking	++	37	22.6%	19.2%
Frequent Mental Distress	++++	11	16.7%	18.1%
Illicit Drug Use	++++	13	9.4%	10.8%
Postpartum Depression*		_	10.8%	13.4%
Mortality				
Maternal Mortality		_	_	20.1
Mortality Rate	++++	15	86.2	97.2
Physical Health				07.2
Frequent Physical Distress	+++++	3	6.7%	8.4%
High Blood Pressure	++++	14	8.6%	10.6%
High Health Status*	++	32	53.8%	53.8%
Maternal Morbidity		_	11.4	6.6
Multiple Chronic Conditions	++++	18	4.2%	4.4%
Obesity	+++	26	30.3%	30.0%
OVERALL — WOMEN*		_	0.114	
OTENALE WOMEN			J.117	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit www.AmericasHealthRankings.org.

Children		01-1-	01-1-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	13	0.463	_
Access to Care				
ADD/ADHD Treatment	+++	23	3.3%	3.0%
Pediatricians	++++	15	115.9	104.6
Uninsured	++++	17	4.0%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	16	79.4%	75.8%
HPV Vaccination	+++	25	54.9%	54.2%
Preventive Dental Care	+++	28	77.2%	77.5%
Well-child Visit	++++	18	82.2%	80.7%
Quality of Care				
Adequate Insurance	++	31	65.8%	66.7%
Developmental Screening	+++++	6	49.6%	36.9%
Medical Home	+++	23	50.4%	46.8%
BEHAVIORS*	++++	19	0.355	_
Nutrition and Physical Activity				
Breastfed	++	32	23.9%	25.6%
Food Sufficiency	++++	16	71.6%	69.8%
Physical Activity	++	34	21.8%	20.6%
Soda Consumption — Youth‡		_	7.8%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	89.7%	90.9%
Teen Births	++++	20	14.6	16.7
Sleep Health				
Adequate Sleep	+++++	7	71.8%	66.1%
Sleep Position‡		_	82.6%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	19.9%	32.7%
Tobacco Use	+++++	10	3.5%	4.0%
HEALTH OUTCOMES*	++++	14	0.098	_
Behavioral Health				
Alcohol Use — Youth	++++	11	8.6%	9.2%
Anxiety	+++++	10	8.3%	9.1%
Depression	++++	12	3.5%	3.9%
Flourishing	++++	20	69.6%	69.1%
Illicit Drug Use — Youth	+++	29	8.3%	8.4%
Teen Suicide [‡]			8.9	11.2
Mortality		00	05.4	
Child Mortality	++++	20	25.4	25.4
Infant Mortality	++	33	6.3	5.7
Physical Health	+++++	Ω	5.0%	750/
Asthma	++	8	5.9%	7.5%
High Health Status		38	89.6%	90.4%
Low Birthweight Regial Disperity	+++	26 45	8.4%	8.3%
Low Birthweight Racial Disparity	++	45 32	2.2 32.5%	2.1
Overweight or Obesity — Youth	TT	SZ	JZ.U/6	32.1%
OVERALL — CHILDREN*		_	0.206	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Indiana

State Health Department Website: in.gov/isdh



Summary

Strengths:

- High percentage of fourth grade reading proficiency
- Low prevalence of unemployment among women
- · Low prevalence of severe housing problems

Highlights:

WELL-WOMAN VISIT

from 58.9% to 75.6% of women ages 18-44 between 2013-2014 and 2018-2019

TEEN BIRTHS

from 30.3 to 20.8 births per 1,000 females ▼31% from 30.3 to 20.0 billing point, 12 ages 15-19 between 2013 and 2019

Challenges:

- · High prevalence of smoking during pregnancy
- Low HPV vaccination coverage among adolescents
- · Low prevalence of developmental screenings

OBESITY

from 28.1% to 33.9% of women ages 18-44 **21%** From 20.1% to 50.0% c. between 2015-2016 and 2018-2019

DRUG DEATHS

36% from 23.4 to 31.9 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	37	-0.252	-]
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+++	27	371	379
Economic Resources				
Concentrated Disadvantage	+++	25	20.2%	25.1%
Food Insecurity	++	35	12.4%	11.1%
Gender Pay Gap‡	+	42	75.8%	81.0%
Poverty	++	31	16.0%	15.2%
Unemployment	++++	16	3.2%	3.6%
Education				
College Graduate	++	39	30.8%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+	41	14.8%	12.5%
Residential Segregation — Black/White	++	40	69	62
Voter Participation	+	44	56.7%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	24	0.093	_
Community and Family Safety				
Child Victimization [‡]	++	36	14.7%	8.9%
Economic Resources				
Children in Poverty	+++	26	15.2%	16.8%
Children in Poverty Racial Disparity	++++	14	3.0	3.0
High-speed Internet	+	41	90.6%	92.6%
Students Experiencing Homelessness	++++	12	1.7%	3.0%
WIC Coverage	++++	13	56.8%	53.9%
Education				
Early Childhood Education	+	43	39.8%	48.9%
Fourth Grade Reading Proficiency	++++	14	37.0%	34.3%
High School Graduation	++++	20	87.2%	85.8%
High School Graduation Racial Disparity	++++	16	12.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	36	17.4%	14.8%
Foster Care Instability	+++++	7	10.5%	16.0%
Neighborhood Amenities	++	38	28.0%	37.4%
Reading, Singing or Storytelling	++	40	51.7%	55.9%
	++	40	-0.178	_
	+	46	8.7	8.3
	++	33	0.4%	0.8%
	+	46	20.0%	14.0%
	+	41	10,738,422	361,963,972
	+++++	10	92.4%	73.0%
	++	36	0	_
	+++	21	8.5	8.7
		0.0	01.00/	75 40/
	++	36	81.3%	75.4%
	++	33	21.3%	17.6%
	+++++	7	12.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

easures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	30	0.093	_
Access to Care				
Adequate Prenatal Care	+++	25	78.5%	76.7%
Avoided Care Due to Cost	+++	27	17.8%	18.8%
Publicly-funded Women's Health Services	+	45	17%	29%
Uninsured	+++	30	11.9%	12.99
Women's Health Providers	++	39	41.5	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	23	81.1%	79.99
Dental Visit	+++	25	68.3%	67.69
Flu Vaccination	++	38	29.7%	31.59
Postpartum Visit [‡]		_	_	90.79
Well-woman Visit	++++	18	75.6%	73.29
Quality of Care				
Breastfeeding Initiation*	+++	29	82.5%	84.0
Dedicated Health Care Provider	++++	19	75.7%	71.19
Low-risk Cesarean Delivery	++++	15	23.0%	25.6
Maternity Practices Score	+++	24	78	79
Waternity Fractices ocore		2-7	70	/ / /
BEHAVIORS*	++	40	-0.535	_
Nutrition and Physical Activity				
Exercise	+++	30	21.1%	21.59
Fruit and Vegetable Consumption	++++	19	10.9%	10.49
Physical Inactivity	++	38	24.6%	22.6
,				
Sexual Health				
Chlamydia	++	31	1,799	1,743
High-risk HIV Behaviors	+++	29	10.1%	9.79
Unintended Pregnancy‡		_	_	30.6
Sleep Health				
Insufficient Sleep	++	35	38.4%	36.19
Tobacco Use				
E-cigarette Use‡	+	50	8.9%	5.3%
Smoking	++	40	19.9%	14.39
Smoking During Pregnancy	+	41	11.7%	6.09
HEALTH OUTCOMES*	++	36	-0.666	
Behavioral Health		30	-0.000	_
Benavioral Health Drug Deaths‡	+	43	31.9	20.7
-	++++	16	17.9%	19.29
Excessive Drinking	++++	33	20.8%	
Frequent Mental Distress	TT		20.8% 12.0%	18.19
•	1.1			. IU8'
Illicit Drug Use	++	38	12.076	
Illicit Drug Use	++	_ _	-	
Illicit Drug Use Postpartum Depression‡ Mortality	++		-	
Illicit Drug Use Postpartum Depression‡	++	38 - -	28.4	13.49
Illicit Drug Use Postpartum Depression‡ Mortality	++	38 - - - 37	_	20.1
Illicit Drug Use Postpartum Depression‡ Mortality Maternal Mortality‡		_	28.4	20.1
Illicit Drug Use Postpartum Depression‡ Mortality Maternal Mortality‡ Mortality Rate Physical Health		_	28.4	20.1 97.2
Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress	++	_ _ 37	28.4 121.7	20.1 97.2 8.4%
Mortality Maternal Mortality Mortality Mortality Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	++	_ 	28.4 121.7	20.1 97.2 8.49 10.69
Illicit Drug Use Postpartum Depression‡ Mortality Maternal Mortality† Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡	++	- 37 40 32 34	28.4 121.7 10.0% 11.4% 53.2%	20.1 97.2 8.49 10.6 53.8
Mortality Maternal Mortality Mortality Maternal Mortality Mortality East Mortality State Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status Maternal Morbidity	++	- 37 40 32 34 -	28.4 121.7 10.0% 11.4% 53.2% 6.8	20.1 97.2 8.4% 10.69 53.86 6.6
Illicit Drug Use Postpartum Depression‡ Mortality Maternal Mortality† Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡	++	- 37 40 32 34	28.4 121.7 10.0% 11.4% 53.2%	20.1 97.2 8.49 10.69 53.89 6.6 4.49 30.00

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit www.AmericasHealthRankings.org.

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	45	-0.558	_
Access to Care				
ADD/ADHD Treatment	+++++	7	4.6%	3.0%
Pediatricians	++	38	77.3	104.6
Uninsured	++	39	7.1%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+	44	71.2%	75.8%
HPV Vaccination	+	49	41.2%	54.2%
Preventive Dental Care	++	32	77.0%	77.5%
Well-child Visit	++	33	79.1%	80.7%
Quality of Care			00.00/	
Adequate Insurance	++	39	63.3%	66.7%
Developmental Screening	+	45	26.1%	36.9%
Medical Home	++	36	47.7%	46.8%
BEHAVIORS*	++	39	-0.536	_
Nutrition and Physical Activity				
Breastfed	+	45	21.1%	25.6%
Food Sufficiency	++	35	66.8%	69.8%
Physical Activity	+++	30	22.3%	20.6%
Soda Consumption — Youth*		_	_	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	_	90.9%
Teen Births	++	39	20.8	16.7
Sleep Health				
Adequate Sleep	++	39	62.0%	66.1%
Sleep Position*		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	_	32.7%
Tobacco Use	+++	30	4.9%	4.0%
HEALTH OUTCOMES*	+	43	-0.452	
Behavioral Health			0.402	
Alcohol Use — Youth	+++	21	9.2%	9.2%
Anxiety	++	40	11.6%	9.2%
Depression	+++	30	4.9%	3.9%
Flourishing	+	50	64.4%	69.1%
Illicit Drug Use — Youth	++	33	8.6%	8.4%
Teen Suicide [‡]		_	12.2	11.2
Mortality				11.2
Child Mortality	++	38	30.6	25.4
Infant Mortality	+	41	7.0	5.7
Physical Health				
Asthma	++++	18	6.7%	7.5%
High Health Status*	++	31	90.5%	90.4%
Low Birthweight	+++	24	8.2%	8.3%
Low Birthweight Racial Disparity	++++	17	1.9	2.1
Overweight or Obesity — Youth	+++	26	31.5%	32.1%
OVERALL — CHILDREN*			-0.260	_
OVERALL - WOMEN AND CHILDREN*			-0.202	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: idph.iowa.gov



Summary

Strengths:

- · Low prevalence of low birthweight
- · Low prevalence of household food insecurity
- · High flu vaccination coverage among women

Highlights:

WIC COVERAGE

from 46.7% to 56.0% of eligible children ages 1-4 between 2016 and 2018

HPV IMMUNIZATION

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use* **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

34% from 45.5% to 60.9% of adolescents ages 13-17 between 2016 and 2019

Challenges:

- · High prevalence of smoking during pregnancy
- · High prevalence of youth alcohol use
- · Low supply of women's health providers

OBESITY

^21%

from 27.4% to 33.2% of women ages 18-44 between 2013-2014 and 2018-2019

FREQUENT MENTAL DISTRESS

40% from 12.9% to 18.0% of women ages 18-44 between 2013-2014 and 2018-2019

State State

U.S.

Women

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	10	0.698	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.5%	3.0%
Violent Crime	++++	13	267	379
Economic Resources				
Concentrated Disadvantage	+++++	9	12.0%	25.1%
Food Insecurity	+++++	3	7.9%	11.1%
Gender Pay Gap‡	++	33	78.1%	81.0%
Poverty	++	35	16.6%	15.2%
Unemployment	+++++	4	2.4%	3.6%
Education				
College Graduate	+++	23	36.8%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++	22	11.8%	12.5%
Residential Segregation — Black/White	+++	22	62	62
Voter Participation	++++	12	65.7%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	10	0.292	
Community and Family Safety				
Child Victimization [‡]	++	41	16.0%	8.9%
Economic Resources				
Children in Poverty	++++	14	13.0%	16.8%
Children in Poverty Racial Disparity	++	39	4.4	3.0
High-speed Internet	+++	26	93.1%	92.6%
Students Experiencing Homelessness	++++	6	1.4%	3.0%
WIC Coverage	++++	14	56.0%	53.9%
Education				
Early Childhood Education	+++	26	46.0%	48.9%
Fourth Grade Reading Proficiency	+++	23	35.1%	34.3%
High School Graduation	++++	2	91.6%	85.8%
High School Graduation Racial Disparity	++	33	16.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	29	16.1%	14.8%
Foster Care Instability	++++	1	8.9%	16.0%
Neighborhood Amenities	++++	20	36.4%	37.4%
Reading, Singing or Storytelling	++	35	54.2%	55.9%
	++++	20	0.134	_
	+++	25	7.3	8.3
	++++	1	0.0%	0.8%
	+++	29	16.1%	14.0%
	+++	22	3,213,414	361,963,972
	++++	13	90.3%	73.0%
	+++	23	2	_
	++	33	9.7	8.7
		00	70.00/	75 40/
	+++	28	79.6%	75.4%
	+	45	26.1%	17.6%
	++++	3	11.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	6	0.845	_
Access to Care				
Adequate Prenatal Care	+++++	5	85.9%	76.7%
Avoided Care Due to Cost	+++++	2	10.1%	18.8%
Publicly-funded Women's Health Services	++++	20	27%	29%
Uninsured	+++++	4	6.3%	12.9%
Women's Health Providers	+	45	38.6	48.5
Preventive Clinical Care	'	40	30.0	40.5
Cervical Cancer Screening	+++	21	81.4%	79.9%
Dental Visit	+++++	5	74.3%	67.6%
Flu Vaccination	+++++	1	43.5%	31.5%
	*****	'	93.4%	
Postpartum Visit*		3		90.7%
Well-woman Visit	+++++	3	78.0%	73.2%
Quality of Care		00	00.00/	0.4.00
Breastfeeding Initiation*	+++	28	82.8%	84.0%
Dedicated Health Care Provider	++++	7	82.2%	71.1%
Low-risk Cesarean Delivery	++++	19	23.6%	25.6%
Maternity Practices Score	+	45	72	79
BEHAVIORS*	++	32	-0.231	
Nutrition and Physical Activity			0.201	
Exercise	++	36	19.4%	21.5%
Fruit and Vegetable Consumption	++	32	9.0%	10.4%
Physical Inactivity	++++	10	19.5%	22.6%
Physical inactivity	******	10	13.5%	22.07
Sexual Health				
Chlamydia	++++	19	1,622	1,743
High-risk HIV Behaviors	++	35	10.4%	9.7%
Unintended Pregnancy [‡]		_	24.1%	30.6%
Sleep Health				
Insufficient Sleep	+++	21	34.4%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	19	5.4%	5.3%
Smoking	+++	27	17.6%	14.3%
Smoking During Pregnancy	++	39	11.0%	6.0%
HEALTH OUTCOMES*	+++	25	-0.131	_
Behavioral Health			40.0	
Drug Deaths*	+++++	6	10.6	20.7
Excessive Drinking	+	49	26.2%	19.2%
Frequent Mental Distress	++++	15	18.0%	18.1%
Illicit Drug Use	++	39	12.2%	10.8%
Postpartum Depression*		_	10.2%	13.4%
Mortality				
Maternal Mortality		_	_	20.1
Mortality Rate	+++++	10	81.7	97.2
Physical Health				37.2
Frequent Physical Distress	+++++	4	6.9%	8.4%
High Blood Pressure	++++	16	9.4%	10.6%
High Health Status*	+++++	10	57.5%	53.8%
-	11777	- -	9.8	
Matarnal Marhidity#		_	3.0	6.6
Maternal Morbidity*		24	1 10/	4 40/
Multiple Chronic Conditions	+++	24	4.4%	4.4%
•	+++	24 33 —	4.4% 33.2% 0.241	4.4% 30.0%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	6	0.883	_
Access to Care				
ADD/ADHD Treatment	+++++	4	4.8%	3.0%
Pediatricians	++	34	79.4	104.6
Uninsured	+++++	6	2.9%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	++++	17	79.3%	75.8%
HPV Vaccination	+++++	10	60.9%	54.2%
Preventive Dental Care	+++++	10	82.0%	77.5%
Well-child Visit	+++++	6	87.0%	80.7%
Quality of Care				
Adequate Insurance	+++++	4	73.0%	66.7%
Developmental Screening	+++	30	34.0%	36.9%
Medical Home	+++++	4	55.8%	46.8%
BEHAVIORS*	+++	23	0.214	_
Nutrition and Physical Activity				
Breastfed	+++	29	24.8%	25.6%
Food Sufficiency	+++	21	70.3%	69.8%
Physical Activity	++++	13	24.7%	20.6%
Soda Consumption — Youth‡		_	10.7%	9.3%
Sexual Health — Youth			10.770	0.070
Dual Contraceptive Nonuse [‡]		_	84.0%	90.9%
Teen Births	++++	19	14.1	16.7
Sleep Health				
Adequate Sleep	++++	11	71.1%	66.1%
Sleep Position‡		_	84.8%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	20.1%	32.7%
Tobacco Use	++	31	5.0%	4.0%
HEALTH OUTCOMES*	++++	16	0.082	
Behavioral Health				
Alcohol Use — Youth	+	48	11.4%	9.2%
Anxiety	+++	30	10.3%	9.1%
Depression	++	32	5.0%	3.9%
Flourishing	++++	10	70.5%	69.1%
Illicit Drug Use — Youth	+++	21	7.8%	8.4%
Teen Suicide [‡]		_	13.9	11.2
Mortality				
Child Mortality	++++	19	25.3	25.4
Infant Mortality	++++	14	5.1	5.7
Physical Health				
Asthma	++++	19	6.8%	7.5%
High Health Status‡	++++	17	91.5%	90.4%
Low Birthweight	+++++	6	6.8%	8.3%
Low Birthweight Racial Disparity	++++	17	1.9	2.1
Overweight or Obesity — Youth	++	34	33.1%	32.1%
OVERALL — CHILDREN*		_	0.271	_
OVERALL WOMEN AND CHILDRENS			0.270	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Kansas

State Health Department Website: kdheks.gov



Summary

Strengths:

- Low prevalence of illicit drug use among youth
- High percentage of infants exclusively breastfed for six months
- High percentage of early and adequate prenatal care

Highlights:

CHILDREN IN POVERTY

from 18.7% to 14.7% of children ages 0-17 ▼21% from 18.7% to 14.7% or 61 between 2013 and 2019

HPV IMMUNIZATION

44% from 34.4% to 49.5% of adolescents ages 13-17 between 2017 and 2019

Challenges:

- · High prevalence of youth alcohol use
- High prevalence of asthma among children
- · Low supply of women's health providers

EXCESSIVE DRINKING

435% from 14.9% to 20.1% of women ages 18-44 between 2013-2014 and 2018-2019

TEEN SUICIDE

78% from 11.0 to 19.6 deaths per 100,000 adolescents ages 15-19 between 2013-2015 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

		State	State	U.S.
Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	20	0.277	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.4%	3.0%
Violent Crime	++	34	411	379
Economic Resources				
Concentrated Disadvantage	++++	15	13.8%	25.1%
Food Insecurity	++	36	12.5%	11.1%
Gender Pay Gap‡	+++	29	79.2%	81.0%
Poverty	+++	29	15.9%	15.2%
Unemployment	++++	11	2.8%	3.6%
Education				
College Graduate	+++	21	37.4%	35.7%
Social Support and Engagement				
Infant Child Care Cost‡	++	39	14.6%	12.5%
Residential Segregation — Black/White	++++	18	59	62
Voter Participation	+++	24	62.2%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	25	0.088	-
Community and Family Safety				
Child Victimization [‡]	+++++	9	4.2%	8.9%
Economic Resources				
Children in Poverty	+++	23	14.7%	16.8%
Children in Poverty Racial Disparity	++	32	3.4	3.0
High-speed Internet	++	32	92.4%	92.6%
Students Experiencing Homelessness	++++	12	1.7%	3.0%
WIC Coverage	+	41	45.2%	53.9%
Education				
Early Childhood Education	++++	20	47.9%	48.9%
Fourth Grade Reading Proficiency	++	32	33.8%	34.3%
High School Graduation	++++	20	87.2%	85.8%
High School Graduation Racial Disparity	++++	19	13.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	27	16.0%	14.8%
Foster Care Instability	+	48	26.1%	16.0%
Neighborhood Amenities	+++	24	35.1%	37.4%
Reading, Singing or Storytelling	+++++	6	64.2%	55.9%
	++	38	-0.134	_
	+++	28	7.4	8.3
	+	41	1.7%	0.8%
	++	33	16.4%	14.0%
	+++	25	3,963,384	361,963,972
	++	33	65.1%	73.0%
	++	36	0	_
	++	34	9.8	8.7
	+	44	82.2%	75.4%
	++	34	21.4%	17.6%
	+++++	7	12.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	34	0.013	_
Access to Care				
Adequate Prenatal Care	+++++	9	84.2%	76.7%
Avoided Care Due to Cost	++	38	20.6%	18.8%
Publicly-funded Women's Health Services	+	42	18%	29%
Uninsured	++	35	14.4%	12.9%
Women's Health Providers	+	43	40.3	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	30	79.3%	79.9%
Dental Visit	+++	22	69.2%	67.6%
Flu Vaccination	++++	18	35.7%	31.5%
Postpartum Visit‡		_	92.5%	90.7%
Well-woman Visit	++	33	71.5%	73.2%
Quality of Care				
Breastfeeding Initiation‡	++++	11	89.3%	84.0%
Dedicated Health Care Provider	+++	25	72.5%	71.1%
Low-risk Cesarean Delivery	+++	23	24.3%	25.6%
Maternity Practices Score	+++	22	79	79
			2422	
BEHAVIORS*	+++	29	-0.160	_
Nutrition and Physical Activity			00.007	
Exercise	++	33	20.2%	21.5%
Fruit and Vegetable Consumption	+++++	7	12.3%	10.4%
Physical Inactivity	++++	20	21.2%	22.6%
Sexual Health				
Chlamydia	+++	27	1,722	1,743
High-risk HIV Behaviors	++	31	10.2%	9.7%
Unintended Pregnancy*		_	30.8%	30.6%
Sleep Health				
Insufficient Sleep	+++	24	35.7%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	7	4.7%	5.3%
Smoking	++	31	18.6%	14.3%
Smoking During Pregnancy	+++	28	8.5%	6.0%
HEALTH OUTCOMES*	+++	30	-0.355	_
Behavioral Health				
Drug Deaths‡	++++	12	13.5	20.7
Excessive Drinking	+++	30	20.1%	19.2%
Frequent Mental Distress	+++	25	19.2%	18.1%
Illicit Drug Use	+++	21	10.7%	10.8%
Postpartum Depression*		_	13.5%	13.4%
Mortality				
Maternal Mortality*		_	_	20.1
Mortality Rate	+++	23	95.4	97.2
Physical Health				
	+++	28	8.8%	8.4%
			10.9%	10.6%
Frequent Physical Distress	+++	28		
Frequent Physical Distress High Blood Pressure	+++	28 30		
Frequent Physical Distress High Blood Pressure High Health Status*	+++	30	54.4%	53.8%
Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity*		30 —	54.4% 5.5	53.8% 6.6
Frequent Physical Distress High Blood Pressure High Health Status*	+++	30	54.4%	53.8%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children		Casas	Chaha	U.S.
Measures	Rating	State Rank	State Value	Value
CLINICAL CARE*	++	32	-0.029	
Access to Care				
ADD/ADHD Treatment	+	42	1.9%	3.0%
Pediatricians	+	48	57.6	104.6
Uninsured	++	32	5.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++	33	75.2%	75.8%
HPV Vaccination	++	38	49.5%	54.2%
Preventive Dental Care	+++	22	78.8%	77.5%
Well-child Visit	+++	21	81.6%	80.7%
Quality of Care			05.00/	
Adequate Insurance	++	36	65.2%	66.7%
Developmental Screening	++++	13	44.3%	36.9%
Medical Home	+++++	8	53.2%	46.8%
BEHAVIORS*	+++	21	0.277	_
Nutrition and Physical Activity				
Breastfed	+++++	10	31.6%	25.6%
Food Sufficiency	++	31	67.7%	69.8%
Physical Activity	+++++	6	26.5%	20.6%
Soda Consumption — Youth‡		_	9.2%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	89.3%	90.9%
Teen Births	++	34	19.2	16.7
Sleep Health				
Adequate Sleep	++	32	64.0%	66.1%
Sleep Position [‡]		_	84.4%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	22.0%	32.7%
Tobacco Use	+++++	10	3.5%	4.0%
HEALTH OUTCOMES*	++	35	-0.241	_
Behavioral Health				
Alcohol Use — Youth	++	38	10.3%	9.2%
Anxiety	++	37	11.2%	9.1%
Depression	++	35	5.1%	3.9%
Flourishing	+++++	8	70.8%	69.1%
Illicit Drug Use — Youth	+++++	6	6.8%	8.4%
Teen Suicide‡			19.6	11.2
Mortality				
Child Mortality	++	32	29.2	25.4
Infant Mortality	++	31	6.2	5.7
Physical Health		40	0.0%	750/
Asthma	++	40 26	9.0%	7.5%
High Health Status*	++++	26 16	91.0% 7.6%	90.4%
Low Birthweight Low Birthweight Racial Disparity	+	45	7.0% 2.2	8.3% 2.1
Overweight or Obesity — Youth	+++	22	30.8%	32.1%
OVERALL — CHILDREN*			-0.013	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Kentucky

State Health Department Website: chfs.ky.gov/agencies/dph



Summary

Strengths:

- High prevalence of physical activity among children
- Low prevalence of illicit drug use among youth
- · High percentage of early and adequate prenatal care

Highlights:

SMOKING DURING PREGNANCY

▼26% from 20.7% to 15.3% of live births between 2014 and 2019

TEEN BIRTHS

▼36% from 39.0 to 24.9 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High prevalence of tobacco use among adolescents
- High prevalence of multiple chronic conditions among women
- · High prevalence of frequent mental distress among women

UNINSURED

from 7.1% to 9.1% of women ages 19-44 between 2017 and 2019

EXCESSIVE DRINKING

432% from 14.0% to 10.5% of Wolfseld between 2013-2014 and 2018-2019 from 14.0% to 18.5% of women ages 18-44

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	42	-0.471	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.8%	3.0%
Violent Crime	+++++	7	217	379
Economic Resources				
Concentrated Disadvantage	+	42	30.9%	25.1%
Food Insecurity	+	43	13.7%	11.1%
Gender Pay Gap‡	++	32	78.6%	81.0%
Poverty	+	46	20.0%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	+	45	27.7%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	5	9.4%	12.5%
Residential Segregation — Black/White	+++	21	61	62
Voter Participation	+++	25	62.1%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	30	-0.005	_
Community and Family Safety				
Child Victimization [‡]	+	50	20.1%	8.9%
Economic Resources				
Children in Poverty	+	46	21.7%	16.8%
Children in Poverty Racial Disparity	+++++	2	2.1	3.0
High-speed Internet	++	33	92.1%	92.6%
Students Experiencing Homelessness	+	43	3.6%	3.0%
WIC Coverage	++++	18	55.0%	53.9%
Education				
Early Childhood Education	+	45	37.8%	48.9%
Fourth Grade Reading Proficiency	+++	23	35.1%	34.3%
High School Graduation	+++++	4	90.6%	85.8%
High School Graduation Racial Disparity	+++++	8	8.9	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	33	16.9%	14.8%
Foster Care Instability	++++	20	14.9%	16.0%
Neighborhood Amenities	+	48	16.7%	37.4%
Reading, Singing or Storytelling	+++	25	57.2%	55.9%
	+++	27	0.048	_
	++	33	7.9	8.3
	+++++	1	0.0%	0.8%
	+	48	21.0%	14.0%
	++	32	5,892,418	361,963,972
	+++++	1	99.8%	73.0%
	+++	28	1	_
	+	42	11.2	8.7
	++	38	81.4%	75.4%
	+++	23	15.6%	17.6%
	++++	23 12	13.7%	17.5%
	7777	IZ	13.7 /6	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	28	0.120	_
Access to Care				
Adequate Prenatal Care	++++	13	81.0%	76.79
Avoided Care Due to Cost	++++	12	15.5%	18.89
Publicly-funded Women's Health Services	5 +++	30	23%	29%
Uninsured	++++	17	9.1%	12.99
Women's Health Providers	++	34	42.1	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	7	83.8%	79.9
Dental Visit	+++	30	66.3%	67.69
Flu Vaccination	+++	29	32.1%	31.59
Postpartum Visit*		_	89.2%	90.7
Well-woman Visit	+++	28	72.9%	73.2
Quality of Care				
Breastfeeding Initiation*	+	43	72.2%	84.0
Dedicated Health Care Provider	++++	13	79.0%	71.19
Low-risk Cesarean Delivery	++	37	26.8%	25.6
Maternity Practices Score	+	49	68	79
<u> </u>				
BEHAVIORS*	+	47	-0.973	_
Nutrition and Physical Activity		40	15.007	01.5
Exercise	+	49	15.9%	21.59
Fruit and Vegetable Consumption	+	46	7.3%	10.49
Physical Inactivity	++	37	24.3%	22.6
Sexual Health				
Chlamydia	++++	13	1,505	1,743
High-risk HIV Behaviors	+++	27	10.0%	9.79
Unintended Pregnancy*		_	33.0%	30.6
Sleep Health				
Insufficient Sleep	++	39	39.5%	36.19
Tobacco Use				
E-cigarette Use‡	+	41	6.7%	5.39
Smoking	+	49	28.8%	14.39
Smoking During Pregnancy	+	49	15.3%	6.09
HEALTH OUTCOMES*	+	50	-1.365	
Behavioral Health				
Drug Deaths‡	+	45	40.9	20.7
Excessive Drinking	+++	22	18.5%	19.29
Frequent Mental Distress	+	48	24.8%	18.19
Illicit Drug Use	+	43	13.2%	10.89
Postpartum Depression‡		_	13.9%	13.49
Mortality				
Maternal Mortality		_	37.7	20.1
Mortality Rate	+	46	149.0	97.2
Physical Health			5.0	57.2
Frequent Physical Distress	++	37	9.8%	8.49
High Blood Pressure	+	49	19.5%	10.69
High Health Status‡		43	50.0%	
-	+	43		53.8
Maternal Morbidity*			6.3	6.6
Multiple Chronic Conditions	+	45	7.1%	4.49
•		4.0	27.20/	000
Obesity OVERALL — WOMEN*	+	46 —	37.2% - 0.564	30.0

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	27	0.111	_
Access to Care				
ADD/ADHD Treatment	+++++	5	4.7%	3.0%
Pediatricians	+++	30	89.6	104.6
Uninsured	++++	19	4.3%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	43	71.9%	75.8%
HPV Vaccination	+++	25	54.9%	54.2%
Preventive Dental Care	+++	24	77.7%	77.5%
Well-child Visit	++++	20	82.1%	80.7%
Quality of Care				
Adequate Insurance	++++	14	70.0%	66.7%
Developmental Screening	+	42	27.6%	36.9%
Medical Home	++++	20	51.1%	46.8%
250.000.000	+	45	-0.893	
Nutrition and Physical Activity	*	45	-0.893	_
Breastfed	++	39	23.0%	25.6%
Food Sufficiency	+	42	63.7%	69.8%
Physical Activity	++++	11	24.8%	20.6%
Soda Consumption — Youth‡		_	17.6%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	88.8%	90.9%
Teen Births	+	44	24.9	16.7
Sleep Health				
Adequate Sleep	++	40	61.8%	66.1%
Sleep Position [‡]		_	83.0%	79.6%
Tobacco Use — Youth			0040/	
Electronic Vapor Product Use*		_	26.1%	32.7%
Tobacco Use	+	46	7.1%	4.0%
HEALTH OUTCOMES*	+	41	-0.382	
Behavioral Health		•	0.002	
Alcohol Use — Youth	+++	30	9.6%	9.2%
Anxiety	+	41	11.9%	9.1%
Depression	++	32	5.0%	3.9%
Flourishing	++	35	68.2%	69.1%
Illicit Drug Use — Youth	+++++	10	7.0%	8.4%
Teen Suicide‡		_	12.1	11.2
Mortality				
Child Mortality	++	37	30.1	25.4
Infant Mortality	++	33	6.3	5.7
Physical Health Asthma	+++	24	7.3%	7.5%
High Health Status‡	+++	27	90.9%	90.4%
Low Birthweight	++	32	8.7%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	2.1
Overweight or Obesity — Youth	+	49	39.0%	32.1%
OVERALL — CHILDREN*		_	-0.215	_
OVERALL — WOMEN AND CHILDREN*			-0.416	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Louisiana

State Health Department Website: Idh.la.gov



Summary

Strengths:

- · Low prevalence of illicit drug use among youth
- · Low percentage of housing with lead risk
- Low prevalence of smoking during pregnancy

Highlights:

WELL-WOMAN VISIT

from 69.6% to 77.2% of women ages 18-44 between 2015-2016 and 2018-2019

TEEN BIRTHS

▼29% from 39.3 to 27.8 births per 1,000 females ages 15-19 between 2013 and 2019

State State

U.S.

Challenges:

- High infant mortality rate
- · High prevalence of concentrated disadvantage
- Low percentage of fourth grade reading proficiency

UNINSURED

42% from 3.1% to 4.4% of children ages 0-18 between 2017 and 2019

DRUG DEATHS

▲34% from 19.8 to 20.0 deaths per 100,000 ages 20-44 between 2014-2016 and 2017-2019 from 19.8 to 26.6 deaths per 100,000 women

State

State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	49	-1.268	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.2%	3.0%
Violent Crime	+	46	549	379
Economic Resources				
Concentrated Disadvantage	+	48	40.2%	25.1%
Food Insecurity	+	48	15.3%	11.1%
Gender Pay Gap‡	+	48	71.3%	81.0%
Poverty	+	48	23.0%	15.2%
Unemployment	+	48	5.2%	3.6%
Education				
College Graduate	+	43	28.4%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	6	9.5%	12.5%
Residential Segregation — Black/White	++++	12	56	62
Voter Participation	+	47	56.0%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*		50	-0.959	
Community and Family Safety				
Child Victimization‡	+++	22	7.8%	8.9%
Economic Resources				
Children in Poverty	+	49	27.0%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	+	47	88.2%	92.6%
Students Experiencing Homelessness	++	31	2.4%	3.0%
WIC Coverage	++	39	45.7%	53.9%
Education				
Early Childhood Education	++++	15	50.8%	48.9%
Fourth Grade Reading Proficiency	+	48	25.7%	34.3%
High School Graduation	+	47	80.1%	85.8%
High School Graduation Racial Disparity	++	38	18.8	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	45	19.5%	14.8%
Foster Care Instability	++	39	19.4%	16.0%
Neighborhood Amenities	+	45	20.1%	37.4%
Reading, Singing or Storytelling	+	46	48.6%	55.9%
	+	49	-0.508	_
	++	35	8.0	8.3
	+	42	1.8%	0.8%
	+	44	19.7%	14.0%
	+	45	16,410,356	361,963,972
	+	45	39.0%	73.0%
	+++	28	1	_
	+	47	13.3	8.7
		40	04.00/	75 40/
	+	42	81.9%	75.4%
	++++	18	13.1%	17.6%
	+++	30	15.8%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	37	-0.164	
Access to Care				
Adequate Prenatal Care	+++	24	78.6%	76.7%
Avoided Care Due to Cost	++	34	19.3%	18.8%
Publicly-funded Women's Health Services	++	35	21%	29%
Uninsured	+++	29	11.6%	12.9%
Women's Health Providers	+	44	40.2	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	3	86.5%	79.9%
Dental Visit	+	42	63.0%	67.6%
Flu Vaccination	+	47	24.6%	31.5%
Postpartum Visit*		_	88.9%	90.7%
Well-woman Visit	+++++	7	77.2%	73.2%
Quality of Care				
Breastfeeding Initiation*	+	44	70.8%	84.0%
Dedicated Health Care Provider	++	31	71.2%	71.1%
Low-risk Cesarean Delivery	+	47	28.5%	25.6%
Maternity Practices Score	++	36	75	79
BEHAVIORS*	+	49	-1.093	_
Nutrition and Physical Activity				
Exercise	+	45	17.6%	21.5%
Fruit and Vegetable Consumption	++	33	8.7%	10.4%
Physical Inactivity	+	49	29.6%	22.6%
, sieddetavity				22.070
Sexual Health				
Chlamydia	+	50	2,633	1,743
High-risk HIV Behaviors	+	44	11.3%	9.7%
Unintended Pregnancy*			40.5%	30.6%
Sleep Health				
Insufficient Sleep	++	37	38.8%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	20	5.6%	5.3%
Smoking	+	43	20.4%	14.3%
Smoking During Pregnancy	++++	15	5.1%	6.0%
HEALTH OUTCOMES*		46	1.002	
	+	46	-1.002	_
Behavioral Health Drug Deaths*	++	34	26.6	20.7
Excessive Drinking	+++	24	19.1%	19.2%
Frequent Mental Distress	+	43	22.7%	18.1%
Illicit Drug Use	+	41	12.5%	10.1%
Postpartum Depression‡		_	19.3%	13.4%
22250.000				.570
Mortality				
Maternal Mortality [‡]		_	33.9	20.1
Mortality Rate	+	42	136.2	97.2
Physical Health				
Frequent Physical Distress	++	31	9.1%	8.4%
High Blood Pressure	+	47	18.7%	10.6%
High Health Status‡	+++	25	55.3%	53.8%
Maternal Morbidity*		_	7.0	6.6
Multiple Chronic Conditions	++	31	5.3%	4.4%
Obesity	+	48	39.4%	30.0%
OVERALL — WOMEN*			-0.847	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	30	0.041	_
Access to Care				
ADD/ADHD Treatment	+++++	10	4.4%	3.0%
Pediatricians	+++	29	93.0	104.6
Uninsured	+++	21	4.4%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++	37	73.9%	75.8%
HPV Vaccination	++++	16	59.5%	54.2%
Preventive Dental Care	+	46	74.0%	77.5%
Well-child Visit	+++	25	80.5%	80.7%
Quality of Care				
Adequate Insurance	++++	19	68.9%	66.7%
Developmental Screening	++	38	29.9%	36.9%
Medical Home	+++	27	49.6%	46.8%
BEHAVIORS*	+	48	-1.139	_
Nutrition and Physical Activity		4.0	04.007	
Breastfed	+	42	21.8%	25.6%
Food Sufficiency	+	43	63.1%	69.8%
Physical Activity	+++	29	22.4%	20.6%
Soda Consumption — Youth‡			12.1%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	_	90.9%
Teen Births	+	48	27.8	16.7
Sleep Health				
Adequate Sleep	+	50	54.6%	66.1%
Sleep Position*		_	69.3%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	22.9%	32.7%
Tobacco Use	+	42	5.8%	4.0%
HEALTH OUTCOMES*	+	48	-0.651	_
Behavioral Health		0.4	0.00/	0.00/
Alcohol Use — Youth	++	34	9.9%	9.2%
Anxiety	++++	15	8.7%	9.1%
Depression	+++++	7	3.0%	3.9%
Flourishing	+	44	66.6%	69.1%
Illicit Drug Use — Youth	+++++	2	6.3%	8.4%
Teen Suicide‡			11.6	11.2
Mortality		4.0	20.0	05.4
Child Mortality	+	46	36.8	25.4
Infant Mortality	+	47	7.4	5.7
Physical Health		22	7.00/	750/
Asthma	++	33	7.8%	7.5%
	+	50	86.6%	90.4%
High Health Status*		49	10.8%	8.3%
Low Birthweight	+			
Low Birthweight Low Birthweight Racial Disparity	++	35	2.1	2.1
Low Birthweight				2.1 32.1%

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Maine

State Health Department Website: maine.gov/dhhs



Summary

Strengths:

- · Low prevalence of concentrated disadvantage
- High immunization coverage among children
- Low prevalence of overweight or obesity among children

Highlights:

CHILDREN IN POVERTY

▼21% from 17.4% to 13.6% of 61 between 2015 and 2019 from 17.4% to 13.8% of children ages 0-17

TEEN BIRTHS

▼48% from 17.4 to 9.1 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High prevalence of multiple chronic conditions among women
- High prevalence of frequent mental distress among women
- · High prevalence of asthma among children

PHYSICAL INACTIVITY

32% from 14.9% to 19.7% of women ages 18-44 between 2013-2014 and 2018-2019

PREVENTIVE DENTAL CARE

▼9%

from 84.6% to 77.0% of children ages 1-17 between 2016-2017 and 2019-2020

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++++	9	0.721	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.9%	3.0%
Violent Crime	+++++	1	115	379
Economic Resources				
Concentrated Disadvantage	+++++	5	6.7%	25.1%
Food Insecurity	++	32	12.0%	11.1%
Gender Pay Gap [‡]	+++	22	80.0%	81.0%
Poverty	++++	19	14.6%	15.2%
Unemployment	+++++	6	2.6%	3.6%
Education				
College Graduate	++++	13	39.6%	35.7%
Social Support and Engagement		47	40.50/	40.50
Infant Child Care Cost*	+	47	16.5%	12.5%
Residential Segregation — Black/White	+	44	72	62
Voter Participation	+++++	3	70.9%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	7	0.501	-
Community and Family Safety				
Child Victimization [‡]	+	47	17.7%	8.9%
Economic Resources				
Children in Poverty	++++	20	13.8%	16.8%
Children in Poverty Racial Disparity	++	32	3.4	3.0
High-speed Internet	++++	12	94.3%	92.6%
Students Experiencing Homelessness	+++++	6	1.4%	3.0%
WIC Coverage	+++++	7	60.4%	53.9%
Education				
Early Childhood Education	+++	27	45.8%	48.9%
Fourth Grade Reading Proficiency	++++	18	36.0%	34.3%
High School Graduation	++++	18	87.4%	85.8%
High School Graduation Racial Disparity	++++	11	9.8	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	41	18.2%	14.8%
Foster Care Instability	+++++	9	11.1%	16.0%
Neighborhood Amenities	+++	30	33.7%	37.4%
Reading, Singing or Storytelling	+++++	1	72.9%	55.9%
	++++	11	0.241	_
	+++++	7	5.3	8.3
	+++++	1	0.0%	0.8%
	+++	29	16.1%	14.0%
	+++++	9	137,125	361,963,972
	+++	22	79.3%	73.0%
	+++++	1	4	_
	++++	15	7.9	8.7
	+++	23	78.5%	75.4%
			78.5% 24.0%	
	+	41		17.6%
	++++	19	14.3%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

l easures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	10	0.548	_
Access to Care				
Adequate Prenatal Care	+++++	3	87.8%	76.7%
Avoided Care Due to Cost	+++	30	19.1%	18.8%
Publicly-funded Women's Health Services	++++	12	34%	29%
Uninsured	+++	25	10.7%	12.99
Women's Health Providers	++++	16	55.9	48.5
Preventive Clinical Care		10	00.0	40.0
Cervical Cancer Screening	+++++	6	83.9%	79.99
Dental Visit	++	38	63.5%	67.69
Flu Vaccination	+++	25	32.7%	31.59
Postpartum Visit*	****	_	92.7%	90.79
Well-woman Visit	+	43	69.4%	73.29
Quality of Care				
Breastfeeding Initiation*	++++	11	89.3%	84.09
Dedicated Health Care Provider	++++	3	84.3%	71.1%
Low-risk Cesarean Delivery	+++	29	25.3%	25.69
Maternity Practices Score	+++++	6	85	79
BEHAVIORS*	+++	25	0.032	
Nutrition and Physical Activity	- 111	- 20	0.032	
		34	20.00/	01 50
Exercise	++		20.0%	21.59
Fruit and Vegetable Consumption	+++++	8	12.2%	10.49
Physical Inactivity	++++	11	19.7%	22.69
Sexual Health				
Chlamydia	+++++	2	977	1,743
High-risk HIV Behaviors	++	39	10.9%	9.7%
Unintended Pregnancy*		_	27.0%	30.69
Sleep Health				
Insufficient Sleep	++++	17	33.4%	36.1%
Tobacco Use				
E-cigarette Use*	+++++	4	4.3%	5.3%
Smoking	++	31	18.6%	14.39
Smoking During Pregnancy	+	43	11.9%	6.0%
Smoking During Fregulaticy	т	40	11.576	0.07
HEALTH OUTCOMES*	+	45	-0.913	
Behavioral Health				
Drug Deaths‡	+	41	29.6	20.7
Excessive Drinking	+	46	24.9%	19.2%
Frequent Mental Distress	+	46	23.5%	18.1%
Illicit Drug Use	++++	13	9.4%	10.89
Postpartum Depression*		_	9.2%	13.49
Mortality				
Maternal Mortality*		_	_	20.1
Mortality Rate	++	32	110.1	97.2
	++	JZ	110.1	31.2
Physical Health		40	11 =0/	0.40
Frequent Physical Distress	+	48	11.5%	8.4%
High Blood Pressure	+++	29	11.0%	10.69
•	++++	13	57.0%	53.89
High Health Status‡				0.0
High Health Status‡ Maternal Morbidity‡		_	5.0	0.0
High Health Status‡	+	- 48	5.0 7.4%	6.6 4.4%
High Health Status‡ Maternal Morbidity‡				4.4%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children			<u>.</u>	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	9	0.715	_
Access to Care				
ADD/ADHD Treatment	+++	23	3.3%	3.0%
Pediatricians	++++	11	122.3	104.6
Uninsured	+++	29	5.6%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	1	86.6%	75.8%
HPV Vaccination	++	32	52.6%	54.2%
Preventive Dental Care	++	32	77.0%	77.5%
Well-child Visit	+++++	3	89.1%	80.7%
Quality of Care				
Adequate Insurance	++	32	65.7%	66.7%
Developmental Screening	++++	15	42.3%	36.9%
Medical Home	+++++	3	56.0%	46.8%
				10.070
BEHAVIORS*	++++	16	0.432	
Nutrition and Physical Activity				
Breastfed	++++	18	28.1%	25.6%
Food Sufficiency	++	32	67.5%	69.8%
Physical Activity	+++++	4	27.9%	20.6%
Soda Consumption — Youth‡		_	_	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse*		_	79.3%	90.9%
Teen Births	+++++	5	9.1	16.7
Tool Birtho			0	10.7
Sleep Health				
Adequate Sleep	+++++	9	71.7%	66.1%
Sleep Position‡		_	91.4%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	30.2%	32.7%
Tobacco Use	++	34	5.2%	4.0%
HEALTH OUTCOMES*	++	38	-0.318	
Behavioral Health		20	40.40/	0.00/
Alcohol Use — Youth	++	39	10.4%	9.2%
Anxiety		50	15.9%	9.1%
Depression	++	36	5.2%	3.9%
Flourishing	+++	23	69.5%	69.1%
Illicit Drug Use — Youth	+	49	12.3%	8.4%
Teen Suicide‡			14.5	11.2
Mortality Child Mortality	++++	12	22.0	0E 4
•	++++	18		25.4
Infant Mortality Physical Health	1 TTT	10	5.7	5.7
Asthma	+	44	9.6%	7.5%
High Health Status‡	+++++	10	92.1%	90.4%
Low Birthweight	++++	13	7.4%	
	++++	17	1.9	8.3%
Low Birthweight Racial Disparity Overweight or Obesity — Youth	+++++	9	26.8%	2.1
Overweight of Obesity — Toutif		J	20.070	32.1%
OVERALL — CHILDREN*		_	0.272	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Maryland

State Health Department Website: health.maryland.gov



Summary

Strengths:

- Low percentage of women in poverty
- High WIC coverage among eligible children ages 1-4
- · Low prevalence of household smoke

Highlights:

HPV IMMUNIZATION

43% from 48.1% to 68.9% of adolescents ages 13-17 between 2016 and 2019

SMOKING DURING PREGNANCY

▼28% from 6.5% to 4.7% of live births between 2015 and 2019

Challenges:

- · High infant mortality rate
- · High racial gap in high school graduation rates
- · High percentage of low-risk cesarean deliveries

OBESITY

from 27.4% to 32.2% of women ages 18-44

DRUG DEATHS

52% from 21.0 to 32.0 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	14	0.488	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.7%	3.0%
Violent Crime	++	40	454	379
Economic Resources				
Concentrated Disadvantage	+++	21	18.3%	25.1%
Food Insecurity	++++	18	10.1%	11.1%
Gender Pay Gap‡	+++++	2	88.2%	81.0%
Poverty	+++++	3	10.7%	15.2%
Unemployment	+++	23	3.5%	3.6%
Education				
College Graduate	+++++	7	42.9%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++	28	12.6%	12.5%
Residential Segregation — Black/White	+++	28	65	62
Voter Participation	++++	11	65.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++++	8	0.460	_
Community and Family Safety				
Child Victimization [‡]	++++	14	5.7%	8.9%
Economic Resources				
Children in Poverty	+++++	10	12.0%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	++++	14	94.2%	92.6%
Students Experiencing Homelessness	++++	14	1.8%	3.0%
WIC Coverage	+++++	4	62.3%	53.9%
Education				
Early Childhood Education	++++	18	48.9%	48.9%
Fourth Grade Reading Proficiency	+++	23	35.1%	34.3%
High School Graduation	+++	23	86.9%	85.8%
High School Graduation Racial Disparity	+	44	21.0	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	8	12.9%	14.8%
Foster Care Instability	++++	18	13.3%	16.0%
Neighborhood Amenities	++++	14	38.5%	37.4%
Reading, Singing or Storytelling	++++	14	60.5%	55.9%
	+++++	1	0.500	_
	+++	22	7.2	8.3
	+++++	1	0.0%	0.8%
	+++++	5	10.0%	14.0%
	++++	13	736,405	361,963,972
	+++++	7	93.7%	73.0%
	+++++	1	4	_
	+++++	10	7.7	8.7
	++++	10	73.2%	75.4%
	+++	29	17.7%	17.6%
		29 31	16.2%	17.5%
	++	اک	16.2%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	18	0.383	_
Access to Care				
Adequate Prenatal Care	++	37	74.3%	76.7%
Avoided Care Due to Cost	++++	14	15.6%	18.8%
Publicly-funded Women's Health Services	++++	13	32%	29%
Uninsured	++++	14	8.7%	12.9%
Women's Health Providers	++++	11	58.4	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	30	79.3%	79.9%
Dental Visit	++	34	65.2%	67.6%
Flu Vaccination	+++++	7	39.1%	31.5%
Postpartum Visit*		_	92.3%	90.7%
Well-woman Visit	+++++	4	77.3%	73.2%
Quality of Care		10	07.40/	
Breastfeeding Initiation*	++++	19	87.4%	84.0%
Dedicated Health Care Provider	++++	11	79.7%	71.1%
Low-risk Cesarean Delivery	++	40	27.6%	25.6%
Maternity Practices Score	+++	22	79	79
BEHAVIORS*	+++	24	0.038	_
Nutrition and Physical Activity				
Exercise	+++	30	21.1%	21.5%
Fruit and Vegetable Consumption	+++	29	9.7%	10.4%
Physical Inactivity	+++	24	21.6%	22.6%
, olda madame,			2070	22.070
Sexual Health				
Chlamydia	++	34	1,872	1,743
High-risk HIV Behaviors	+++++	10	8.4%	9.7%
Unintended Pregnancy*			31.2%	30.6%
Sleep Health				
Insufficient Sleep	+	45	40.5%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	5	4.4%	5.3%
Smoking	+++++	8	11.6%	14.3%
Smoking During Pregnancy	++++	13	4.7%	6.0%
HEALTH OUTCOMES*	+++++	10	0.290	_
Behavioral Health				
Drug Deaths*	+	44	32.0	20.7
Excessive Drinking	++++	17	18.0%	19.2%
Frequent Mental Distress	+++++	10	16.4%	18.1%
Illicit Drug Use	+++++	4	8.3%	10.8%
Postpartum Depression*		_	15.6%	13.4%
Mortality				
Maternal Mortality‡		_	_	20.1
Mortality Rate	+++	26	101.6	97.2
Physical Health				
Frequent Physical Distress	+++++	9	7.6%	8.4%
High Blood Pressure	++	38	12.6%	10.6%
High Health Status‡	++++	18	56.5%	53.8%
Maternal Morbidity*		_	6.8	6.6
Multiple Chronic Conditions	+++++	6	3.4%	4.4%
Obesity	+++	29	32.2%	30.0%
OVERALL — WOMEN*		_	0.338	_

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	7	0.810	_
Access to Care				
ADD/ADHD Treatment	++++	13	4.0%	3.0%
Pediatricians	+++++	9	134.6	104.6
Uninsured	+++++	9	3.4%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+++	23	77.4%	75.8%
HPV Vaccination	+++++	4	68.9%	54.2%
Preventive Dental Care	++++	15	80.3%	77.5%
Well-child Visit	+++++	10	85.2%	80.7%
Quality of Care			70.00/	
Adequate Insurance	+++++	6	72.2%	66.7%
Developmental Screening	++++	18	40.3%	36.9%
Medical Home	++	32	48.0%	46.8%
BEHAVIORS*	++++	17	0.429	_
Nutrition and Physical Activity				
Breastfed	++++	14	29.4%	25.6%
Food Sufficiency	+++++	4	76.1%	69.8%
Physical Activity	++	37	20.7%	20.6%
Soda Consumption — Youth‡		_	7.7%	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse [‡]		_	89.0%	90.9%
Teen Births	++++	17	13.9	16.7
Sleep Health				
Adequate Sleep	++	35	63.2%	66.1%
Sleep Position [‡]		_	81.6%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	23.0%	32.7%
Tobacco Use	+++++	10	3.5%	4.0%
HEALTH OUTCOMES*	++++	15	0.097	
Behavioral Health		13	0.037	_
Alcohol Use — Youth	++++	15	9.1%	9.2%
Anxiety	+++	22	9.1%	9.2%
Depression	++++	16	3.6%	3.9%
Flourishing	++++	12	70.2%	69.1%
Illicit Drug Use — Youth	+++	29	8.3%	8.4%
Teen Suicide‡		23	7.8	11.2
Mortality			7.0	11.2
Child Mortality	++++	16	23.7	25.4
Infant Mortality	++	31	6.2	5.7
Physical Health			0.2	0.7
Asthma	++	37	8.2%	7.5%
High Health Status*	+++++	1	94.2%	90.4%
Low Birthweight	++	32	8.7%	8.3%
Low Birthweight Racial Disparity	++++	17	1.9	2.1
Overweight or Obesity — Youth	++++	16	29.4%	32.1%
OVERALL — CHILDREN*		_	0.414	_
OVERALL — WOMEN AND CHILDREN*			0.267	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Massachusetts

State Health Department Website: mass.gov/orgs/department-of-public-health



Summary

Strengths:

- · Low infant mortality rate
- High percentage of fourth grade reading proficiency
- · Low percentage of uninsured women ages 19-44

Highlights:

WIC COVERAGE

from 53.9% to 62.2% of eligible children ages 1-4 ▲15% from 55.5% to 62.2.5 between 2016 and 2018

TEEN RIRTHS

42% from 11.9 to 6.9 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High prevalence of excessive drinking among women
- · High prevalence of illicit drug use among youth
- · Low prevalence of physical activity among children

EXCESSIVE DRINKING

from 21.7% to 25.9% of women ages 18-44 19% from 21.7% to 23.3% of Worner 2018-2019 between 2014-2015 and 2018-2019

DRUG DEATHS

from 23.2 to 28.1 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State

State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	7	0.860	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	1.7%	3.0%
Violent Crime	+++	24	328	379
Economic Resources				
Concentrated Disadvantage	+++	23	19.4%	25.1%
Food Insecurity	+++++	6	8.4%	11.1%
Gender Pay Gap [‡]	++++	16	81.3%	81.0%
Poverty	+++++	5	11.4%	15.2%
Unemployment	+++++	6	2.6%	3.6%
Education				
College Graduate	+++++	1	50.6%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+	46	16.4%	12.5%
Residential Segregation — Black/White	+++	28	65	62
Voter Participation	+++	26	61.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	4	0.626	_
Community and Family Safety				
Child Victimization*	+	48	18.5%	8.9%
Economic Resources				
Children in Poverty	+++++	8	11.6%	16.8%
Children in Poverty Racial Disparity	+	45	5.1	3.0
High-speed Internet	+++++	9	95.8%	92.6%
Students Experiencing Homelessness	++	34	2.6%	3.0%
WIC Coverage	+++++	5	62.2%	53.9%
Education				
Early Childhood Education	+++++	5	60.3%	48.9%
Fourth Grade Reading Proficiency	+++++	1	45.4%	34.3%
High School Graduation	++++	15	88.0%	85.8%
High School Graduation Racial Disparity	++	37	18.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	2	10.8%	14.8%
Foster Care Instability	+	49	26.5%	16.0%
Neighborhood Amenities	+++++	5	52.0%	37.4%
Reading, Singing or Storytelling	+++++	6	64.2%	55.9%
	++++	19	0.143	_
	+++++	10	6.4	8.3
	+++++	1	0.0%	0.8%
	+++++	5	10.0%	14.0%
	+++	21	3,204,953	361,963,972
	++	38	57.3%	73.0%
	+++++	1	4	_
	+++++	4	7.0	8.7
			CO 20/	75 40/
	+++++	3	69.3%	75.4%
	+	48	30.8%	17.6%
	++	39	17.5%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	3	1.111	_
Access to Care				
Adequate Prenatal Care	+++++	7	84.7%	76.7%
Avoided Care Due to Cost	+++++	5	12.5%	18.8%
Publicly-funded Women's Health Services	+++	25	25%	29%
Uninsured	+++++	1	3.6%	12.9%
Women's Health Providers	+++++	8	64.6	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	24	80.9%	79.9%
Dental Visit	+++++	10	73.0%	67.6%
Flu Vaccination	+++++	6	39.5%	31.5%
Postpartum Visit [‡]		_	92.9%	90.7%
Well-woman Visit	+++++	9	77.0%	73.2%
Quality of Care				
Breastfeeding Initiation*	++++	15	88.4%	84.0%
Dedicated Health Care Provider	+++++	4	84.2%	71.1%
Low-risk Cesarean Delivery	+++	27	24.8%	25.6%
Maternity Practices Score	+++++	3	86	79
PEUNYARA		10	0.407	
BEHAVIORS*	+++++	10	0.427	
Nutrition and Physical Activity		10	00.00/	01 50/
Exercise	++++	13	22.8%	21.5%
Fruit and Vegetable Consumption	+++	25	10.3%	10.4%
Physical Inactivity	+++	27	21.9%	22.6%
Sexual Health				
Chlamydia	+++++	8	1,344	1,743
High-risk HIV Behaviors	++	31	10.2%	9.7%
Unintended Pregnancy*		_	23.8%	30.6%
Sleep Health				
Insufficient Sleep	++++	14	33.0%	36.1%
Tobacco Use				
E-cigarette Use+	++++	14	5.2%	5.3%
Smoking	+++++	4	10.7%	14.3%
Smoking During Pregnancy	++++	8	3.9%	6.0%
HEALTH OUTCOMES*	++++	16	0.115	_
Behavioral Health			0.110	
Drug Deaths‡	++	37	28.1	20.7
Excessive Drinking	+	48	25.9%	19.2%
Frequent Mental Distress	++++	18	18.5%	18.1%
Illicit Drug Use	++	36	11.8%	10.8%
Postpartum Depression*		_	10.2%	13.4%
Moutolity				
Mortality Maternal Mortality [‡]		_	_	20.1
Mortality Rate	+++++	6	76.1	97.2
Physical Health			7 0.1	31.2
Frequent Physical Distress	++++	16	8.2%	8.4%
High Blood Pressure	+++++	8	7.9%	10.6%
High Health Status‡	+++++	2	60.7%	53.8%
Maternal Morbidity	11777	_	8.2	6.6
Multiple Chronic Conditions	++++	— 18	6.2 4.2%	4.4%
Obesity	++++	2	4.2% 22.1%	30.0%
ODESITY OVERALL — WOMEN*	+++++	_		30.0%
OVERALL — WOMEN			0.511	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	1	1.471	_
Access to Care				
ADD/ADHD Treatment	+++	25	3.2%	3.0%
Pediatricians	+++++	1	207.0	104.6
Uninsured	+++++	1	1.5%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	13	79.7%	75.8%
HPV Vaccination	+++++	3	74.3%	54.2%
Preventive Dental Care	+++++	3	84.9%	77.5%
Well-child Visit	+++++	2	89.4%	80.7%
Quality of Care				
Adequate Insurance	++++	17	69.2%	66.7%
Developmental Screening	+++++	2	52.3%	36.9%
Medical Home	+++++	7	53.3%	46.8%
BEHAVIORS*	+++++	7	0.626	_
Nutrition and Physical Activity			0.020	
Breastfed	++	32	23.9%	25.6%
Food Sufficiency	+++++	1	80.0%	69.8%
Physical Activity	+	45	17.9%	20.6%
Soda Consumption — Youth‡		-	7.5%	9.3%
Sexual Health — Youth			7.070	3.376
Dual Contraceptive Nonuse*		_	83.8%	90.9%
Teen Births	+++++	2	6.9	16.7
TOOM BINGIO		_	0.0	10.7
Sleep Health				
Adequate Sleep	++++	13	70.2%	66.1%
Sleep Position#		_	87.5%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	32.2%	32.7%
Tobacco Use	++++	18	3.9%	4.0%
HEALTH OUTCOMES*	++++	18	0.077	_
Behavioral Health		40	40.00/	0.00/
Alcohol Use — Youth	+	43	10.8%	9.2%
Anxiety	+	45	12.8%	9.1%
Depression	+	41	5.4%	3.9%
Flourishing	+++	30	68.7%	69.1%
Illicit Drug Use — Youth	+	43	11.0%	8.4%
Teen Suicide [‡] Mortality			5.4	11.2
Child Mortality	+++++	1	15.8	25.4
Infant Mortality	+++++	1		
Physical Health	77777	- 1	3.9	5.7
Asthma	+	42	9.3%	7.5%
High Health Status*	+++++	8	92.4%	
_	++++	6 16	92.4% 7.6%	90.4%
Low Birthweight Pacial Disparity	+++++	10		8.3%
Low Birthweight Racial Disparity	+++++	3	1.8 24.1%	2.1
Overweight or Obesity — Youth	TTTTT	3	24.1%	32.1%
OVERALL — CHILDREN*		_	0.510	_
OVERALL — WOMEN AND CHILDREN*			0.547	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Michigan

State Health Department Website: michigan.gov/mdhhs



Summary

Strengths:

- High WIC coverage among eligible children ages 1-4
- High prevalence of exercise among women
- High prevalence of women with a dedicated health care provider

Highlights:

WELL-WOMAN VISIT

from 68.6% to 77.2% of women ages 18-44 13% from 68.6% to 77.2% or worner age between 2016-2017 and 2018-2019

TEEN BIRTHS

√36% from 23.5 to 15.1 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · Low rate of high school graduation
- High prevalence of insufficient sleep among women
- · High prevalence of illicit drug use among women

FREQUENT MENTAL DISTRESS

49% from 15.4% to 22.9% of women ages 18-44 between 2013-2014 and 2018-2019

OBESITY

▲26% from 26.6% to 35.6% of World 2018-2019 between 2013-2014 and 2018-2019 from 26.6% to 33.6% of women ages 18-44

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	38	-0.371	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.1%	3.0%
Violent Crime	++	38	437	379
Economic Resources				
Concentrated Disadvantage	+++	29	23.0%	25.1%
Food Insecurity	++	33	12.2%	11.1%
Gender Pay Gap‡	++	35	77.8%	81.0%
Poverty	++	38	17.0%	15.2%
Unemployment	++	39	3.9%	3.6%
Education				
College Graduate	+++	30	33.0%	35.7%
Casial Command and Engagement				
Social Support and Engagement Infant Child Care Cost*	++++	15	11 =0/	12.5%
		15 4E	11.5%	
Residential Segregation — Black/White	+	45	73	62
Voter Participation	++++	16	64.3%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	27	0.060	_
Community and Family Safety				
Child Victimization [‡]	++	37	15.4%	8.9%
Economic Resources				
Children in Poverty	++	33	17.6%	16.8%
Children in Poverty Racial Disparity	++++	14	3.0	3.0
High-speed Internet	++++	18	93.8%	92.6%
Students Experiencing Homelessness	+++	29	2.3%	3.0%
WIC Coverage	+++++	6	61.4%	53.9%
Education				
Early Childhood Education	+++	23	47.1%	48.9%
Fourth Grade Reading Proficiency	++	39	31.6%	34.3%
High School Graduation	+	41	81.4%	85.8%
High School Graduation Racial Disparity	+++	26	14.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	23	15.5%	14.8%
Foster Care Instability	++++	12	12.2%	16.0%
Neighborhood Amenities	+++	26	34.8%	37.4%
Reading, Singing or Storytelling	+++	21	58.0%	55.9%
	++	39	-0.153	_
	++	35	8.0	8.3
	++++	14	0.1%	0.8%
	++	40	19.3%	14.0%
	++	39	8,479,767	361,963,972
	++++	14	89.5%	73.0%
	++++	13	3	_
	++++	12	7.8	8.7
	++	35	81.2%	75.4%
	++	37	22.3%	17.6%
	+++	25	14.7%	17.5%
		20	14.770	17.570

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	13	0.488	_
Access to Care				
Adequate Prenatal Care	++++	16	80.7%	76.7%
Avoided Care Due to Cost	++++	19	16.3%	18.8%
Publicly-funded Women's Health Services	+	46	16%	29%
Uninsured	+++++	10	7.8%	12.9%
Women's Health Providers	++++	14	57.3	48.5
Preventive Clinical Care			07.0	10.0
Cervical Cancer Screening	+++++	5	84.6%	79.9%
Dental Visit	++++	15	71.9%	67.6%
Flu Vaccination	+	41	28.8%	31.5%
Postpartum Visit [‡]		_	88.7%	90.7%
Well-woman Visit	+++++	7	77.2%	73.2%
Quality of Care				
Breastfeeding Initiation*		_	_	84.0%
Dedicated Health Care Provider	+++++	6	82.8%	71.1%
Low-risk Cesarean Delivery	++	35	26.5%	25.6%
Maternity Practices Score	+++	28	77	79
,				
BEHAVIORS*	++	37	-0.468	_
Nutrition and Physical Activity				
Exercise	+++++	8	24.4%	21.5%
Fruit and Vegetable Consumption	++	36	8.4%	10.4%
Physical Inactivity	++++	15	20.2%	22.6%
Sexual Health				
Chlamydia	+++	30	1,755	1,743
High-risk HIV Behaviors	+	41	1,733	9.7%
Unintended Pregnancy	т	41	29.0%	30.6%
Sleep Health			23.076	30.0%
Insufficient Sleep	+	47	42.1%	36.1%
Tobacco Use				
E-cigarette Use [‡]	++	33	6.3%	5.3%
Smoking	++	38	19.7%	14.3%
Smoking During Pregnancy	++	36	10.4%	6.0%
HEALTH OUTCOMES*	++	40	-0.780	_
Behavioral Health				
Drug Deaths‡	++	39	29.4	20.7
Excessive Drinking	++	34	20.9%	19.2%
Frequent Mental Distress	+	44	22.9%	18.1%
Illicit Drug Use	+	45	13.4%	10.8%
Postpartum Depression*		_	14.8%	13.4%
Manual Day				
Mortality Maternal Mortality*		_	_	20.1
Mortality Rate	+++	30	109.5	97.2
Physical Health	+++	30	109.5	31.2
-	4.4	37	0 00/	Q /10/
Frequent Physical Distress	++		9.8%	8.4%
High Blood Pressure	+++	27	10.6%	10.6%
High Health Status*	++	39	51.8%	53.8%
Maternal Morbidity		_ 2E	6.5	6.6
Multiple Chronic Conditions	++	35	5.7%	4.4%
Obesity	++	34	33.6%	30.0%
OVERALL — WOMEN*		_	-0.295	_

* Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

CLINICAL CARE*	Measures	Rating	State Rank	State Value	U.S. Value
ADD/ADHD Treatment	CLINICAL CARE*	++++	16	0.355	_
Pediatricians	Access to Care				
Preventive Clinical Care Childhood Immunizations ++++ 20	ADD/ADHD Treatment	++++	16	3.7%	3.0%
Preventive Clinical Care Childhood Immunizations ++++ 20 78.4% 75.8% HPV Vaccination ++++ 17 59.4% 54.2% Preventive Dental Care ++ 35 76.6% 77.5% Well-child Visit +++ 28 80.2% 80.7%	Pediatricians	++++	18	103.0	104.6
Childhood Immunizations	Uninsured	+++++	9	3.4%	5.7%
Childhood Immunizations					
HPV Vaccination					
Preventive Dental Care ++ 35 76.6% 77.5% 80.7% 80.7% 80.7% 80.7% 80.7% 80.7% 80.7% 80.7% 80.7% 80.7% 80.2% 80.2% 80.7% 80.2% 8					
Real Content					
Quality of Care Adequate Insurance +++ 27 66.9% 66.7% Developmental Screening ++++ 19 40.0% 36.9% Medical Home +++ 26 50.1% 46.8% BEHAVIORS* +++ 26 50.1% 46.8% Medical Home +++ 26 50.1% 46.8% Medical Home +++ 25 50.1% 46.8% Medical Home +++ 25 25.8% 25.6% Nutrition and Physical Activity +++ 25 69.5% 69.8% Pood Sufficiency +++ 25 69.5% 69.8% Physical Activity +++ 22 23.2% 20.6% Soda Consumption — Youth +++ 22 32.2% 20.6% Sexual Health — Youth 87.0% 90.9% Teen Births +++ 29 66.0% 66.1% Sleep Health 84.9% 79.6% Tobacco Use — Youth					
Adequate Insurance	Well-child Visit	+++	28	80.2%	80.7%
Developmental Screening	Quality of Care				
Medical Home	Adequate Insurance	+++	27	66.9%	66.7%
Nutrition and Physical Activity Freatfed September Septemb	Developmental Screening	++++	19	40.0%	36.9%
Nutrition and Physical Activity	Medical Home	+++	26	50.1%	46.8%
Nutrition and Physical Activity					
Breastfed		+++	27	0.058	_
Food Sufficiency					
Physical Activity					
Soda Consumption — Youth	,				
Sexual Health — Youth Dual Contraceptive Nonuse* — 87.0% 90.9% Teen Births +++ 23 15.1 16.7		+++			
Dual Contraceptive Nonuse* - 87.0% 90.9% Teen Births				8.3%	9.3%
Teen Births					
Sleep Health	·		_		
Adequate Sleep	Ieen Births	+++	23	15.1	16./
Sleep Position - 84.9% 79.6% Tobacco Use - Youth Electronic Vapor Product Use - 20.8% 32.7% 70bacco Use +++ 25 4.5% 4.0%	Sleep Health				
Tobacco Use — Youth Electronic Vapor Product Use* — 20.8% 32.7% Tobacco Use +++ 25 4.5% 4.0% HEALTH OUTCOMES* +++ 25 4.5% 4.0% Behavioral Health Alcohol Use — Youth ++++ 15 9.1% 9.2% Anxiety +++ 28 10.1% 9.1% Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* — 12.9 11.2 Mortality Child Mortality +++ 25 26.3 25.4 Infant Mortality ++ 25 26.3 25.4 Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status*	Adequate Sleep	+++	29	66.0%	66.1%
Electronic Vapor Product Use# Tobacco Use	Sleep Position‡		_	84.9%	79.6%
Tobacco Use					
HEALTH OUTCOMES*	·				32.7%
Behavioral Health Alcohol Use — Youth ++++ 15 91% 92% Anxiety +++ 28 10.1% 9.1% Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* — 12.9 11.2 Mortality Child Mortality ++ 25 26.3 25.4 Infant Mortality ++ 25 26.3 25.4 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%	Tobacco Use	+++	25	4.5%	4.0%
Behavioral Health Alcohol Use — Youth ++++ 15 91% 92% Anxiety +++ 28 10.1% 9.1% Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* — 12.9 11.2 Mortality Child Mortality ++ 25 26.3 25.4 Infant Mortality ++ 25 26.3 25.4 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%					
Alcohol Use — Youth ++++ 15 9.1% 9.2% Anxiety +++ 28 10.1% 9.1% Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* — 12.9 11.2 Mortality Child Mortality ++ 25 26.3 25.4 Infant Mortality ++ 25 26.3 25.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%		++	36	-0.252	_
Anxiety +++ 28 10.1% 9.1% Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide - 12.9 11.2 Mortality Child Mortality +++ 25 26.3 25.4 Infant Mortality +++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth		4444	15	Ω19/	0.20/
Depression + 44 5.5% 3.9% Flourishing ++++ 14 70.1% 69.1% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* - 12.9 11.2 Mortality Child Mortality ++ 25 26.3 25.4 Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%					
Flourishing ++++ 14 70.1% 691% Illicit Drug Use — Youth ++ 36 8.9% 8.4% Teen Suicide* 12.9 11.2 Mortality Child Mortality +++ 25 26.3 25.4 Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth					
Illicit Drug Use — Youth	·				
Teen Suicide* — 12.9 11.2 Mortality *** 25 26.3 25.4 Infant Mortality *** 37 6.5 5.7 Physical Health Asthma *** 27 7.6% 7.5% High Health Status* *** 29 90.6% 90.4% Low Birthweight *** 32 8.7% 8.3% Low Birthweight Racial Disparity *** 35 2.1 2.1 Overweight or Obesity — Youth *** 28 32.1% 32.1%	_				
Mortality Child Mortality +++ 25 26.3 25.4 Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%	· ·		_		
Child Mortality +++ 25 26.3 25.4 Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%				12.0	11.2
Infant Mortality ++ 37 6.5 5.7 Physical Health Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%	•	+++	25	26.3	25.4
Physical Health Asthma +++ 27 7.6% 7.5% High Health Status‡ +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%	,				
Asthma +++ 27 7.6% 7.5% High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%				0.0	0.7
High Health Status* +++ 29 90.6% 90.4% Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%	-	+++	27	7.6%	7.5%
Low Birthweight ++ 32 8.7% 8.3% Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%					
Low Birthweight Racial Disparity ++ 35 2.1 2.1 Overweight or Obesity — Youth +++ 28 32.1% 32.1%					
Overweight or Obesity — Youth +++ 28 32.1% 32.1%	_				
OVERALL - CHILDREN* 0.018 -					
OFFICIAL CHILDREN —U.010 —	OVERALL — CHILIDDEN*		_	-0.019	
OVERALL WOMEN AND CHILDDEN'S				-0.010	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Minnesota

State Health Department Website: health.state.mn.us



Summary

Strengths:

- High prevalence of food sufficiency among children
- High prevalence of high-speed internet in households with children
- High prevalence of adequate sleep among children

Highlights:

CHILDREN IN POVERTY

▼25% from 14.9% to 11.2% of children ages 0-17 between 2014 and 2019

SMOKING DURING PREGNANCY

from 9.8% to 7.1% of live births between 2014 and 2019

Challenges:

- High racial gap in high school graduation rates
- · High prevalence of excessive drinking among women
- · High prevalence of anxiety among children

UNINSURED

from 5.2% to 6.8% of women ages 19-44 between 2018 and 2019

FREQUENT MENTAL DISTRESS

54% from 11.4% to 17.0% of Normal 2018-2019 between 2013-2014 and 2018-2019 from 11.4% to 17.6% of women ages 18-44

State

State

U.S.

Women

Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	3	1.155	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.1%	3.0%
Violent Crime	++++	11	236	379
Economic Resources				
Concentrated Disadvantage	+++++	7	9.3%	25.1%
Food Insecurity	+++++	4	8.3%	11.1%
Gender Pay Gap [‡]	++++	15	81.5%	81.0%
Poverty	+++++	7	12.0%	15.2%
Unemployment	+++++	6	2.6%	3.6%
Education				
College Graduate	+++++	5	44.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+	42	15.3%	12.5%
Residential Segregation — Black/White	+++	22	62	62
Voter Participation	+++++	1	72.1%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	14	0.276	_
Community and Family Safety				
Child Victimization‡	++++	13	5.2%	8.9%
Economic Resources				
Children in Poverty	+++++	7	11.2%	16.8%
Children in Poverty Racial Disparity	+	46	5.8	3.0
High-speed Internet	+++++	5	96.0%	92.6%
Students Experiencing Homelessness	++++	17	1.9%	3.0%
WIC Coverage	+++++	3	63.9%	53.9%
Education				
Early Childhood Education	+++	23	47.1%	48.9%
Fourth Grade Reading Proficiency	+++++	10	38.1%	34.3%
High School Graduation	++	36	83.7%	85.8%
High School Graduation Racial Disparity	+	50	37.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	7	12.3%	14.8%
Foster Care Instability	++++	10	11.5%	16.0%
Neighborhood Amenities	+++++	8	45.4%	37.4%
Reading, Singing or Storytelling	+++++	10	63.2%	55.9%
	+++++	6	0.391	_
	++++	14	6.8	8.3
	++	39	1.1%	0.8%
	++++	12	13.0%	14.0%
	++++	18	2,462,228	361,963,972
	+++++	2	98.8%	73.0%
	++++	13	3	_
	+++	24	8.9	8.7
		10	70.70/	75 40/
	++++	18	76.7%	75.4%
	++	32	19.7%	17.6%
	++++	9	13.2%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	8	0.775	_
Access to Care				
Adequate Prenatal Care	++++	12	81.2%	76.7%
Avoided Care Due to Cost	++++	11	14.7%	18.8%
Publicly-funded Women's Health Services	+++	25	25%	29%
Uninsured	+++++	6	6.8%	12.9%
Women's Health Providers	++++	13	58.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	14	82.6%	79.9%
Dental Visit	+++++	4	74.5%	67.6%
Flu Vaccination	+++++	5	39.7%	31.5%
Postpartum Visit*		_	93.4%	90.7%
Well-woman Visit	+++	22	74.7%	73.2%
Quality of Care		_		
Breastfeeding Initiation*	+++++	9	89.6%	84.0%
Dedicated Health Care Provider	+++	23	73.1%	71.1%
Low-risk Cesarean Delivery	++++	20	23.8%	25.6%
Maternity Practices Score	++++	13	82	79
BEHAVIORS*	+++++	4	0.647	_
Nutrition and Physical Activity		•	0.0-17	
Exercise	++++	11	23.8%	21.5%
Fruit and Vegetable Consumption	++++	18	11.1%	10.4%
Physical Inactivity	+++++	6	17.3%	22.6%
1 Try older middlivity		Ü	17.070	22.070
Sexual Health				
Chlamydia	+++++	9	1,381	1,743
High-risk HIV Behaviors	+++	22	9.4%	9.7%
Unintended Pregnancy*			22.5%	30.6%
Sleep Health				
Insufficient Sleep	+++++	2	28.4%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	10	4.9%	5.3%
Smoking	++++	20	15.0%	14.3%
Smoking During Pregnancy	+++	21	7.1%	6.0%
HEALTH OUTCOMES*	+++++	7	0.443	_
Behavioral Health				
Drug Deaths [‡]	++++	15	14.0	20.7
Excessive Drinking	+	44	24.7%	19.2%
Frequent Mental Distress	++++	14	17.6%	18.1%
Illicit Drug Use	+++++	9	9.2%	10.8%
Postpartum Depression*		_	10.9%	13.4%
Mortality				
Maternal Mortality [‡]		_	_	20.1
Mortality Rate	+++++	4	75.2	97.2
Physical Health				
Frequent Physical Distress	+++++	5	7.1%	8.4%
High Blood Pressure	+++++	3	7.4%	10.6%
High Health Status*	+++++	2	60.7%	53.8%
Maternal Morbidity*		_	7.2	6.6
Maternal Morbidity* Multiple Chronic Conditions	+++++	5	3.2%	4.4%
Maternal Morbidity*	+++++			

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit $\underline{www.AmericasHealthRankings.org}.$

Children			_	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	15	0.431	_
Access to Care				
ADD/ADHD Treatment	++	39	2.2%	3.0%
Pediatricians	+++	23	98.4	104.6
Uninsured	+++++	7	3.1%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	6	82.8%	75.8%
HPV Vaccination	+++	21	56.8%	54.2%
Preventive Dental Care	+	41	75.4%	77.5%
Well-child Visit	+++	27	80.3%	80.7%
Quality of Care				
Adequate Insurance	+	42	62.4%	66.7%
Developmental Screening	+++++	8	48.7%	36.9%
Medical Home	+++++	6	54.0%	46.8%
BEHAVIORS*	+++++	2	1.082	_
Nutrition and Physical Activity				
Breastfed	+++++	1	38.7%	25.6%
Food Sufficiency	+++++	3	77.5%	69.8%
Physical Activity	+++	23	23.1%	20.6%
Soda Consumption — Youth#				9.3%
Sexual Health — Youth				00.00/
Dual Contraceptive Nonuse*		_	-	90.9%
Teen Births	+++++	8	10.1	16.7
Sleep Health				
Adequate Sleep	+++++	1	77.0%	66.1%
Sleep Position*		_	85.9%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	_	32.7%
Tobacco Use	+++	25	4.5%	4.0%
HEALTH OUTCOMES*	+++++	5	0.589	_
Behavioral Health				
Alcohol Use — Youth	+	45	11.0%	9.2%
Anxiety	++	38	11.4%	9.1%
Depression	+++	22	4.0%	3.9%
Flourishing	+++++	1	73.3%	69.1%
Illicit Drug Use — Youth	+++	26	8.2%	8.4%
Teen Suicide [‡]			13.4	11.2
Mortality		40	04.7	
Child Mortality	+++++	10	21.7	25.4
Infant Mortality	++++	11	4.9	5.7
Physical Health		0	E 00/	750/
Asthma	+++++	3	5.2%	7.5%
High Health Status	+++++	7	92.5%	90.4%
Low Birthweight	+++++	8	6.9%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	2.1
Overweight or Obesity — Youth	+++++	2	24.0%	32.1%
OVERALL — CHILDREN*			0.517	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Mississippi

State Health Department Website: msdh.ms.gov



Summary

Strengths:

- Low prevalence of excessive drinking among women
- High enrollment in early childhood education
- · Low prevalence of youth alcohol use

Highlights:

WIC COVERAGE

from 49.2% to 58.7% of eligible children 19% from 49.2 % to 66.7 % 3.1 2 ages 1-4 between 2016 and 2018

SMOKING

from 26.4% to 18.9% of women ages 18-44 28% between 2013-2014 and 2018-2019

State State

U.S.

Challenges:

- · High percentage of children in poverty
- · High child mortality rate
- · High prevalence of physical inactivity among women

LOW BIRTHWEIGHT

from 11.3% to 12.3% of live births between 2014 and 2019

TEEN SUICIDE

97% from 5.9 to 11.6 deaths per 100,000 adolescents ages 15-19 between 2012-2014 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	48	-0.996	-
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	5.5%	3.0%
Violent Crime	++++	14	278	379
Economic Resources				
Concentrated Disadvantage	+	50	46.5%	25.1%
Food Insecurity	+	50	15.7%	11.1%
Gender Pay Gap‡	++	37	77.4%	81.0%
Poverty	+	50	25.1%	15.2%
Unemployment	+	50	5.8%	3.6%
Education				
College Graduate	+	47	26.5%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	1	7.6%	12.5%
Residential Segregation — Black/White	+++++	3	50	62
Voter Participation	++++	14	64.6%	61.7%
DHYSICAL ENVIDONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	40	-0.293	-
Community and Family Safety				
Child Victimization [‡]	++	35	13.4%	8.9%
Economic Resources				
Children in Poverty	+	50	28.1%	16.8%
Children in Poverty Racial Disparity	++++	14	3.0	3.0
High-speed Internet	+	49	87.0%	92.6%
Students Experiencing Homelessness	++++	9	1.5%	3.0%
WIC Coverage	++++	9	58.7%	53.9%
Education				
Early Childhood Education	+++++	4	60.4%	48.9%
Fourth Grade Reading Proficiency	++	40	31.5%	34.3%
High School Graduation	+++	29	85.0%	85.8%
High School Graduation Racial Disparity	++++	4	6.5	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	42	18.3%	14.8%
Foster Care Instability	+++	23	15.8%	16.0%
Neighborhood Amenities	+	50	14.5%	37.4%
Reading, Singing or Storytelling	+	50	45.2%	55.9%
	+	47	-0.446	_
	++	31	7.8	8.3
	+	48	6.3%	0.8%
	+	47	20.2%	14.0%
	++++	16	1,367,879	361,963,972
	++	35	60.7%	73.0%
	++	36	0	_
	+	43	11.5	8.7
	+	50	85.3%	75.4%
	+++++	10	11.0%	17.6%
	+++	29	15.4%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

leasures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	46	-0.675	_
Access to Care				
Adequate Prenatal Care	++++	14	80.8%	76.79
Avoided Care Due to Cost	+	47	25.3%	18.89
Publicly-funded Women's Health Services	+++	30	23%	29%
Uninsured	+	48	20.9%	12.99
Women's Health Providers	+	48	32.3	48.5
Preventive Clinical Care		-10	02.0	40.0
Cervical Cancer Screening	+++++	1	86.9%	79.99
Dental Visit	+	49	59.3%	67.69
Flu Vaccination	+	45	26.6%	31.59
Postpartum Visit*		-	89.0%	90.7
Well-woman Visit	+++	21	74.8%	73.2
	+++	Z1	/4.6%	/3.2
Quality of Care		40	OF 00/	040
Breastfeeding Initiation*	+	48	65.6%	84.0
Dedicated Health Care Provider	++	38	69.5%	71.19
Low-risk Cesarean Delivery	+	50	30.7%	25.6
Maternity Practices Score	++	40	73	79
BEHAVIORS*	+	46	-0.887	_
Nutrition and Physical Activity				
Exercise	+	41	18.6%	21.59
		45	7.5%	
Fruit and Vegetable Consumption	+		7.5% 31.1%	10.49
Physical Inactivity	+	50	31.1%	22.69
Sexual Health				
Chlamydia	+	48	2,529	1,743
High-risk HIV Behaviors	++++	11	8.6%	9.79
Unintended Pregnancy*		_	47.1%	30.6
Sleep Health				
Insufficient Sleep	++	32	37.5%	36.19
Tobacco Use				
E-cigarette Use [‡]	+++	25	5.9%	5.39
Smoking	++	35	18.9%	14.39
Smoking During Pregnancy	+++	28	8.5%	6.09
HEALTH OUTCOMES*	++	35	-0.652	_
Behavioral Health			0.002	
Drug Deaths‡	+++++	10	12.6	20.7
Excessive Drinking	+++++	3	12.1%	19.29
Frequent Mental Distress	++	31	20.3%	18.19
Illicit Drug Use	++++	7	8.8%	10.17
Postpartum Depression‡	TTTTT	_	22.1%	13.49
Mortality				000
Maternal Mortality*		_	-	20.1
Mortality Rate	+	48	155.0	97.2
Physical Health		40		
Frequent Physical Distress	++++	19	8.4%	8.49
High Blood Pressure	+	50	22.4%	10.69
	+	45	49.9%	53.8
High Health Status*				0.0
High Health Status‡ Maternal Morbidity‡		_	5.8	6.6
-	++	- 40	5.8 6.1%	6.6 4.49
Maternal Morbidity*				

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	38	-0.259	_
Access to Care				
ADD/ADHD Treatment	+++++	1	6.6%	3.0%
Pediatricians	+	46	63.7	104.6
Uninsured	++	36	6.1%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	11	80.0%	75.8%
HPV Vaccination	+	50	30.5%	54.2%
Preventive Dental Care	+	43	75.0%	77.5%
Well-child Visit	+	49	74.3%	80.7%
Quality of Care				
Adequate Insurance	+++++	8	71.2%	66.7%
Developmental Screening	++	34	31.5%	36.9%
Medical Home	++	37	47.3%	46.8%
BEHAVIORS*	+	50	-1.391	_
Nutrition and Physical Activity				
Breastfed	+	50	18.1%	25.6%
Food Sufficiency	+	50	58.0%	69.8%
Physical Activity	+++++	5	26.8%	20.6%
Soda Consumption — Youth*			17.3%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	91.6%	90.9%
Teen Births	+	49	29.1	16.7
Sleep Health				
Adequate Sleep	+	49	55.2%	66.1%
Sleep Position*		_	69.4%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	21.4%	32.7%
Tobacco Use	+	46	7.1%	4.0%
HEALTH OUTCOMES*	+	49	-0.695	_
Behavioral Health				
Alcohol Use — Youth	+++++	6	8.0%	9.2%
Anxiety	+++++	6	7.7%	9.1%
Depression	++++	20	3.8%	3.9%
Flourishing	++	34	68.4%	69.1%
Illicit Drug Use — Youth	+++++	5	6.7%	8.4%
Teen Suicide [‡]			11.6	11.2
Mortality		4.0	44.0	
Child Mortality	+	49	41.8	25.4
Infant Mortality	+	50	8.6	5.7
Physical Health		40	10.407	7.50
Asthma	+	48	10.1%	7.5%
High Health Status*	+	49	87.1%	90.4%
Low Birthweight	+	50	12.3%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	+	48	38.4%	32.1%
OVERALL — CHILDREN*		_	-0.586	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Missouri

State Health Department Website: health.mo.gov



State State

U.S.

Summary

Strengths:

- High rate of high school graduation
- High supply of pediatricians
- · Low prevalence of severe housing problems

Highlights:

FOOD INSECURITY

▼31% from 16.9% to 11.7% of 1.0321. between 2011-2013 and 2017-2019 from 16.9% to 11.7% of households

TEEN BIRTHS

▼32% from 30.0 to 20.3 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · High prevalence of smoking among women
- Low prevalence of exercise among women
- · High child mortality rate

EXCESSIVE DRINKING

430% from 17.6% to 22.8% of women ages 18-44 between 2013-2014 and 2018-2019

UNINSURED

▲27% from 5.1% to 0.5% or Grand 3.19
0-18 between 2017 and 2019 from 5.1% to 6.5% of children ages

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	31	-0.095	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.7%	3.0%
Violent Crime	+	43	495	379
Economic Resources				
Concentrated Disadvantage	++++	20	17.8%	25.1%
Food Insecurity	+++	30	11.7%	11.1%
Gender Pay Gap‡	+++	22	80.0%	81.0%
Poverty	++	34	16.5%	15.2%
Unemployment	++++	19	3.4%	3.6%
Education				
College Graduate	+++	22	36.9%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	17	11.6%	12.5%
Residential Segregation — Black/White	+	43	71	62
Voter Participation	+++	21	63.3%	61.7%
•				
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	23	0.094	
Community and Family Safety				
Child Victimization [‡]	+++++	6	3.5%	8.9%
Economic Resources				
Children in Poverty	++	32	17.1%	16.8%
Children in Poverty Racial Disparity	+++++	4	2.6	3.0
High-speed Internet	+++	29	92.8%	92.6%
Students Experiencing Homelessness	+	45	3.7%	3.0%
WIC Coverage	++	34	49.1%	53.9%
Education				
Early Childhood Education	+++	28	45.7%	48.9%
Fourth Grade Reading Proficiency	++	31	34.2%	34.3%
High School Graduation	+++++	9	89.7%	85.8%
High School Graduation Racial Disparity	++++	13	11.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	17	14.5%	14.8%
Foster Care Instability	+	42	21.4%	16.0%
Neighborhood Amenities	++	33	31.9%	37.4%
Reading, Singing or Storytelling	++++	19	58.3%	55.9%
	++	35	-0.056	_
	+++	30	7.6	8.3
	+++	24	0.2%	0.8%
	+	43	19.6%	14.0%
	+++	28	4,089,226	361,963,972
	+++	26	75.6%	73.0%
	+++	28	1	_
	+++	29	9.2	8.7
	++	40	81.6%	75.4%
	+++	30	18.7%	17.6%
	++++	10	13.3%	17.5%
	TTT##	10	13.3%	17.3%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	36	-0.135	_
Access to Care		33	-0.100	
Adequate Prenatal Care	+++	28	77.4%	76.7%
Avoided Care Due to Cost	++	37	20.4%	18.8%
Publicly-funded Women's Health Services	++	35	21%	29%
Uninsured	++	36	14.8%	12.9%
Women's Health Providers	+++	27	46.2	48.5
Preventive Clinical Care			10.2	10.0
Cervical Cancer Screening	+++	27	80.3%	79.9%
Dental Visit	++	34	65.2%	67.6%
Flu Vaccination	+++	23	34.0%	31.5%
Postpartum Visit*		_	88.6%	90.7%
Well-woman Visit	+++	30	72.8%	73.2%
Quality of Care			72.070	70.270
Breastfeeding Initiation*	++	39	79.7%	84.0%
Dedicated Health Care Provider	+++	26	72.3%	71.1%
Low-risk Cesarean Delivery	+++	22	23.9%	25.6%
Maternity Practices Score	++	36	75	79
Materially Fractices ocore		00	70	/5
BEHAVIORS*	+	42	-0.696	_
Nutrition and Physical Activity				
Exercise	+	48	16.3%	21.5%
Fruit and Vegetable Consumption	+++	26	9.9%	10.4%
Physical Inactivity	++	31	23.5%	22.6%
, ,				
Sexual Health				
Chlamydia	++	37	1,902	1,743
High-risk HIV Behaviors	++++	17	9.0%	9.7%
Unintended Pregnancy*		_	33.4%	30.6%
Sleep Health				
Insufficient Sleep	+++	28	36.3%	36.1%
Tobacco Use				
E-cigarette Use‡	++	39	6.6%	5.3%
Smoking	+	47	22.3%	14.3%
Smoking During Pregnancy	+	45	12.8%	6.0%
HEALTH OUTCOMES*	+	42	-0.835	
	+	42	-0.835	
Behavioral Health		20	00.0	007
Drug Deaths+	++	38	29.3	20.7
Excessive Drinking	++	38	22.8%	19.2%
Frequent Mental Distress	+	42	22.3%	18.1%
Illicit Drug Use	++	31	11.3%	10.8%
Postpartum Depression [‡]		_	14.6%	13.4%
Mortality				
Mortality Maternal Mortality#			_	201
Maternal Mortality*		- 26	_	20.1
Maternal Mortality‡ Mortality Rate	++	- 36	_ 120.9	20.1 97.2
Maternal Mortality [‡] Mortality Rate Physical Health				97.2
Maternal Mortality [‡] Mortality Rate Physical Health Frequent Physical Distress	++	35	9.7%	97.2
Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	++	35 24	9.7% 10.3%	97.2 8.4% 10.6%
Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡	++	35 24 21	9.7% 10.3% 55.8%	97.2 8.4% 10.6% 53.8%
Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡ Maternal Morbidity‡	++ +++ +++	35 24 21 —	9.7% 10.3% 55.8% 7.2	97.2 8.4% 10.6% 53.8% 6.6
Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡ Maternal Morbidity‡ Multiple Chronic Conditions	++ +++ +++	35 24 21 - 41	9.7% 10.3% 55.8% 7.2 6.3%	97.2 8.4% 10.6% 53.8% 6.6 4.4%
Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡ Maternal Morbidity‡	++ +++ +++	35 24 21 —	9.7% 10.3% 55.8% 7.2	97.2 8.4% 10.6% 53.8% 6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		01-1-	01-1-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	44	-0.482	_
Access to Care				
ADD/ADHD Treatment	+++	29	3.0%	3.0%
Pediatricians	+++++	7	140.5	104.6
Uninsured	++	38	6.5%	5.7%
Preventive Clinical Care		47	0010/	75.00/
Childhood Immunizations	+	47	69.1%	75.8%
HPV Vaccination	+++	27	54.3%	54.2%
Preventive Dental Care Well-child Visit	+	48 30	72.5% 79.6%	77.5% 80.7%
Quality of Care				
Adequate Insurance	++	38	63.4%	66.7%
Developmental Screening	+	50	20.8%	36.9%
Medical Home	+++	28	49.2%	46.8%
BEHAVIORS*	++	34	-0.251	-
Nutrition and Physical Activity				
Breastfed	++	37	23.4%	25.6%
Food Sufficiency	++	33	67.3%	69.8%
Physical Activity	++++	11	24.8%	20.6%
Soda Consumption — Youth‡		_	12.2%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	87.2%	90.9%
Teen Births	++	38	20.3	16.7
Sleep Health				
Adequate Sleep	+++	28	66.1%	66.1%
Sleep Position*		_	83.1%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	20.7%	32.7%
Tobacco Use	++	32	5.1%	4.0%
HEALTH OUTCOMES*	+++	27	-0.073	_
Behavioral Health		01	0.00/	0.00/
Alcohol Use — Youth	+++	21	9.2%	9.2%
Anxiety	++++	18	9.0%	9.1%
Depression	+++	21	3.9%	3.9%
Flourishing	+++++	7	71.2%	69.1%
Illicit Drug Use — Youth Teen Suicide‡	++++	16	7.5% 16.3	8.4%
Mortality			10.3	11.2
Child Mortality	+	44	33.8	25.4
Infant Mortality	++	33	6.3	5.7
Physical Health			0.0	0.7
Asthma	+++	22	7.1%	7.5%
High Health Status*	+++	29	90.6%	90.4%
Low Birthweight	++	36	8.8%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	+++	25	31.3%	32.1%
OVERALL — CHILDREN*		_	-0.093	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Montana

State Health Department Website: dphhs.mt.gov



Summary

Strengths:

- · Low racial disparity in low birthweight
- High prevalence of exercise among women
- Low prevalence of overweight or obesity among children

Highlights:

TEEN BIRTHS

from 27.8 to 16.3 births per 1,000 females **▼41%** from 27.6 to 10.6 billion p. 1. ages 15-19 between 2013 and 2019

WIC COVERAGE

22% from 35.2% to 42.9% of eligible children ages 1-4 between 2017 and 2018

Challenges:

- High prevalence of tobacco use among adolescents
- High prevalence of illicit drug use among women
- · High child mortality rate

EARLY CHILDHOOD EDUCATION ENROLLMENT

from 44.0% to 35.5% of children ▼19% from 44.0% to 56.5% to 19 ages 3-4 between 2018 and 2019

FREQUENT MENTAL DISTRESS

from 12.1% to 19.0% of women ages 18-44 57% between 2013-2014 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	26	0.051	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.2%	3.0%
Violent Crime	++	32	405	379
Economic Resources				
Concentrated Disadvantage	+++++	6	8.4%	25.1%
Food Insecurity	++++	16	10.0%	11.1%
Gender Pay Gap‡	++	39	77.3%	81.0%
Poverty	+	42	17.9%	15.2%
Unemployment	++	33	3.7%	3.6%
Education				
College Graduate	+++	29	33.6%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]		_	_	12.5%
Residential Segregation — Black/White	+	48	77	62
Voter Participation	+++++	4	70.2%	61.7%
PHYSICAL ENVIRONMENT*				

Rating	Rank	Value	Value
+	41	-0.298	_
+	42	16.3%	8.9%
+++	24	14.9%	16.8%
++++	14	3.0	3.0
+++	21	93.6%	92.6%
++	37	2.8%	3.0%
+	47	42.9%	53.9%
+	46	35.5%	48.9%
++++	16	36.4%	34.3%
+++	24	86.6%	85.8%
+	47	22.6	15.1
+	49	23.0%	14.8%
++++	15	12.9%	16.0%
++	40	25.5%	37.4%
++++	15	60.1%	55.9%
++	33	-0.040	_
+++++	9	6.3	8.3
+++	24	0.2%	0.8%
++	38	18.0%	14.0%
++++	12	210,705	361,963,972
+	47	30.7%	73.0%
++++	13	3	_
++	39	10.9	8.7
++++			75.4%
+++			17.6%
+++	25	14.7%	17.5%
	+ + + + + + + + + + + + + + + + + + +	Rating Rank + 41 + 42 +++++ 24 14 ++++ 21 37 + 47 + 46 ++++ 16 16 ++++ 47 49 ++++ 15 ++ 47 ++++ 40 ++++ 15 ++++ 33 +++++ 9 ++++ 24 +++ 38 ++++ 12 + ++++ 37 ++++ 37 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 39 ++++ 47 ++++ 47 ++++ 47 +++++ 47 +++++ 47 ++++++ 47 +++++ 48 ++++++++++++++++++++++++++++++++++++	Rating Rank Value + 41 -0.298 + 42 16.3% ++++ 24 14.9% +++++ 14 3.0 ++++ 21 93.6% ++ 37 2.8% + 47 42.9% ++++ 16 36.4% ++++ 24 86.6% ++++ 24 22.6 + 49 23.0% ++++ 15 12.9% ++++ 40 25.5% ++++ 15 60.1% ++++ 9 6.3 ++++ 24 0.2% ++ 38 18.0% ++++ 12 210,705 + 47 30.7% ++++ 13 3 ++++ 13 3 ++++ 19 77.4% ++++ 27 17.3%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

CLINICAL CARE*	Measures	Rating	State Rank	State Value	U.S. Value
Adequate Prenatal Care Avoided Care Due to Cost Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers H+++ Avoided Care Due to Cost Women's Health Providers H+++ Avoided Care Women's Health Providers H+++ Avoided Care Cervical Cancer Screening Preventive Clinical Care Cervical Cancer Screening Postpartum Visit H+++ Avoided Care Preventive Clinical Care Cervical Cancer Screening Postpartum Visit H+++ Avoided Care Preventive Clinical Care Cervical Cancer Screening Postpartum Visit H+++ Avoided Care Preventive Clinical Care Cervical Cancer Screening Postpartum Visit H++++ Avoided Care Preventive Clinical Care Preventive Clinical Care Preventive Cancer Screening Postpartum Visit H++++ Avoided Care Preventive Clinical Care Preventive Clinical Care Well-woman Visit H++++ Avoided Care Preventive Clinical Care Preventive Clinical Care Preventive Cancer Care Breastfeeding Initiation* Poda Value Poda Value Avoided Care Avoided Care Breastfeeding Initiation* Poda Value Avoided Care Breastfeeding Initiation* Poda Value Avoided Care Breastfeeding Initiation* H+++++ Avoided Care Avoided Care Breastfeeding Initiation* H++++++ Avoided Care Avoided Care	CLINICAL CARE*	++++	15	0.411	_
Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Tous Care Breastfeeding Initiation Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score Nutrition and Physical Activity Exercise Fruit and Vegetable Consumption Physical Inactivity High-risk HIV Behaviors Unintended Pregnancy Siep Health Insufficient Sleep HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* Physical Health Prequent Mental Distress High Blood Pressure	Access to Care				
Avoided Care Due to Cost Publicly-funded Women's Health Services Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Pottal Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit Cuality of Care Breastfeeding Initiation Dedicated Health Care Provider Low-risk Cesarean Delivery Maternity Practices Score BEHAVIORS Nutrition and Physical Activity Exercise Fruit and Vegetable Consumption Physical Inactivity Sexual Health Chlamydia High-risk HIV Behaviors Unintended Pregnancy Sieep Health Insufficient Sleep HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* HEALTH OUTCOMES* HHALTH OUTCOMES* HIGH AS 3, 34, 11, 24, 25, 25, 26, 26, 37, 34, 34, 34, 34, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36		+++	30	77.0%	76.7%
Publicly-funded Women's Health Services		+++++	8		18.8%
Uninsured		+++++	9	36%	29%
Women's Health Providers	, , , , , , , , , , , , , , , , , , , ,		23		12.9%
Preventive Clinical Care Cervical Cancer Screening	Women's Health Providers	++++			48.5
Dental Visit					
Flu Vaccination	Cervical Cancer Screening	+	42	78.1%	79.9%
Postpartum Visit*	Dental Visit	++++	20	69.5%	67.6%
Well-woman Visit	Flu Vaccination	+++	21	34.7%	31.5%
Reastfeeding Initiation*	Postpartum Visit [‡]		_	90.3%	90.7%
Breastfeeding Initiation*	Well-woman Visit	++	35	71.4%	73.2%
Dedicated Health Care Provider	Quality of Care				
Dedicated Health Care Provider	Breastfeeding Initiation*	+++++	7	90.4%	84.0%
Maternity Practices Score		++	37	69.7%	71.1%
Maternity Practices Score		++++	17		25.6%
Nutrition and Physical Activity Exercise +++++ 2 28.4% 21.5% Fruit and Vegetable Consumption ++ 36 8.4% 10.4% 17.2% 22.6% 22.6% 22.6% 23.6% 24.6% 24.5% 24.5% 24.6% 24.5% 24.6% 25.6% 25.6% 26.6%		+++++	3		
Nutrition and Physical Activity	·				
Exercise	BEHAVIORS*	++++	17	0.166	
Fruit and Vegetable Consumption Physical Inactivity ##### 5 17.2% 22.69 Sexual Health Chlamydia	Nutrition and Physical Activity				
Physical Inactivity		+++++			21.5%
Sexual Health Chlamydia +++ 21 1,640 1,743 1,744 1,743 1,744 1,744 1,745		++			10.4%
Chlamydia +++ 21 1,640 1,743 High-risk HIV Behaviors ++ 37 10.8% 9.7% Unintended Pregnancy* - 29.7% 30.69 Sleep Health ++++++ 3 29.6% 36.1% Tobacco Use E-cigarette Use* ++ 36 6.5% 5.3% Smoking ++ 9 19.8% 14.3% Smoking During Pregnancy + 46 13.2% 6.0% HEALTH OUTCOMES* ++ 31 -0.360 - Behavioral Health 46 13.2% 6.0% Behavioral Health ++++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression* - - 20.1 Mortality - - - 20.1 Mortality Rate ++ 34	Physical Inactivity	++++	5	17.2%	22.6%
Chlamydia +++ 21 1,640 1,743 High-risk HIV Behaviors ++ 37 10.8% 9.7% Unintended Pregnancy* - 29.7% 30.69 Sleep Health ++++++ 3 29.6% 36.1% Tobacco Use E-cigarette Use* ++ 36 6.5% 5.3% Smoking ++ 9 19.8% 14.3% Smoking During Pregnancy + 46 13.2% 6.0% HEALTH OUTCOMES* ++ 31 -0.360 - Behavioral Health 46 13.2% 6.0% Behavioral Health ++++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression* - - 20.1 Mortality - - - 20.1 Mortality Rate ++ 34	Sexual Health				
High-risk HIV Behaviors		+++	21	1640	1743
Unintended Pregnancy+	,				
Sleep Health Insufficient Sleep			_		30.6%
Insufficient Sleep				20.770	00.070
E-cigarette Use* ++ 36 6.5% 5.3% Smoking ++ 9 19.8% 14.3% Smoking During Pregnancy + 46 13.2% 6.0% HEALTH OUTCOMES* ++ 31 -0.360 Behavioral Health Drug Deaths* ++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression* 15.6% 13.4% Mortality Maternal Mortality* 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	-	+++++	3	29.6%	36.1%
E-cigarette Use* ++ 36 6.5% 5.3% Smoking ++ 9 19.8% 14.3% Smoking During Pregnancy + 46 13.2% 6.0% HEALTH OUTCOMES* ++ 31 -0.360 Behavioral Health Drug Deaths* ++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression* 15.6% 13.4% Mortality Maternal Mortality* 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	Tobacco Hea				
Smoking ++ 9 19.8% 14.3% Smoking During Pregnancy + 46 13.2% 6.0% HEALTH OUTCOMES* Health Drug Deaths* +++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression* - 15.6% 13.4% Mortality Maternal Mortality* - - 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health - 4 26 8.7% 8.4% High Blood Pressure ++++++ 10 8.3% 10.6%		++	36	6.5%	5.3%
Smoking During Pregnancy					
HEALTH OUTCOMES*					6.0%
Behavioral Health Drug Deaths†					
Drug Deaths¹ ++++ 14 13.6 20.7 Excessive Drinking + 42 23.8% 19.2% Frequent Mental Distress +++ 24 19.0% 18.1% Illicit Drug Use + 46 15.4% 10.8% Postpartum Depression¹ − 15.6% 13.4% Mortality Maternal Mortality¹ − − 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure ++++++ 10 8.3% 10.6%		++	31	-0.360	_
Excessive Drinking			1.4	10.0	007
Frequent Mental Distress					
Illicit Drug Use	_				
Mortality - 15.6% 13.4% Mortality Maternal Mortality* - - 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	,				
Mortality — — 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health ++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	U U	+	46		
Maternal Mortality* - - 20.1 Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	Postpartum Depression*		_	15.6%	13.4%
Mortality Rate ++ 34 114.4 97.2 Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	_				
Physical Health Frequent Physical Distress +++ 26 8.7% 8.4% High Blood Pressure +++++ 10 8.3% 10.6%	Maternal Mortality*		_	_	20.1
Frequent Physical Distress		++	34	114.4	97.2
High Blood Pressure +++++ 10 8.3% 10.6%					
High Blood Pressure +++++ 10 8.3% 10.6%	Frequent Physical Distress	+++	26	8.7%	8.4%
		+++++	10	8.3%	10.6%
High Health Status	High Health Status‡	+++++	4	60.5%	53.8%
Maternal Morbidity [‡] – 9.1 6.6	Maternal Morbidity*		_	9.1	6.6
Multiple Chronic Conditions +++ 21 4.3% 4.4%	Multiple Chronic Conditions	+++	21	4.3%	4.4%
·	Waltiple Official Conditions				
OVERALL – WOMEN* – 0.030 –		+++++	5	24.3%	30.0%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	40	-0.310	_
Access to Care				
ADD/ADHD Treatment	++++	15	3.8%	3.0%
Pediatricians	+	44	65.5	104.6
Uninsured	++	37	6.2%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+	47	69.1%	75.8%
HPV Vaccination	+	43	46.7%	54.2%
Preventive Dental Care	++++	14	80.4%	77.5%
Well-child Visit	+	42	76.9%	80.7%
Quality of Care			05.00/	
Adequate Insurance	+++	30	65.9%	66.7%
Developmental Screening	+++	28	34.4%	36.9%
Medical Home	++++	12	52.1%	46.8%
BEHAVIORS*	+++	26	0.173	_
Nutrition and Physical Activity				
Breastfed	++++	11	31.1%	25.6%
Food Sufficiency	+++	25	69.5%	69.8%
Physical Activity	+++++	7	26.3%	20.6%
Soda Consumption — Youth‡		_	6.7%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	83.4%	90.9%
Teen Births	+++	28	16.3	16.7
Sleep Health				
Adequate Sleep	+++++	4	73.3%	66.1%
Sleep Position*		_	81.6%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	30.2%	32.7%
Tobacco Use	+	49	7.6%	4.0%
HEALTH OUTCOMES*	++	31	-0.178	_
Behavioral Health				
Alcohol Use — Youth	+	49	11.6%	9.2%
Anxiety	+	43	12.3%	9.1%
Depression	+	50	8.5%	3.9%
Flourishing	++++	12	70.2%	69.1%
Illicit Drug Use — Youth	+	46	11.6%	8.4%
Teen Suicide‡			27.2	11.2
Mortality				
Child Mortality	+	41	33.4	25.4
Infant Mortality	++++	15	5.2	5.7
Physical Health		4.4	0.40/	750/
Asthma	++++	14	6.4%	7.5%
High Health Status*	+++++	4	93.1%	90.4%
Low Birthweight	++++	12	7.3%	8.3%
Low Birthweight Racial Disparity	+++++	2	1.2	2.1
Overweight or Obesity — Youth	+++++	5	24.3%	32.1%
OVERALL — CHILDREN*		_	-0.153	_
OVERALL — WOMEN AND CHILDREN*			0.072	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Nebraska

State Health Department Website: dhhs.ne.gov



Summary

Strengths:

- Low percentage of children in poverty
- Low prevalence of students experiencing homelessness
- High percentage of infants exclusively breastfed for six months

Highlights:

WELL-WOMAN VISIT

from 60.2% to 72.0% of women ages 18-44 between 2013-2014 and 2018-2019

TEEN BIRTHS

▼39% from 24.9 to 15.3 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · High racial disparity in low birthweight
- · High racial gap in high school graduation rates
- · High prevalence of excessive drinking among women

FREQUENT MENTAL DISTRESS

40% from 12.1% to 16.9% of women ages 18-44 between 2013-2014 and 2018-2019

INFANT MORTALITY

from 4.9 to 5.7 deaths per 1,000 live births between 2012-2013 and 2017-2018

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	15	0.406	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.2%	3.0%
Violent Crime	+++	21	301	379
Economic Resources				
Concentrated Disadvantage	+++++	9	12.0%	25.1%
Food Insecurity	+++	25	10.8%	11.1%
Gender Pay Gap [‡]	++++	20	80.1%	81.0%
Poverty	++++	15	13.9%	15.2%
Unemployment	++++	15	3.0%	3.6%
Education				
College Graduate	++++	18	37.6%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++	35	13.8%	12.5%
Residential Segregation — Black/White	++	32	66	62
Voter Participation	+++	30	60.6%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	12	0.283	
Community and Family Safety				
Child Victimization [‡]	++++	15	5.9%	8.9%
Economic Resources				
Children in Poverty	+++++	6	11.0%	16.8%
Children in Poverty Racial Disparity	++	39	4.4	3.0
High-speed Internet	+++++	1	96.5%	92.6%
Students Experiencing Homelessness	+++++	5	1.3%	3.0%
WIC Coverage	+++	23	54.0%	53.9%
Education				
Early Childhood Education	++	32	44.2%	48.9%
Fourth Grade Reading Proficiency	++++	15	36.8%	34.3%
High School Graduation	++++	12	88.4%	85.8%
High School Graduation Racial Disparity	+	45	21.5	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	10	13.4%	14.8%
Foster Care Instability	+++++	4	9.6%	16.0%
Neighborhood Amenities	+++	29	34.2%	37.4%
Reading, Singing or Storytelling	+	42	51.4%	55.9%
	++++	15	0.159	_
	++++	17	7.0	8.3
	++++	14	0.1%	0.8%
	++++	16	13.6%	14.0%
	++++	14	755,701	361,963,972
	+++	30	71.6%	73.0%
	++	36	0	_
	++	38	10.7	8.7
	++	34	81.1%	75.4%
	++	39	22.4%	17.6%
	+++++	39 6	12.6%	17.5%
		U	12.0/0	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Wollieli				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	21	0.336	_
Access to Care				
Adequate Prenatal Care	++++	17	80.0%	76.7%
Avoided Care Due to Cost	+++	28	18.2%	18.8%
Publicly-funded Women's Health Services	+++	27	24%	29%
Uninsured	+++	27	11.3%	12.9%
Women's Health Providers	++	31	45.2	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	18	82.0%	79.9%
Dental Visit	+++	21	69.4%	67.6%
Flu Vaccination	+++++	3	41.9%	31.5%
Postpartum Visit [‡]		_	92.4%	90.7%
Well-woman Visit	++	32	72.0%	73.2%
Quality of Care				
Breastfeeding Initiation*	++++	15	88.4%	84.0%
Dedicated Health Care Provider	++++	18	76.2%	71.1%
Low-risk Cesarean Delivery	+++++	8	21.2%	25.6%
Maternity Practices Score	+	47	71	79
,				
BEHAVIORS*	++++	15	0.168	_
Nutrition and Physical Activity				
Exercise	+++	23	21.8%	21.5%
Fruit and Vegetable Consumption	++	34	8.6%	10.4%
Physical Inactivity	+++	21	21.3%	22.6%
Sexual Health				
Chlamydia	+++++	10	1,387	1,743
High-risk HIV Behaviors	++++	11	8.6%	9.7%
Unintended Pregnancy*		_	25.9%	30.6%
Sleep Health				
Insufficient Sleep	++++	18	33.5%	36.1%
Tobacco Use				
E-cigarette Use [‡]	++++	14	5.2%	5.3%
Smoking	+++	23	15.9%	14.3%
Smoking During Pregnancy	+++	27	8.4%	6.0%
Smoking Banng Fregrancy		2,	0.470	0.070
HEALTH OUTCOMES*	++++	14	0.221	_
Behavioral Health				
Drug Deaths*	+++++	4	9.3	20.7
Excessive Drinking	+	41	23.3%	19.2%
Frequent Mental Distress	++++	12	16.9%	18.1%
Illicit Drug Use	+++++	9	9.2%	10.8%
Postpartum Depression*		_	12.3%	13.4%
Mortality				
Maternal Mortality [‡]		_	_	20.1
Mortality Rate	++++	11	82.6	97.2
Physical Health				
Frequent Physical Distress	+++++	9	7.6%	8.4%
High Blood Pressure	++++	15	9.3%	10.6%
High Health Status*	++++	14	56.8%	53.8%
Maternal Morbidity*		_	6.9	6.6
Multiple Chronic Conditions	+++++	8	3.5%	4.4%
Obesity	+++	29	32.2%	30.0%
OVERALL — WOMEN*		_	0.257	- 50.076
OVERALL — WOWIEN			0.237	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	22	0.243	_
Access to Care				
ADD/ADHD Treatment	+++	27	3.1%	3.0%
Pediatricians	++	35	79.3	104.6
Uninsured	+++	30	5.7%	5.7%
Preventive Clinical Care			0.470/	
Childhood Immunizations	+++++	2	84.7%	75.8%
HPV Vaccination Preventive Dental Care	++++	12	60.5%	54.2%
Well-child Visit	+++++	9 41	82.4% 77.0%	77.5% 80.7%
			77.070	00.776
Quality of Care Adequate Insurance	++	40	63.0%	66.7%
Developmental Screening	++	37	30.2%	36.9%
Medical Home	++++	18	51.4%	46.8%
Wedicarriome		10	01.470	40.0%
BEHAVIORS*	++++	14	0.459	_
Nutrition and Physical Activity				
Breastfed	+++++	7	32.6%	25.6%
Food Sufficiency	++++	18	71.2%	69.8%
Physical Activity	++++	20	23.7%	20.6%
Soda Consumption — Youth‡			8.4%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	89.7%	90.9%
Teen Births	+++	24	15.3	16.7
Sleep Health				
Adequate Sleep	+++	21	67.6%	66.1%
Sleep Position*		_	86.8%	79.6%
Tobacco Use — Youth			1710/	00.70/
Electronic Vapor Product Use [‡] Tobacco Use		_ 20	17.1% 4.0%	32.7%
lobacco ose	++++	20	4.0%	4.0%
HEALTH OUTCOMES*	++++	11	0.230	_
Behavioral Health				
Alcohol Use — Youth	++	35	10.0%	9.2%
Anxiety	++++	15	8.7%	9.1%
Depression	+++	27	4.6%	3.9%
Flourishing	+++++	5	71.4%	69.1%
Illicit Drug Use — Youth	+++	23	8.0%	8.4%
Teen Suicide‡			14.7	11.2
Mortality				
Child Mortality	+++	23	25.9	25.4
Infant Mortality	++++	18	5.7	5.7
Physical Health	,	_	E C0/	750/
Asthma	+++++	6	5.6%	7.5%
High Health Status‡ Low Birthweight	++++	16 16	91.6%	90.4%
Low Birthweight Racial Disparity	++++	16 45	7.6% 2.2	8.3%
Overweight or Obesity — Youth	++++	45 12	28.0%	2.1 32.1%
Overweight of Obesity — Toutiff	1111	IΔ		JZ.1/0
OVERALL — CHILDREN*		_	0.272	_
OVERALL - WOMEN AND CHILDREN*			0.276	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Nevada

State Health Department Website: dhhs.nv.gov



Summary

Strengths:

- · Low percentage of housing with lead risk
- Low prevalence of asthma among children
- · Low prevalence of smoking during pregnancy

Highlights:

CHILDREN IN POVERTY

▼26% from 22.7% to 16.9% of children ages 0-17 between 2013 and 2019

TEEN BIRTHS

▼39% from 30.8 to 18.9 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- Low percentage of female college graduates
- · High prevalence of illicit drug use among women
- · Low enrollment in early childhood education

FREQUENT MENTAL DISTRESS

60% from 13.2% to 21.1% of women ages 18-44 between 2013-2014 and 2018-2019

INFANT MORTALITY

from 5.1 to 6.0 deaths per 1,000 live births between 2012-2013 and 2017-2018

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	41	-0.467	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+	42	494	379
Economic Resources				
Concentrated Disadvantage	++	39	27.9%	25.1%
Food Insecurity	++	39	12.8%	11.1%
Gender Pay Gap‡	+++++	4	87.2%	81.0%
Poverty	+++	23	15.0%	15.2%
Unemployment	++	33	3.7%	3.6%
Education				
College Graduate	+	50	21.6%	35.7%
Ossisl Ossas and English				
Social Support and Engagement		27	14.00/	10 E0/
Infant Child Care Cost	++	37	14.2%	12.5%
Residential Segregation — Black/White	+++++	3	50	62
Voter Participation	+	45	56.5%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	39	-0.273	_
Community and Family Safety				
Child Victimization [‡]	++++	19	7.2%	8.9%
Economic Resources				
Children in Poverty	+++	30	16.9%	16.8%
Children in Poverty Racial Disparity	++	32	3.4	3.0
High-speed Internet	+	44	90.3%	92.6%
Students Experiencing Homelessness	+	45	3.7%	3.0%
WIC Coverage	+++	29	51.1%	53.9%
Education				
Early Childhood Education	+	44	39.1%	48.9%
Fourth Grade Reading Proficiency	+	43	30.9%	34.3%
High School Graduation	++	33	84.1%	85.8%
High School Graduation Racial Disparity	+++	29	15.1	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	10	13.4%	14.8%
Foster Care Instability	+++	26	16.6%	16.0%
Neighborhood Amenities	++++	15	37.8%	37.4%
Reading, Singing or Storytelling	++	33	54.4%	55.9%
	+++	21	0.130	_
	++	39	8.3	8.3
	++++	14	0.1%	0.8%
	+++	28	15.8%	14.0%
	++	34	6,648,690	361,963,972
	+++	27	75.0%	73.0%
		00	0	
	+++	23	2	- 0.7
	+++	24	8.9	8.7
	++++	16	76.2%	75.4%
	+++++	10	5.2%	17.6%
	+	43	18.8%	17.5%
		40	10.076	17.070

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

1easures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	49	-0.924	_
Access to Care				
Adequate Prenatal Care	++	40	73.6%	76.7%
Avoided Care Due to Cost	++	40	22.2%	18.8%
Publicly-funded Women's Health Services	+	50	14%	29%
Uninsured	+	41	15.9%	12.9%
Women's Health Providers	+	46	37.5	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	28	80.1%	79.99
Dental Visit	+	45	61.0%	67.6%
Flu Vaccination	+	50	22.2%	31.5%
Postpartum Visit*		_	_	90.79
Well-woman Visit	+	49	65.1%	73.29
Quality of Care			00	70.27
Breastfeeding Initiation*	++	38	80.0%	84.09
Dedicated Health Care Provider	+	49	58.1%	71.1%
Low-risk Cesarean Delivery	++	37	26.8%	25.69
Maternity Practices Score	+++	28	77	79
materinity i radiced deere				, ,
BEHAVIORS*	++	38	-0.483	
Nutrition and Physical Activity				
Exercise	+	43	18.1%	21.59
Fruit and Vegetable Consumption	+	49	6.3%	10.49
Physical Inactivity	+	45	25.6%	22.69
Sexual Health				
Chlamydia	++	32	1,820	1,743
High-risk HIV Behaviors	+	41	11.1%	9.7%
Unintended Pregnancy‡		_	_	30.69
Sleep Health				
Insufficient Sleep	++	33	38.2%	36.19
Tobacco Use				
E-cigarette Use‡	++	35	6.4%	5.3%
Smoking	++++	17	13.3%	14.39
Smoking During Pregnancy	+++++	6	3.5%	6.0%
HEALTH OUTCOMES*	+++	29	-0.342	_
Behavioral Health				
Drug Deaths‡	+++	21	18.5	20.7
Excessive Drinking		15	17.8%	19.29
	++++	10		
-	++++	34	21.1%	18.19
Frequent Mental Distress				
Frequent Mental Distress Illicit Drug Use	++	34	21.1%	10.89
Frequent Mental Distress Illicit Drug Use Postpartum Depression‡	++	34	21.1% 16.9%	10.89
Frequent Mental Distress Illicit Drug Use Postpartum Depression‡ Mortality	++	34	21.1% 16.9%	10.89 13.49
Frequent Mental Distress Illicit Drug Use Postpartum Depression‡ Mortality Maternal Mortality‡	++	34	21.1% 16.9%	10.89
Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate	++	34 48 —	21.1% 16.9% —	10.89
Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health	++	34 48 —	21.1% 16.9% —	10.89 13.49 20.1 97.2
Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress	++ + + + + + + + + + + + + + + + + + + +	34 48 - - - 22	21.1% 16.9% — — — 94.3	10.89 13.49 20.1 97.2 8.49
Frequent Mental Distress Illicit Drug Use Postpartum Depression Mortality Maternal Mortality Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	++ ++ ++	34 48 - - 22 35	21.1% 16.9% — 94.3 9.7% 11.1%	10.89 13.49 20.1 97.2 8.49 10.69
Frequent Mental Distress Illicit Drug Use Postpartum Depression Mortality Maternal Mortality Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status	++ ++ +++++++++++++++++++++++++++++++++	34 48 - - 22 35 30	21.1% 16.9% — 94.3 9.7% 11.1% 47.8%	20.1 97.2 8.4% 10.6% 53.8°
Frequent Mental Distress Illicit Drug Use Postpartum Depression Mortality Maternal Mortality Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status Maternal Morbidity	++ ++ +++++++++++++++++++++++++++++++++	34 48 - - 22 35 30 49	21.1% 16.9% — 94.3 9.7% 11.1% 47.8% 6.3	18.1% 10.8% 13.4% 20.1 97.2 8.4% 10.6% 53.8% 6.6 4.4%
Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity* Multiple Chronic Conditions Obesity	+++++++++++++++++++++++++++++++++++++++	34 48 - 22 35 30 49 -	21.1% 16.9% — 94.3 9.7% 11.1% 47.8%	10.89 13.49 20.1 97.2 8.4% 10.69 53.89

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	50	-1.186	_
Access to Care				
ADD/ADHD Treatment	+	49	1.1%	3.0%
Pediatricians	+	47	57.9	104.6
Uninsured	+	44	8.0%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++	33	75.2%	75.8%
HPV Vaccination	++	31	52.9%	54.2%
Preventive Dental Care	+	50	71.7%	77.5%
Well-child Visit	+	50	71.7%	80.7%
Quality of Care				
Adequate Insurance	+	47	61.4%	66.7%
Developmental Screening	+	48	22.3%	36.9%
Medical Home	+	49	35.7%	46.8%
BEHAVIORS*	++	38	-0.477	_
Nutrition and Physical Activity		4.0	04 70/	
Breastfed	+	43	21.7%	25.6%
Food Sufficiency	++	40	64.5%	69.8%
Physical Activity	+	49	14.6%	20.6%
Soda Consumption — Youth Sexual Health — Youth			5.5%	9.3%
		_	89.7%	00.00/
Dual Contraceptive Nonuse* Teen Births	++	33	18.9	90.9%
reen Births	++	33	16.9	16.7
Sleep Health				
Adequate Sleep	++++	18	68.4%	66.1%
Sleep Position [‡]		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	24.1%	32.7%
Tobacco Use	+++++	10	3.5%	4.0%
HEALTH OUTCOMES*	+++	21	0.027	_
Behavioral Health Alcohol Use — Youth		00	0.00/	0.00/
Anxiety	+++	26 7	9.3% 7.9%	9.2%
Depression	+++++	9	3.2%	9.1%
Flourishing	+	42	67.1%	69.1%
Illicit Drug Use — Youth	+	42	10.5%	8.4%
Teen Suicide‡	Т	42	15.6	11.2
Mortality			10.0	11.2
Child Mortality	+++	22	25.7	25.4
Infant Mortality	+++	25	6.0	5.7
Physical Health				
Asthma	++++	11	6.2%	7.5%
High Health Status*	+	41	89.2%	90.4%
Low Birthweight	++	36	8.8%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	2.1
Overweight or Obesity — Youth	++++	20	30.2%	32.1%
OVERALL — CHILDREN*			-0.271	_

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

New Hampshire

State Health Department Website: dhhs.nh.gov



Summary

Strengths:

- · Low percentage of women in poverty
- · Low infant mortality rate
- High prevalence of food sufficiency among children

Highlights:

FOOD INSECURITY

▼35% from 10.1% to 6.6% of households between 2013-2015 and 2017-2019

LOW BIRTHWEIGHT

from 6.9% to 6.4% of live births between 2017 and 2019

Challenges:

- Low WIC coverage among eligible children ages 1-4
- High prevalence of anxiety among children
- High prevalence of multiple chronic conditions among women

OBESITY

33% from 22.3% to 29.6% of women ages 18-44 between 2014-2015 and 2018-2019

FREQUENT MENTAL DISTRESS

from 14.4% to 24.5% of women ages 18-44 70% from 14.4% to 24.5% of 13.1121 between 2013-2014 and 2018-2019

State State

U.S

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	1	1.240	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.4%	3.0%
Violent Crime	+++++	2	153	379
Economic Resources				
Concentrated Disadvantage	+++++	2	4.6%	25.1%
Food Insecurity	+++++	1	6.6%	11.1%
Gender Pay Gap‡	++++	14	81.6%	81.0%
Poverty	+++++	1	10.1%	15.2%
Unemployment	+++++	5	2.5%	3.6%
Education				
College Graduate	++++	12	39.7%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++	25	12.0%	12.5%
Residential Segregation — Black/White	+++	28	65	62
Voter Participation	+++++	8	67.3%	61.7%
PHYSICAL ENVIRONMENT*				

leasures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++++	3	0.661	_
Community and Family Safety				
Child Victimization*	++++	12	4.8%	8.9%
Economic Resources				
Children in Poverty	+++++	1	7.1%	16.8%
Children in Poverty Racial Disparity	++++	11	2.9	3.0
High-speed Internet	+++++	5	96.0%	92.6%
Students Experiencing Homelessness	+++	29	2.3%	3.0%
WIC Coverage	+	45	44.1%	53.9%
Education	-	-10	1-1.170	00.070
Early Childhood Education	+++++	7	58.2%	48.9%
Fourth Grade Reading Proficiency	+++++	9	38.2%	34.3%
High School Graduation	++++	12	88.4%	85.8%
High School Graduation Racial Disparity	+++	23	13.5	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	17	14.5%	14.8%
Foster Care Instability	++++	20	14.9%	16.0%
Neighborhood Amenities	+++	22	36.1%	37.4%
Decelled Observation of Observatelline		5	65.9%	55.9%
Reading, Singing or Storytelling	+++++	Ü	00.070	
Reading, Singing or Storyteiling				_
Reading, Singing or Storytelling	++++	24	0.083	_
Reading, Singing or Storytelling				8.3
Reading, Singing or Storytelling	+++	24	0.083	8.3 0.8%
Reading, Singing or Storytelling	+++	24	0.083	
Reading, Singing or Storytelling	+++	24 1 24	0.083 4.1 0.2%	0.8% 14.0%
Reading, Singing or Storytelling	+++ 	1 24 20	0.083 4.1 0.2% 14.2%	0.8% 14.0%
Reading, Singing or Storytelling	+++ ++++ +++ ++++	24 1 24 20 8	0.083 4.1 0.2% 14.2% 75,697 46.7%	0.8% 14.0% 361,963,9
Reading, Singing or Storytelling	+++ ++++ +++ ++++	24 1 24 20 8	0.083 4.1 0.2% 14.2% 75,697	0.8% 14.0% 361,963,9
Reading, Singing or Storytelling	+++ ++++ +++ ++++ +	1 24 20 8 44	0.083 4.1 0.2% 14.2% 75,697 46.7%	0.8% 14.0% 361,963,9
Reading, Singing or Storytelling	+++ ++++ ++++ ++++ +	1 24 20 8 44	0.083 4.1 0.2% 14.2% 75,697 46.7% 4 7.6	0.8% 14.0% 361,963,9 73.0% — 8.7
Reading, Singing or Storytelling	+++ ++++ ++++ ++++ +	1 24 20 8 44	0.083 4.1 0.2% 14.2% 75,697 46.7%	0.8% 14.0% 361,963,9 73.0%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	7	0.798	_
Access to Care				
Adequate Prenatal Care	+++++	4	86.6%	76.7%
Avoided Care Due to Cost	+++	26	17.7%	18.8%
Publicly-funded Women's Health Services	++++	18	29%	29%
Uninsured	++++	19	9.4%	12.9%
Women's Health Providers	+++++	7	66.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	10	83.3%	79.9%
Dental Visit	++	32	65.9%	67.6%
Flu Vaccination	+++	24	33.1%	31.5%
Postpartum Visit‡		_	90.8%	90.7%
Well-woman Visit	++++	14	76.0%	73.2%
Quality of Care			70.070	70.270
Breastfeeding Initiation*	+++++	8	89.9%	84.0%
Dedicated Health Care Provider	+++++	1	86.1%	71.1%
Low-risk Cesarean Delivery	++	32	26.0%	25.6%
Maternity Practices Score	+++++	2	90	79
Materilly Fractices Score	111111	_	90	/3
BEHAVIORS*	++++	12	0.396	_
Nutrition and Physical Activity				
Exercise	+++++	6	25.0%	21.5%
Fruit and Vegetable Consumption	+++++	5	12.4%	10.4%
Physical Inactivity	++++	15	20.2%	22.6%
Thysical mastivity		.0	20.270	22.070
Sexual Health				
Chlamydia	+++++	5	1,009	1,743
High-risk HIV Behaviors	+++++	7	7.6%	9.7%
Unintended Pregnancy [‡]		_	20.8%	30.6%
Sleep Health				
Insufficient Sleep	++	35	38.4%	36.1%
Tobacco Use				
E-cigarette Use [‡]	+	41	6.7%	5.3%
Smoking	++	37	19.5%	14.3%
-	+++	30	8.8%	6.0%
Smoking During Pregnancy	777	30	0.0%	0.0%
HEALTH OUTCOMES*	+	41	-0.833	_
Behavioral Health				
Drug Deaths [‡]	+	46	41.4	20.7
Excessive Drinking	+++	21	18.3%	19.2%
Frequent Mental Distress	+	47	24.5%	18.1%
Illicit Drug Use	++++	19	10.6%	10.8%
Postpartum Depression*		_	11.2%	13.4%
Mortality				
Maternal Mortality [‡]		_	_	20.1
Mortality Rate	+++	29	108.7	97.2
Physical Health				- O7.E
Frequent Physical Distress	+	46	11.2%	8.4%
High Blood Pressure	++	35	11.6%	10.6%
High Health Status*	++++	18	56.5%	
Maternal Morbidity	TTTT	_		53.8%
•			12.5	6.6
Multiple Chronic Conditions	+	49	7.5%	4.4%
Obesity OVERALL — WOMEN*	+++	24 —	29.6% 0.331	30.0%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	4	1.073	_
Access to Care				
ADD/ADHD Treatment	+++++	5	4.7%	3.0%
Pediatricians	++++	14	117.6	104.6
Uninsured	++++	15	3.7%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	4	84.2%	75.8%
HPV Vaccination	+++++	8	63.2%	54.2%
Preventive Dental Care	+++++	7	84.2%	77.5%
Well-child Visit	+++++	1	89.6%	80.7%
Quality of Care				
Adequate Insurance	+++	28	66.6%	66.7%
Developmental Screening	++	32	33.0%	36.9%
Medical Home	+++++	2	56.1%	46.8%
BEHAVIORS*	+++++	1	1.106	_
Nutrition and Physical Activity		0	00.70/	05.00/
Breastfed	+++++	3	36.7%	25.6%
Food Sufficiency Physical Activity	+++++	2 17	78.5% 24.1%	69.8%
Soda Consumption — Youth‡	TTTT	17	7.2%	9.3%
Sexual Health — Youth			7.270	9.576
Dual Contraceptive Nonuse*		_	82.8%	90.9%
Teen Births	+++++	1	6.6	16.7
				10.7
Sleep Health				
Adequate Sleep	++++	17	68.9%	66.1%
Sleep Position*			87.3%	79.6%
Tobacco Use — Youth				00.70/
Electronic Vapor Product Use‡ Tobacco Use	++++	20	33.8%	32.7% 4.0%
lobacco ose	77777	20	33.0%	4.0%
HEALTH OUTCOMES*	+++++	10	0.248	_
Behavioral Health			0.2-10	
Alcohol Use — Youth	+	44	10.9%	9.2%
Anxiety	+	49	15.3%	9.1%
Depression	+	41	5.4%	3.9%
Flourishing	++	37	68.1%	69.1%
Illicit Drug Use — Youth	++	39	10.1%	8.4%
Teen Suicide‡			11.8	11.2
Mortality				
Child Mortality	+++++	8	20.3	25.4
Infant Mortality	+++++	1	3.9	5.7
Physical Health		10	0.50/	7.50/
Asthma	++++	16	6.5%	7.5%
High Health Status	+++++	5	93.0%	90.4%
Low Birthweight Basial Disparity	+++++	2 5	6.4% 1.5	8.3%
Low Birthweight Racial Disparity Overweight or Obesity — Youth	+++++	5 7	1.5 26.6%	2.1
Overweight of Opesity — Touth	+++++	/	ZU.U/6	32.1%
OVERALL — CHILDREN*		_	0.582	_
OVERALL — WOMEN AND CHILDREN'S			0.506	

^{*} Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

New Jersey

State Health Department Website: nj.gov/health/



Summary

Strengths:

- High enrollment in early childhood education
- High percentage of fourth grade reading proficiency
- Low percentage of women in poverty

Highlights:

CHILDREN IN POVERTY

▼26% from 16.7% to 12.3% of children ages 0-17 between 2013 and 2019

LOW-RISK CESAREAN DELIVERY

from 31.6% to 26.7% of singleton, term, vertex, first births between 2014 and 2019

Challenges:

- · Low percentage of early and adequate prenatal care
- · High percentage of housing with lead risk
- · High prevalence of asthma among children

INFANT CHILD CARE COST

from 10.7% to 12.6% of married-couple's 18% redian income between 2017 and 2018

DRUG DEATHS

72% from 16.0 to 27.5 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	8	0.818	-
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.0%	3.0%
Violent Crime	+++++	5	207	379
Economic Resources				
Concentrated Disadvantage	+++	27	20.6%	25.1%
Food Insecurity	+++++	2	7.7%	11.1%
Gender Pay Gap‡	++++	20	80.1%	81.0%
Poverty	+++++	4	10.8%	15.2%
Unemployment	++++	19	3.4%	3.6%
Education				
College Graduate**	+++++	4	44.5%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++	28	12.6%	12.5%
Residential Segregation — Black/White	++	35	67	62
Voter Participation	+++++	9	67.0%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	1	0.847	
Community and Family Safety				
Child Victimization*	+++++	4	2.6%	8.9%
Economic Resources				
Children in Poverty	++++	12	12.3%	16.8%
Children in Poverty Racial Disparity	+	42	4.6	3.0
High-speed Internet	++++	18	93.8%	92.6%
Students Experiencing Homelessness	+++++	2	1.0%	3.0%
WIC Coverage	++++	16	55.2%	53.9%
Education				
Early Childhood Education	+++++	1	67.8%	48.9%
Fourth Grade Reading Proficiency	+++++	2	41.9%	34.3%
High School Graduation	+++++	4	90.6%	85.8%
High School Graduation Racial Disparity	++++	14	11.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	1	10.2%	14.8%
Foster Care Instability	++++	14	12.6%	16.0%
Neighborhood Amenities	+++++	6	48.4%	37.4%
Reading, Singing or Storytelling	++	34	54.3%	55.9%
	+	50	-0.533	_
	++	35	8.0	8.3
	+	49	8.9%	0.8%
	+++++	7	10.1%	14.0%
	+++	27	4,067,334	361,963,972
	+	49	16.2%	73.0%
	+++++	1	4	_
	++++	19	8.1	8.7
	+++++	6	71.5%	75.4%
	+	42	24.2%	17.6%
	+	47	21.2%	17.5%
	r.	4/	∠1.∠/0	17.570

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	29	0.100	_
Access to Care				
Adequate Prenatal Care	++	38	74.1%	76.7%
Avoided Care Due to Cost**	+++	24	17.3%	18.8%
Publicly-funded Women's Health Services	++++	20	27%	29%
Uninsured	+++	28	11.4%	12.9%
Women's Health Providers	+++	21	51.2	48.5
Preventive Clinical Care				
Cervical Cancer Screening**	++	40	78.3%	79.9%
Dental Visit**	+++++	8	73.2%	67.6%
Flu Vaccination**	++	33	30.9%	31.5%
Postpartum Visit [‡]		_	89.5%	90.7%
Well-woman Visit**	+++	23	74.3%	73.2%
Quality of Care				
Breastfeeding Initiation*	++	36	80.2%	84.0%
Dedicated Health Care Provider**	+++	24	72.9%	71.1%
Low-risk Cesarean Delivery	++	36	26.7%	25.6%
Maternity Practices Score	++++	19	80	79
BEHAVIORS*	+++++	6	0.494	
Nutrition and Physical Activity				
Exercise **	+++	26	21.4%	21.5%
Fruit and Vegetable Consumption**	++++	15	11.4%	10.4%
Physical Inactivity**	+	41	25.4%	22.6%
Sexual Health				
		11	1.404	17/10
Chlamydia	++++	1	1,404 6.4%	1,743 9.7%
High-risk HIV Behaviors**	+++++			
Unintended Pregnancy* Sleep Health			25.6%	30.6%
Insufficient Sleep**	+++	25	35.9%	36.1%
maunicient dieep		20	00.076	30.176
Tobacco Use				
E-cigarette Use* **	+++++	6	4.5%	5.3%
Smoking**	+++++	5	11.1%	14.3%
Smoking During Pregnancy	+++++	5	2.8%	6.0%
HEALTH OUTCOMES*	+++++	4	0.594	
Behavioral Health		0.0	07.5	007
Drug Deaths+	++	36	27.5	20.7
Excessive Drinking**	+++++	6	16.3%	19.2%
Frequent Mental Distress**	+++++	4	14.4%	18.1%
Illicit Drug Use	+++++	5	8.6%	10.8%
Postpartum Depression*		_	10.4%	13.4%
Mortality				
Maternal Mortality		_	_	20.1
Mortality Rate	++++	16	86.4	97.2
Physical Health				
Frequent Physical Distress**	++++	18	8.3%	8.4%
High Blood Pressure**	++	31	11.2%	10.6%
High Health Status***	++++	17	56.6%	53.8%
Maternal Morbidity		_	9.2	6.6
Multiple Chronic Conditions**	++++	17	4.1%	4.4%
Obesity**	+++++	3	23.3%	30.0%
OVERALL — WOMEN*		_	0.319	
OVERALL — WOWLEN			0.518	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, see the Appendix (Page x) or visit www. Americas Health Rankings.org.

Children		Casas	Chaha	11.0
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	20	0.282	
Access to Care				
ADD/ADHD Treatment	+	46	1.7%	3.0%
Pediatricians	++++	12	121.5	104.6
Uninsured	++++	19	4.3%	5.7%
D 01: 1 10				
Preventive Clinical Care Childhood Immunizations	+++	30	75.7%	75.00/
HPV Vaccination		34		75.8%
Preventive Dental Care	++		51.4%	54.2%
Well-child Visit		11	81.8%	77.5%
Well-Child Visit	+++++	4	88.6%	80.7%
Quality of Care		O.F.	C7 F0/	00.70/
Adequate Insurance	+++	25	67.5%	66.7%
Developmental Screening	++	33	32.3%	36.9%
Medical Home	+	42	46.3%	46.8%
BEHAVIORS*	++++	13	0.479	L _
Nutrition and Physical Activity			-00	
Breastfed	++++	20	27.7%	25.6%
Food Sufficiency	+++++	4	76.1%	69.8%
Physical Activity	+	46	16.2%	20.6%
Soda Consumption — Youth‡		_	6.0%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	91.9%	90.9%
Teen Births	+++++	6	10.0	16.7
Sleep Health				
Adequate Sleep	+++	24	67.0%	66.1%
Sleep Position*		_	73.0%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	27.6%	32.7%
Tobacco Use	+++++	5	3.0%	4.0%
HEALTH OUTCOMES*	+++++	4	0.610	_
Behavioral Health		07	0.40/	0.00/
Alcohol Use — Youth	+++	27 2	9.4% 6.9%	9.2%
Anxiety	+++++	2	2.5%	9.1%
Depression	+++++			3.9%
Flourishing		6	71.3%	69.1%
Illicit Drug Use — Youth Teen Suicide‡	++++	18	7.7% 5.4	8.4%
Mortality			5.4	11.2
Child Mortality	+++++	3	16.8	25.4
Infant Mortality	+++++	3	4.1	5.7
Physical Health			-r.1	5.7
Asthma	++	39	8.5%	7.5%
High Health Status*	+++	21	91.3%	90.4%
Low Birthweight	+++	22	7.9%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	+++	23	30.9%	32.1%
OVERALL — CHILDREN*		_	0.435	_

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

^{**} The value presented in this edition is the same that appeared in the last edition due to missing Behavioral Risk Factor Surveillance System data for New Jersey.

[—] Data not available, missing or suppressed.

New Mexico

State Health Department Website: nmhealth.org



Summary

Strengths:

- High supply of women's health providers
- Low percentage of low-risk cesarean deliveries
- · Low prevalence of youth alcohol use

Highlights:

CHILDREN IN POVERTY

▼20% from 31.2% to 24.9% of children ages 0-17 between 2013 and 2019

TEEN BIRTHS

▼43% from 42.9 to 24.4 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- High prevalence of concentrated disadvantage
- High mortality rate among women ages 20-44
- Low percentage of fourth grade reading proficiency

OBESITY

26% from 27.9% to 55.2% or worrior ag-between 2016-2017 and 2018-2019 from 27.9% to 35.2% of women ages 18-44

FREQUENT MENTAL DISTRESS

36% from 14.3% to 19.4% of women ages 18-44 between 2013-2014 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*		50	-1.372	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.5%	3.0%
Violent Crime	+	49	832	379
Economic Resources				
Concentrated Disadvantage	+	49	45.3%	25.1%
Food Insecurity	+	47	15.1%	11.1%
Gender Pay Gap‡	++	37	77.4%	81.0%
Poverty	+	47	22.6%	15.2%
Unemployment	+	47	4.7%	3.6%
Education				
College Graduate	+	49	25.3%	35.7%
Social Support and Engagement				
Infant Child Care Cost‡	+++	27	12.5%	12.5%
Residential Segregation — Black/White	+++++	6	51	62
Voter Participation	++	40	57.0%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*		49	-0.923	
Community and Family Safety				
Child Victimization*	+	45	16.9%	8.9%
Economic Resources				
Children in Poverty	+	48	24.9%	16.8%
Children in Poverty Racial Disparity	++++	11	2.9	3.0
High-speed Internet	+	50	84.8%	92.6%
Students Experiencing Homelessness	+	42	3.5%	3.0%
WIC Coverage	+	49	41.4%	53.9%
Education				
Early Childhood Education	+++	25	46.1%	48.9%
Fourth Grade Reading Proficiency	+	50	23.7%	34.3%
High School Graduation	+	50	75.1%	85.8%
High School Graduation Racial Disparity	++++	15	12.0	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	47	22.3%	14.8%
Foster Care Instability	++	34	18.7%	16.0%
Neighborhood Amenities	+++	28	34.4%	37.4%
Reading, Singing or Storytelling	+++++	6	64.2%	55.9%
	++++	14	0.163	_
	+++++	8	5.9	8.3
	+	45	2.9%	0.8%
	++++	16	13.6%	14.0%
	+++++	3	12,552	361,963,972
	+++	25	76.7%	73.0%
	++++	13	3	_
	++	40	11.0	8.7
	+++	29	80.0%	75.4%
	++++	16	12.4%	17.6%
	++	37	17.3%	17.5%
	T	3/	17.5%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Wolliell		<u>.</u>		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	32	0.017	_
Access to Care				
Adequate Prenatal Care	+	49	65.4%	76.7%
Avoided Care Due to Cost	+++	21	16.5%	18.8%
Publicly-funded Women's Health Services	+++++	10	35%	29%
Uninsured	++	33	13.8%	12.9%
Women's Health Providers	+++++	5	68.8	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	30	79.3%	79.9%
Dental Visit	+++	30	66.3%	67.6%
Flu Vaccination	++	31	31.3%	31.5%
Postpartum Visit [‡]		_	87.5%	90.7%
Well-woman Visit	+	44	68.2%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++	22	86.0%	84.0%
Dedicated Health Care Provider	+	45	65.3%	71.1%
Low-risk Cesarean Delivery	+++++	9	21.3%	25.6%
Maternity Practices Score	++++	13	82	79
·				, 0
BEHAVIORS*	+++	27	-0.059	_
Nutrition and Physical Activity				
Exercise	++++	19	22.2%	21.5%
Fruit and Vegetable Consumption	++	38	8.3%	10.4%
Physical Inactivity	+++	25	21.7%	22.6%
Sexual Health				
Chlamydia	+	47	2,386	1,743
High-risk HIV Behaviors	+++	21	9.3%	9.7%
Unintended Pregnancy*		_	26.7%	30.6%
Sleep Health				
Insufficient Sleep	++++	19	33.7%	36.1%
Tobacco Use				
E-cigarette Use+	+++	23	5.7%	5.3%
Smoking	++++	18	13.6%	14.3%
Smoking During Pregnancy	++++	18	5.3%	6.0%
Citioning During Fregridiney		10	0.070	0.070
HEALTH OUTCOMES*	++	34	-0.584	_
Behavioral Health				
Drug Deaths‡	++	33	26.0	20.7
Excessive Drinking	+++++	8	16.7%	19.2%
Frequent Mental Distress	+++	26	19.4%	18.1%
Illicit Drug Use	+	43	13.2%	10.8%
Postpartum Depression*		_	14.1%	13.4%
Mortality				
Maternal Mortality [‡]		_	_	20.1
Mortality Rate	+	49	160.6	97.2
Physical Health				
Frequent Physical Distress	++	33	9.6%	8.4%
High Blood Pressure	+++++	10	8.3%	10.6%
High Health Status‡	+	50	46.0%	53.8%
Maternal Morbidity‡		_	4.5	6.6
Multiple Chronic Conditions	+++	21	4.3%	4.4%
Obesity	+	42	35.2%	30.0%
OVERALL — WOMEN*		_	-0.404	_
TITLE TOWNER			0.707	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit <u>www.AmericasHealthRankings.org.</u>

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	29	0.053	_
Access to Care				
ADD/ADHD Treatment	++++	17	3.6%	3.0%
Pediatricians	+++	27	96.9	104.6
Uninsured	+++	30	5.7%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+++	29	76.5%	75.8%
HPV Vaccination	++++	15	59.8%	54.2%
Preventive Dental Care	++++	20	79.0%	77.5%
Well-child Visit	+	45	76.3%	80.7%
Quality of Care				
Adequate Insurance	++++	12	70.4%	66.7%
Developmental Screening	++++	12	45.6%	36.9%
Medical Home	+	48	39.5%	46.8%
BEHAVIORS*	+	42	-0.680	_
Nutrition and Physical Activity		-		
Breastfed	+++	22	26.6%	25.6%
Food Sufficiency	+	47	61.5%	69.8%
Physical Activity	+++	28	22.5%	20.6%
Soda Consumption — Youth‡		_	10.7%	9.3%
Sexual Health — Youth			10.770	0.070
Dual Contraceptive Nonuse‡		_	91.0%	90.9%
Teen Births	+	43	24.4	16.7
Sleep Health				
Adequate Sleep	++	36	62.6%	66.1%
Sleep Position*		_	80.7%	79.6%
Tobacco Use — Youth			00.770	75.070
Electronic Vapor Product Use [‡]		_	34.0%	32.7%
Tobacco Use	++	32	5.1%	4.0%
londeed disc		OZ.	0.170	4.076
HEALTH OUTCOMES*	+	46	-0.599	_
Behavioral Health				
Alcohol Use — Youth	+++++	9	8.3%	9.2%
Anxiety	+++	30	10.3%	9.1%
Depression	+	48	6.4%	3.9%
Flourishing	++	37	68.1%	69.1%
Illicit Drug Use — Youth	+	46	11.6%	8.4%
Teen Suicide‡		_	23.5	11.2
Mortality			007	
Child Mortality	+	43	33.7	25.4
Infant Mortality	+++	23	5.8	5.7
Physical Health			740/	
Asthma	+++	22	7.1%	7.5%
High Health Status*	+	46	88.9%	90.4%
Low Birthweight	++	40	9.3%	8.3%
Low Birthweight Racial Disparity	+	45	2.2	2.1
Overweight or Obesity — Youth	++	36	33.5%	32.1%
OVERALL — CHILDREN*		_	-0.511	_
OVERALL — WOMEN AND CHILDREN*			0.524	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

New York

State Health Department Website: health.ny.gov



Summary

Strengths:

- · Low infant mortality rate
- · High enrollment in early childhood education
- · Low prevalence of household smoke

Highlights:

CHILDREN IN POVERTY

from 22.8% to 18.1% of children ages 0-17 ▼21% from 22.8% to 10.1% of 6. between 2013 and 2019

INFANT MORTALITY

▼10% from 5.0 to 4.5 deaths pos. 7, between 2012-2013 and 2017-2018 from 5.0 to 4.5 deaths per 1,000 live births

Challenges:

- High prevalence of severe housing problems
- High prevalence of asthma among children
- · Low immunization coverage among children

OBESITY

24% from 20.3% to 25.2% of women ages 18-44 between 2015-2016 and 2018-2019

DRUG DEATHS

47% from 12.0 to 15.2 deaths per 100,500 ages 20-44 between 2014-2016 and 2017-2019 from 12.0 to 15.2 deaths per 100,000 women

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	33	-0.128	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.7%	3.0%
Violent Crime	+++	26	359	379
Economic Resources				
Concentrated Disadvantage	++	37	27.3%	25.1%
Food Insecurity	+++	25	10.8%	11.1%
Gender Pay Gap‡	+++++	6	85.5%	81.0%
Poverty	+++	21	14.9%	15.2%
Unemployment	++	33	3.7%	3.6%
Education				
College Graduate	+++++	9	41.3%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++	40	14.7%	12.5%
Residential Segregation — Black/White	+	50	78	62
Voter Participation	++	36	58.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	29	0.003	
Community and Family Safety				
Child Victimization [‡]	+	43	16.7%	8.9%
Economic Resources				
Children in Poverty	++	35	18.1%	16.8%
Children in Poverty Racial Disparity	+++++	8	2.7	3.0
High-speed Internet	++	36	91.3%	92.6%
Students Experiencing Homelessness	+	50	5.5%	3.0%
WIC Coverage	++++	11	57.8%	53.9%
Education				
Early Childhood Education	+++++	6	59.3%	48.9%
Fourth Grade Reading Proficiency	+++	29	34.3%	34.3%
High School Graduation	++	37	82.8%	85.8%
High School Graduation Racial Disparity	+	41	20.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	3	11.1%	14.8%
Foster Care Instability	+++	28	17.0%	16.0%
Neighborhood Amenities	++++	11	42.5%	37.4%
Reading, Singing or Storytelling	+++	23	57.4%	55.9%
	++++	17	0.151	_
	+++++	10	6.4	8.3
	++++	14	0.1%	0.8%
	+++++	3	8.6%	14.0%
	++++	19	2,512,785	361,963,972
	++	31	71.5%	73.0%
	+++++	1	4	_
	+++++	2	6.2	8.7
	+++++	1	50.8%	75.4%
	+	50	33.2%	17.6%
	+	48	23.5%	17.5%
		40	20.070	17.576

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

leasures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	11	0.506	_
Access to Care				
Adequate Prenatal Care	+++	30	77.0%	76.7%
Avoided Care Due to Cost	+++++	10	14.6%	18.8%
Publicly-funded Women's Health Services	+++++	8	37%	29%
Uninsured	+++++	6	6.8%	12.9%
Women's Health Providers	+++++	10	60.1	48.5
Preventive Clinical Care		- 10	00.1	10.0
Cervical Cancer Screening	++	39	78.7%	79.99
Dental Visit	++++	11	72.6%	67.69
Flu Vaccination	++	32	31.2%	31.5%
Postpartum Visit*		_	90.6%	90.79
Well-woman Visit	+++++	2	79.0%	73.29
Quality of Care			73.076	70.27
Breastfeeding Initiation*	++++	18	87.6%	84.09
Dedicated Health Care Provider	+++	21	74.2%	71.1%
	+	43	28.1%	25.69
Low-risk Cesarean Delivery	++++			
Maternity Practices Score	++++	13	82	79
BEHAVIORS*	++++	15	0.168	_
Nutrition and Physical Activity				
Exercise	+++	25	21.7%	21.59
Fruit and Vegetable Consumption	+++++	3	12.7%	10.49
Physical Inactivity	++	38	24.6%	22.69
Thy old in activity		00	2-1.070	22.0
Sexual Health				
Chlamydia	+++	25	1,689	1,743
High-risk HIV Behaviors	++++	11	8.6%	9.7%
Unintended Pregnancy*		_	24.0%	30.6
Sleep Health				
Insufficient Sleep	++	38	39.0%	36.19
Tobacco Use				
E-cigarette Use [‡]	+++++	2	3.8%	5.3%
Smoking	+++++	7	11.4%	14.39
Smoking During Pregnancy	+++++	9	4.0%	6.09
HEALTH OUTCOMES*	+++++	5	0.545	
Behavioral Health			0.545	_
Drug Deaths*	++++	17	15.2	20.7
-		20	20.0%	10.00
Excessive Drinking	+++	29	20.0%	
Excessive Drinking Frequent Mental Distress	+++	5	15.1%	18.19
Excessive Drinking Frequent Mental Distress Illicit Drug Use	+++	5 21	15.1% 10.7%	18.19
Excessive Drinking Frequent Mental Distress Illicit Drug Use	+++	5	15.1%	18.19
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality	+++	5 21	15.1% 10.7%	18.19
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression‡	+++	5 21	15.1% 10.7%	18.19 10.89 13.49
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality*	+++	5 21	15.1% 10.7% 12.9%	18.19 10.89 13.49
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality	+++	5 21 —	15.1% 10.7% 12.9%	18.19 10.89 13.49
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health	+++	5 21 —	15.1% 10.7% 12.9%	18.19 10.89 13.49 20.1 97.2
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress	+++	5 21 - - 2	15.1% 10.7% 12.9% 22.1 69.9	18.19 10.89 13.49 20.1 97.2
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	+++ ++++ +++ ++++	5 21 - 2 8 12	15.1% 10.7% 12.9% 22.1 69.9 7.5% 8.5%	18.19 10.89 13.49 20.1 97.2 8.49 10.69
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status*	+++ ++++ +++ ++++	5 21 - 2 8 12 16	15.1% 10.7% 12.9% 22.1 69.9 7.5% 8.5% 56.7%	18.19 10.89 13.49 20.1 97.2 8.49 10.69 53.89
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity*	+++ ++++ +++ ++++ ++++ ++++	5 21 - 2 - 2 8 12 16 -	15.1% 10.7% 12.9% 22.1 69.9 7.5% 8.5% 56.7% 9.3	19.29 18.19 10.89 13.49 20.1 97.2 8.49 10.69 53.89 6.6 4.49
Excessive Drinking Frequent Mental Distress Illicit Drug Use Postpartum Depression* Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status*	+++ ++++ +++ ++++	5 21 - 2 8 12 16	15.1% 10.7% 12.9% 22.1 69.9 7.5% 8.5% 56.7%	18.1% 10.8% 13.4% 20.1 97.2 8.4% 10.6% 53.8%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		٥		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	21	0.270	_
Access to Care				
ADD/ADHD Treatment	+	42	1.9%	3.0%
Pediatricians	+++++	4	152.2	104.6
Uninsured	+++++	4	2.4%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	45	70.8%	75.8%
HPV Vaccination	++++	19	57.0%	54.2%
Preventive Dental Care	+++	28	77.2%	77.5%
Well-child Visit	+++++	7	86.2%	80.7%
Quality of Care				
Adequate Insurance	+++++	5	72.5%	66.7%
Developmental Screening	+	48	22.3%	36.9%
Medical Home	+++	30	48.6%	46.8%
BEHAVIORS*	+++	24	0.211	_
Nutrition and Physical Activity		O.E.	OF 00/	05.00/
Breastfed Food Sufficiency	+++	25 12	25.8% 73.1%	25.6%
Physical Activity	++	39	19.8%	69.8% 20.6%
Soda Consumption — Youth*	TT	_	7.6%	9.3%
Sexual Health — Youth			7.076	9.5%
Dual Contraceptive Nonuse*		_	89.6%	90.9%
Teen Births	+++++	9	11.4	16.7
Teer Birtho		Ü	11	10.7
Sleep Health				
Adequate Sleep	+	43	61.0%	66.1%
Sleep Position#		_	76.5%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	22.4%	32.7%
Tobacco Use	+++++	7	3.2%	4.0%
HEALTH OUTCOMES*	+++++	8	0.275	_
Behavioral Health Alcohol Use — Youth		20	0.50/	0.00/
	+++	29 18	9.5% 9.0%	9.2%
Anxiety Depression	+++++	2	2.5%	9.1%
Flourishing	++++	19	69.7%	69.1%
Illicit Drug Use — Youth	+++	29	8.3%	8.4%
Teen Suicide		_	6.2	11.2
Mortality			0.2	11.2
Child Mortality	+++++	5	17.8	25.4
Infant Mortality	+++++	7	4.5	5.7
Physical Health				
Asthma	+	43	9.4%	7.5%
High Health Status*	++++	14	91.8%	90.4%
Low Birthweight	+++	23	8.1%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	+++	29	32.3%	32.1%
OVERALL — CHILDREN*			0.158	_
OVERALL — WOMEN AND CHILDREN*			0.195	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

North Carolina

State Health Department Website: ncdhhs.gov



Summary

Strengths:

- Low racial gap in high school graduation
- High immunization coverage among children
- · Low prevalence of asthma among children

Highlights:

TEEN BIRTHS

▼36% from 28.4 to 18.2 births per 1,000 females ages 15-19 between 2013 and 2019

SMOKING DURING PREGNANCY

from 9.8% to 7.6% of live births between 2014 and 2019

Challenges:

- High prevalence of household food insecurity
- High prevalence of low birthweight
- · Low prevalence of physical activity among children

UNINSURED

▲21%

from 4.8% to 5.8% of children ages 0-18 between 2017 and 2019

FREQUENT MENTAL DISTRESS

32% from 14.1% to 10.0% of 13.2019 between 2013-2014 and 2018-2019 from 14.1% to 18.6% of women ages 18-44

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	32	-0.121	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.1%	3.0%
Violent Crime	+++	28	372	379
Economic Resources				
Concentrated Disadvantage	++	38	27.5%	25.1%
Food Insecurity	+	41	13.1%	11.1%
Gender Pay Gap‡	+++++	9	83.1%	81.0%
Poverty	+	41	17.5%	15.2%
Unemployment	++	40	4.0%	3.6%
Education				
College Graduate	++++	19	37.5%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++++	12	11.2%	12.5%
Residential Segregation — Black/White	+++++	8	52	62
Voter Participation	++	33	59.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	++++	18	0.151	_
Community and Family Safety				
Child Victimization‡	+++++	2	2.4%	8.9%
Economic Resources				
Children in Poverty	++	40	19.5%	16.8%
Children in Poverty Racial Disparity	++++	18	3.1	3.0
High-speed Internet	++	35	91.4%	92.6%
Students Experiencing Homelessness	+++	25	2.2%	3.0%
WIC Coverage	+++	25	52.7%	53.9%
Education				
Early Childhood Education	+++	30	45.0%	48.9%
Fourth Grade Reading Proficiency	++++	18	36.0%	34.3%
High School Graduation	+++	25	86.5%	85.8%
High School Graduation Racial Disparity	+++++	7	8.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++++	10	13.4%	14.8%
Foster Care Instability	+++++	10	11.5%	16.0%
Neighborhood Amenities	+	46	19.4%	37.4%
Reading, Singing or Storytelling	++++	20	58.1%	55.9%
	+++++	10	0.270	_
				_
	++++	17	7.0	8.3
	++++	17 1	7.0 0.0%	0.8%
	++++	17 1 25	7.0 0.0% 15.0%	0.8% 14.0%
	++++ ++++ +++	17 1 25 37	7.0 0.0% 15.0% 7,395,099	0.8% 14.0% 361,963,972
	++++	17 1 25	7.0 0.0% 15.0%	0.8%
	++++ ++++ +++	17 1 25 37	7.0 0.0% 15.0% 7,395,099	0.8% 14.0% 361,963,972
	++++ ++++ +++ ++	17 1 25 37 17	7.0 0.0% 15.0% 7,395,099 87.6%	0.8% 14.0% 361,963,972
	++++ ++++ +++ ++++ ++++	17 1 25 37 17	7.0 0.0% 15.0% 7,395,099 87.6% 3 7.9	0.8% 14.0% 361,963,972 73.0% — 8.7
	++++ ++++ +++ ++++	17 1 25 37 17	7.0 0.0% 15.0% 7,395,099 87.6%	0.8% 14.0% 361,963,972 73.0%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	35	-0.073	_
Access to Care				
Adequate Prenatal Care	+++	29	77.2%	76.7%
Avoided Care Due to Cost	+	44	23.9%	18.8%
Publicly-funded Women's Health Services	+	46	16%	29%
Uninsured	+	43	16.6%	12.9%
Women's Health Providers	+++	26	47.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	12	82.7%	79.9%
Dental Visit	++	33	65.6%	67.6%
Flu Vaccination	++++	16	36.4%	31.5%
Postpartum Visit‡		_	91.6%	90.7%
Well-woman Visit	++++	11	76.8%	73.2%
Quality of Care				
Breastfeeding Initiation*	++	31	81.5%	84.0%
Dedicated Health Care Provider	++	34	70.6%	71.1%
Low-risk Cesarean Delivery	++++	13	22.5%	25.6%
Maternity Practices Score	+++	28	77	79
BEHAVIORS*	++	34	-0.321	
Nutrition and Physical Activity			0.021	
Exercise	+++	21	22.0%	21.5%
Fruit and Vegetable Consumption	++++	20	10.8%	10.4%
Physical Inactivity	+++	30	23.2%	22.6%
Tryologi madervity		00	20.270	22.070
Sexual Health				
Chlamydia	+	45	2,209	1,743
High-risk HIV Behaviors	++	35	10.4%	9.7%
Unintended Pregnancy*		_	30.9%	30.6%
Sleep Health				
Insufficient Sleep	+++	30	37.2%	36.1%
Tobacco Use				
E-cigarette Use‡	++	32	6.1%	5.3%
Smoking	+++	22	15.7%	14.3%
Smoking During Pregnancy	+++	25	7.6%	6.0%
			0.000	
HEALTH OUTCOMES*	+++	28	-0.289	
Behavioral Health Drug Deaths*	++	31	25.4	20.7
Excessive Drinking	++++	11	17.5%	19.2%
Frequent Mental Distress	+++	21	18.6%	18.1%
Illicit Drug Use	+++	25	11.1%	10.1%
Postpartum Depression*		_	10.7%	13.4%
r ostpartarii poprossiorii		_	10.776	10.470
Mortality				
Maternal Mortality‡		_	21.9	20.1
Mortality Rate	++	31	109.7	97.2
Physical Health				
Frequent Physical Distress	++++	14	8.1%	8.4%
r requerit r riysical Distress		42	13.8%	10.6%
High Blood Pressure	+	72		
High Blood Pressure High Health Status‡	++	36	53.1%	53.8%
High Blood Pressure High Health Status* Maternal Morbidity*			53.1% 4.9	6.6
High Blood Pressure High Health Status‡		36		6.6 4.4%
High Blood Pressure High Health Status* Maternal Morbidity*	++	36 —	4.9	6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		Casas	Casas	U.S.
Measures	Rating	State Rank	State Value	Value
CLINICAL CARE*	++++	14	0.438	_
Access to Care				
ADD/ADHD Treatment	++++	12	4.1%	3.0%
Pediatricians	+++	28	94.5	104.6
Uninsured	++	32	5.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	7	82.4%	75.8%
HPV Vaccination	++	38	49.5%	54.2%
Preventive Dental Care	++	40	75.8%	77.5%
Well-child Visit	++++	13	84.0%	80.7%
Quality of Care				
Adequate Insurance	++	34	65.5%	66.7%
Developmental Screening	+++++	1	55.8%	36.9%
Medical Home	++++	20	51.1%	46.8%
BEHAVIORS*	++	35	-0.316	_
Nutrition and Physical Activity				
Breastfed	++	38	23.3%	25.6%
Food Sufficiency	+++	22	69.7%	69.8%
Physical Activity	+	44	18.0%	20.6%
Soda Consumption — Youth‡		_	12.0%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	90.3%	90.9%
Teen Births	+++	29	18.2	16.7
Sleep Health				
Adequate Sleep	+++	26	66.5%	66.1%
Sleep Position*		_	77.1%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	35.5%	32.7%
Tobacco Use	+++	29	4.8%	4.0%
HEALTH OUTCOMES*	++	37	-0.268	_
Behavioral Health		0.4	0.00/	
Alcohol Use — Youth	+++	21	9.2%	9.2%
Anxiety	++++	18	9.0%	9.1%
Depression	+++	25	4.3%	3.9%
Flourishing	+	41	67.6%	69.1%
Illicit Drug Use — Youth	+++	26	8.2%	8.4%
Teen Suicide‡ Mortality			8.9	11.2
Child Mortality	+++	27	26.7	25.4
Infant Mortality	++	40	6.9	5.7
Physical Health		-10	0.0	0.7
Asthma	++++	12	6.3%	7.5%
High Health Status*	++	31	90.5%	90.4%
Low Birthweight	++	40	9.3%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	++	37	33.9%	32.1%
OVERALL — CHILDREN*		_	0.029	
OTELALL OFFICEREN			0.020	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

North Dakota

State Health Department Website: health.nd.gov



State State

U.S.

Summary

Strengths:

- Low percentage of children in poverty
- Low prevalence of asthma among children
- · Low prevalence of household food insecurity

Highlights:

WELL-WOMAN VISIT

from 59.4% to 71.2% of women ages 18-44 between 2016-2017 and 2018-2019

TEEN BIRTHS

▼36% from 24.4 to 15.6 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- Low enrollment in early childhood education
- · High prevalence of excessive drinking among women
- High prevalence of tobacco use among adolescents

FREQUENT MENTAL DISTRESS

107% from 9.4% to 19.5% of women ages 18-44 between 2013-2014 and 2018-2019

LOW BIRTHWEIGHT

▲10%

from 6.2% to 6.8% of live births between 2015 and 2019

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	2	1.167	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.6%	3.0%
Violent Crime	++++	16	285	379
Economic Resources				
Concentrated Disadvantage	+++++	3	4.8%	25.1%
Food Insecurity	+++++	4	8.3%	11.1%
Gender Pay Gap‡	+	44	75.0%	81.0%
Poverty	+++	23	15.0%	15.2%
Unemployment	+++++	2	2.2%	3.6%
Education				
College Graduate	+++++	10	41.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	4	9.3%	12.5%
Residential Segregation — Black/White	+++++	3	50	62
Voter Participation	+++++	10	66.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	34	-0.114	
Community and Family Safety				
Child Victimization [‡]	+++	29	10.0%	8.9%
Economic Resources				
Children in Poverty	+++++	3	10.2%	16.8%
Children in Poverty Racial Disparity	+	48	6.3	3.0
High-speed Internet	++++	20	93.7%	92.6%
Students Experiencing Homelessness	+++	25	2.2%	3.0%
WIC Coverage	+++	27	51.5%	53.9%
Education				
Early Childhood Education	+	50	28.5%	48.9%
Fourth Grade Reading Proficiency	+++	29	34.3%	34.3%
High School Graduation	++++	14	88.3%	85.8%
High School Graduation Racial Disparity	++	40	19.8	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	21	15.2%	14.8%
Foster Care Instability	++	38	19.3%	16.0%
Neighborhood Amenities	++++	20	36.4%	37.4%
Reading, Singing or Storytelling	+++	29	55.9%	55.9%
	+++++	2	0.499	_
	+++++	5	5.0	8.3
	+++++	1	0.0%	0.8%
	+++	29	16.1%	14.0%
	++++	11	182,866	361,963,972
	+++++	4	96.5%	73.0%
	++	36	0	_
	+	48	17.2	8.7
		00	01.40/	75 40/
	++	38	81.4%	75.4%
	+++	26	17.0%	17.6%
	+++++	2	11.6%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	22	0.330	_
Access to Care				
Adequate Prenatal Care	+++	22	78.7%	76.7%
Avoided Care Due to Cost	++++	15	15.8%	18.8%
Publicly-funded Women's Health Services	+++	30	23%	29%
Uninsured	++++	12	8.1%	12.9%
Women's Health Providers	++	37	41.7	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++	40	78.3%	79.9%
Dental Visit	++++	19	70.1%	67.6%
Flu Vaccination	+++++	2	42.9%	31.5%
Postpartum Visit [‡]		_	89.3%	90.7%
Well-woman Visit	++	37	71.2%	73.2%
Quality of Care			0.4.50/	
Breastfeeding Initiation*	+++	24	84.5%	84.0%
Dedicated Health Care Provider	++	33	70.8%	71.1%
Low-risk Cesarean Delivery	+++++	2	18.4%	25.6%
Maternity Practices Score	++	40	73	79
BEHAVIORS*	+++	22	0.110	_
Nutrition and Physical Activity				
Exercise	++++	13	22.8%	21.5%
Fruit and Vegetable Consumption	+	48	6.7%	10.4%
Physical Inactivity	++++	19	21.1%	22.6%
,				
Sexual Health				
Chlamydia	++++	15	1,551	1,743
High-risk HIV Behaviors	++++	4	7.2%	9.7%
Unintended Pregnancy*			26.5%	30.6%
Sleep Health		11	32.5%	0.010/
Insufficient Sleep	++++	11	32.5%	36.1%
Tobacco Use				
E-cigarette Use [‡]	+	47	7.3%	5.3%
Smoking	++	31	18.6%	14.3%
Smoking During Pregnancy	++	37	10.6%	6.0%
HEALTH OUTCOMES*	+++	21	-0.021	
Behavioral Health			0.021	
Drug Deaths‡	+++++	9	12.3	20.7
Excessive Drinking	+	43	24.0%	19.2%
Frequent Mental Distress	+++	28	19.5%	18.1%
Illicit Drug Use	+++++	2	8.2%	10.8%
Postpartum Depression*		_	16.1%	13.4%
Mortality				004
Maternal Mortality		- 21	— 02 F	20.1
Mortality Rate	+++	21	92.5	97.2
Physical Health Frequent Physical Distress		10	0 /10/	0.40/
High Blood Pressure	++++	19 12	8.4%	8.4%
	++++	12	8.5%	10.6%
High Health Statust	+++++	7	58.8%	53.8%
Maternal Morbidity		15	12.4	6.6
Multiple Chronic Conditions	++++	15	4.0%	4.4%
Obesity OVERALL — WOMEN*	++	31	32.7%	30.0%
OVERALL — WOMEN			0.431	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	39	-0.286	_
Access to Care				
ADD/ADHD Treatment	++	32	2.8%	3.0%
Pediatricians	+	43	70.3	104.6
Uninsured	+	42	7.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	26	76.9%	75.8%
HPV Vaccination	+++++	2	76.9%	54.2%
Preventive Dental Care	+	47	73.7%	77.5%
Well-child Visit	++	39	77.3%	80.7%
Quality of Care				
Adequate Insurance	+	49	58.8%	66.7%
Developmental Screening	++	36	31.1%	36.9%
Medical Home	+++++	10	52.7%	46.8%
BEHAVIORS*	+++++	10	0.511	_
Nutrition and Physical Activity		4-	0040/	
Breastfed	++++	15	29.1%	25.6%
Food Sufficiency	+++++	9	74.2%	69.8%
Physical Activity	+++++	1	31.4%	20.6%
Soda Consumption — Youth‡			9.0%	9.3%
Sexual Health — Youth			05 50/	00.00/
Dual Contraceptive Nonuse*		_	85.5%	90.9%
Teen Births	+++	25	15.6	16.7
Sleep Health				
Adequate Sleep	++++	13	70.2%	66.1%
Sleep Position*		_	86.2%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	33.1%	32.7%
Tobacco Use	++	37	5.4%	4.0%
HEALTH OUTCOMES*	+++++	3	0.620	_
Behavioral Health		07	0.40/	0.00/
Alcohol Use — Youth	+++	27	9.4%	9.2%
Anxiety	+++	29 36	10.2% 5.2%	9.1%
Depression	++	36	5.2% 72.5%	3.9%
Flourishing	+++++	2	6.3%	69.1% 8.4%
Illicit Drug Use — Youth Teen Suicide‡	TTTTT	_	21.9	11.2
Mortality			21.0	11.2
Child Mortality	+++	21	25.5	25.4
Infant Mortality	++++	12	5.0	5.7
Physical Health				
Asthma	+++++	1	4.8%	7.5%
High Health Status*	++++	12	92.0%	90.4%
Low Birthweight	+++++	6	6.8%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	2.1
Overweight or Obesity — Youth	+++++	10	26.9%	32.1%
OVERALL — CHILDREN*		_	0.246	_

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: odh.ohio.gov



Summary

Strengths:

- Low prevalence of students experiencing homelessness
- High prevalence of dental visits among women
- · Low prevalence of severe housing problems

Highlights:

CHILDREN IN POVERTY

▼20% from 22.9% to 18.4% of children ages 0-17 between 2014 and 2019

WELL-WOMAN VISIT

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

from 65.7% to 74.0% of women ages 18-44 between 2013-2014 and 2018-2019

Challenges:

- High prevalence of smoking among women
- High infant mortality rate
- · High mortality rate among women ages 20-44

FREQUENT MENTAL DISTRESS

from 17.4% to 22.9% of women ages 18-44 between 2013-2014 and 2018-2019

TEEN SUICIDE

70% from 7.4 to 12.6 deaths per 100,000 adolescents ages 15-19 between 2012-2014 and 2017-2019

State State

U.S.

Women

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	++	35	-0.172	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	++++	18	293	379
Economic Resources				
Concentrated Disadvantage	+++	30	24.1%	25.1%
Food Insecurity	++	38	12.6%	11.1%
Gender Pay Gap‡	+++	30	79.1%	81.0%
Poverty	++	39	17.1%	15.2%
Unemployment	++	33	3.7%	3.6%
Education				
College Graduate	+++	27	35.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	11	11.0%	12.5%
Residential Segregation — Black/White	++	40	69	62
Voter Participation	++++	18	63.5%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	31	-0.029	-
Community and Family Safety				
Child Victimization [‡]	+++	28	9.9%	8.9%
Economic Resources				
Children in Poverty	++	36	18.4%	16.8%
Children in Poverty Racial Disparity	++++	18	3.1	3.0
High-speed Internet	+++	24	93.2%	92.6%
Students Experiencing Homelessness	++++	17	1.9%	3.0%
WIC Coverage	+++	30	50.1%	53.9%
Education				
Early Childhood Education	+++	21	47.7%	48.9%
Fourth Grade Reading Proficiency	++++	17	36.1%	34.3%
High School Graduation	++	39	82.0%	85.8%
High School Graduation Racial Disparity	++	32	15.9	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	37	17.5%	14.8%
Foster Care Instability	++++	7	10.5%	16.0%
Neighborhood Amenities	++++	18	36.9%	37.4%
Reading, Singing or Storytelling	+++	22	57.9%	55.9%
	+	46	-0.379	_
	+	46	8.7	8.3
	++++	14	0.1%	0.8%
	+	41	19.4%	14.0%
	+	47	23,082,307	361,963,972
	+++++	9	92.5%	73.0%
	+++	28	1	_
	+++++	8	7.6	8.7
	+	44	82.2%	75.4%
	+	43	24.8%	17.6%
	++++	12	13.7%	17.5%
	++++	IZ	13.7%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	27	0.253	_
Access to Care				
Adequate Prenatal Care	+++	26	78.2%	76.7%
Avoided Care Due to Cost	++++	19	16.3%	18.8%
Publicly-funded Women's Health Services	++	40	20%	29%
Uninsured	++++	16	8.9%	12.9%
Women's Health Providers	+++	30	46.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	26	80.4%	79.9%
Dental Visit	+++++	6	73.8%	67.6%
Flu Vaccination	+++	29	32.1%	31.5%
Postpartum Visit [‡]		_	_	90.7%
Well-woman Visit	+++	27	74.0%	73.2%
Quality of Care				
Breastfeeding Initiation*	+	41	75.6%	84.0%
Dedicated Health Care Provider	++++	20	74.5%	71.1%
Low-risk Cesarean Delivery	++	31	25.6%	25.6%
Maternity Practices Score	+++	24	78	79
BEHAVIORS*	+	44	-0.829	_
Nutrition and Physical Activity				
Exercise	++	39	19.0%	21.5%
Fruit and Vegetable Consumption	+	46	7.3%	10.4%
Physical Inactivity	++	35	24.0%	22.6%
1 Try of our made vity			2 1.070	22.070
Sexual Health				
Chlamydia	++	36	1,893	1,743
High-risk HIV Behaviors	+++	24	9.7%	9.7%
Unintended Pregnancy*				30.6%
Sleep Health				
Insufficient Sleep	+	42	40.0%	36.1%
Tobacco Use				
E-cigarette Use+	++	36	6.5%	5.3%
Smoking	+	46	22.1%	14.3%
Smoking During Pregnancy	+	42	11.8%	6.0%
HEALTH OUTCOMES*	++	37	-0.669	
Behavioral Health	***	3/	-0.009	_
Drug Deaths‡	+	49	46.9	20.7
Excessive Drinking	+++	28	19.7%	19.2%
Frequent Mental Distress	+	44	22.9%	18.1%
Illicit Drug Use	++++	18	10.4%	10.8%
Postpartum Depression*		_	_	13.4%
Mortality			22.0	201
Maternal Mortality*	_		23.8	20.1
Mortality Rate	+	41	131.0	97.2
Physical Health Frequent Physical Distress	44	22	0.6%	Q /10/
	++	33	9.6%	8.4%
High Blood Pressure	++	33	11.5%	10.6%
High Health Status*	+++	26 —	55.2%	53.8%
Maternal Morbidity*	44		10.6	6.6
Multiple Chronic Conditions	++	33	5.4%	4.4%
Obesity WOMEN'S	++	32	32.9%	30.0%
OVERALL — WOMEN*			-0.386	_

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	26	0.120	_
Access to Care				
ADD/ADHD Treatment	+++	22	3.4%	3.0%
Pediatricians	+++++	10	130.6	104.6
Uninsured	+++	23	4.8%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	++	40	72.7%	75.8%
HPV Vaccination	++	37	49.6%	54.2%
Preventive Dental Care	+	45	74.1%	77.5%
Well-child Visit	++++	16	82.5%	80.7%
Quality of Care				
Adequate Insurance	++++	13	70.1%	66.7%
Developmental Screening	+++	25	36.7%	36.9%
Medical Home	++++	16	51.7%	46.8%
BEHAVIORS*	++	37	-0.422	_
Nutrition and Physical Activity				
Breastfed	+	44	21.6%	25.6%
Food Sufficiency	+++	29	68.1%	69.8%
Physical Activity	++++	17	24.1%	20.6%
Soda Consumption — Youth‡			10.5%	9.3%
Sexual Health — Youth			10.070	0.070
Dual Contraceptive Nonuse*		_	90.9%	90.9%
Teen Births	++	32	18.8	16.7
100.1 2.1 (10		02	10.0	10.7
Sleep Health				
Adequate Sleep	++	37	62.5%	66.1%
Sleep Position*		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	29.8%	32.7%
Tobacco Use	++	38	5.5%	4.0%
HEALTH OUTCOMES*	++	40	-0.369	_
Behavioral Health				
Alcohol Use — Youth	+++	30	9.6%	9.2%
Anxiety	+++	25	9.7%	9.1%
Depression	++++	19	3.7%	3.9%
Flourishing	++	35	68.2%	69.1%
Illicit Drug Use — Youth	+++	23	8.0%	8.4%
Teen Suicide‡		_	12.6	11.2
Mortality				
Child Mortality	++	31	28.5	25.4
Infant Mortality	+	43	7.1	5.7
Physical Health				
Asthma	++	36	8.1%	7.5%
High Health Status*	+++	24	91.1%	90.4%
Low Birthweight	++	31	8.6%	8.3%
Low Birthweight Racial Disparity	++++	17	1.9	2.1
Overweight or Obesity — Youth	+	46	38.0%	32.1%
OVERALL — CHILDREN*		_	-0.215	_
OVERALL — WOMEN AND CHILDREN*			0.005	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Oklahoma

State Health Department Website: ok.gov/health



Summary

Strengths:

- Low prevalence of excessive drinking among women
- Low racial disparity among children in poverty
- · Low prevalence of illicit drug use among youth

Highlights:

SMOKING

from 24.2% to 17.8% of women ages 18-44 ▼26% from 24.2% to 17.0% of worlden ages between 2013-2014 and 2018-2019

WELL-WOMAN VISIT

from 58.5% to 70.0% of women ages 18-44 between 2013-2014 and 2018-2019

Challenges:

- · High infant mortality rate
- · High teen birth rate
- · Low prevalence of exercise among women

OBESITY

▲19%

from 30.8% to 36.8% of women ages 18-44 between 2013-2014 and 2018-2019

FREQUENT MENTAL DISTRESS

30% from 16.6% to 21.6% of women ages 18-44 between 2013-2014 and 2018-2019

State

State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	45	-0.641	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	++	37	432	379
Economic Resources				
Concentrated Disadvantage	++	33	25.6%	25.1%
Food Insecurity	+	46	14.7%	11.1%
Gender Pay Gap‡	+	47	73.3%	81.0%
Poverty	+	43	19.4%	15.2%
Unemployment	++	33	3.7%	3.6%
Education				
College Graduate	+	46	26.7%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	19	11.7%	12.5%
Residential Segregation — Black/White	++++	14	57	62
Voter Participation	+	42	56.9%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	43	-0.360	_
Community and Family Safety				
Child Victimization [‡]	++	40	15.9%	8.9%
Economic Resources				
Children in Poverty	+	43	19.9%	16.8%
Children in Poverty Racial Disparity	++++	11	2.9	3.0
High-speed Internet	++	36	91.3%	92.6%
Students Experiencing Homelessness	+	41	3.3%	3.0%
WIC Coverage	++++	20	54.8%	53.9%
Education				
Early Childhood Education	++	37	43.7%	48.9%
Fourth Grade Reading Proficiency	+	46	28.5%	34.3%
High School Graduation	+++	30	84.9%	85.8%
High School Graduation Racial Disparity	++++	3	6.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	37	17.5%	14.8%
Foster Care Instability	++	40	19.6%	16.0%
Neighborhood Amenities	+	49	15.4%	37.4%
Reading, Singing or Storytelling	+	46	48.6%	55.9%
	+	41	-0.268	_
	+	43	8.4	8.3
	+	44	2.4%	0.8%
	+	45	19.8%	14.0%
	+++	26	4,039,297	361,963,972
	++	32	67.5%	73.0%
	++	36	0	_
	+	45	11.7	8.7
	+	44	82.2%	75.4%
	+++	21	14.7%	17.6%
	++++	15	14.7%	17.5%
	7777	10	14.0 /	17.5%

D. I.	D I
Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Wolliell		State	State	U.S.
Measures	Rating	Rank	Value	Value
CLINICAL CARE*	+	41	-0.422	_
Access to Care		07	70.40/	70.70/
Adequate Prenatal Care	+++	27	78.1%	76.7%
Avoided Care Due to Cost	+	41	22.5%	18.8%
Publicly-funded Women's Health Services	++++	16	30%	29%
Uninsured	+	49	21.6%	12.9%
Women's Health Providers	+	47	36.2	48.5
Preventive Clinical Care		07	70.40/	70.00/
Cervical Cancer Screening	++	37	79.1%	79.9%
Dental Visit	++	40	63.4%	67.6%
Flu Vaccination	++++	15	36.9%	31.5%
Postpartum Visit		-	70.00/	90.7%
Well-woman Visit	++	39	70.0%	73.2%
Quality of Care		00	01.00/	0.4.00/
Breastfeeding Initiation*	++	32	81.3%	84.0%
Dedicated Health Care Provider	++	35	70.5%	71.1%
Low-risk Cesarean Delivery	+++	25	24.5%	25.6%
Maternity Practices Score	++	36	75	79
BEHAVIORS*	+	43	-0.780	_
Nutrition and Physical Activity				
Exercise	+	50	13.8%	21.5%
Fruit and Vegetable Consumption	+	50	5.7%	10.4%
Physical Inactivity	+	41	25.4%	22.6%
Sexual Health				
Chlamydia	++	40	1,948	1,743
High-risk HIV Behaviors	++++	19	9.2%	9.7%
Unintended Pregnancy*		_	_	30.6%
Sleep Health				
Insufficient Sleep	+++	29	36.8%	36.1%
Tobacco Use				
E-cigarette Use‡	+	49	8.3%	5.3%
Smoking	+++	28	17.8%	14.3%
Smoking During Pregnancy	++	35	9.7%	6.0%
omoking buring regnancy		00	5.770	0.070
HEALTH OUTCOMES*	++	38	-0.723	_
Behavioral Health				
Drug Deaths‡	++++	19	16.6	20.7
Excessive Drinking	+++++	4	14.0%	19.2%
Frequent Mental Distress	++	38	21.6%	18.1%
Illicit Drug Use	++	34	11.5%	10.8%
Postpartum Depression*		_	_	13.4%
B4 aut alita				
Mortality Maternal Mortality*		_	_	20.1
Mortality Rate	++	38	122.6	97.2
Physical Health		50	122.0	J1.2
Frequent Physical Distress	+	42	10.4%	8.4%
High Blood Pressure	++	37	12.5%	10.6%
High Health Status*	+	42	50.3%	53.8%
Maternal Morbidity*		42 —	7.0	6.6
Multiple Chronic Conditions	+	- 42	6.4%	4.4%
Obesity	+	42	36.8%	30.0%
OVERALL — WOMEN*	т	44 —	-0.578	30.0%
OVERALL — WOMEN*			-0.578	_

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}. \\$

Children		01-1-	01-1-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	43	-0.477	_
Access to Care				
ADD/ADHD Treatment	++++	11	4.3%	3.0%
Pediatricians	+	45	64.7	104.6
Uninsured	+	46	8.6%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	21	77.9%	75.8%
HPV Vaccination	+	47	41.8%	54.2%
Preventive Dental Care	+	41	75.4%	77.5%
Well-child Visit	++	40	77.2%	80.7%
Quality of Care				
Adequate Insurance	++++	18	69.0%	66.7%
Developmental Screening	+	44	26.2%	36.9%
Medical Home	++	39	47.1%	46.8%
BEHAVIORS*	+	43	-0.828	
	т —	43	-0.828	
Nutrition and Physical Activity Breastfed	++	35	23.7%	25.6%
Food Sufficiency	+	33 48	61.2%	69.8%
Physical Activity	+++	25	23.0%	20.6%
Soda Consumption — Youth‡	777	_	14.2%	9.3%
Sexual Health — Youth			14.270	9.5%
Dual Contraceptive Nonuse*		_	87.2%	90.9%
Teen Births	+	47	27.4	16.7
Sleep Health				
Adequate Sleep	++	33	63.8%	66.1%
Sleep Position‡		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	27.8%	32.7%
Tobacco Use	++	35	5.3%	4.0%
HEALTH OUTCOMES*	+	44	-0.492	_
Behavioral Health				
Alcohol Use — Youth	+++++	7	8.2%	9.2%
Anxiety	++++	17	8.8%	9.1%
Depression	++	39	5.3%	3.9%
Flourishing	+++	27	69.1%	69.1%
Illicit Drug Use — Youth	++++	18	7.7%	8.4%
Teen Suicide‡		_	17.8	11.2
Mortality				
Child Mortality	++	39	32.5	25.4
Infant Mortality	+	47	7.4	5.7
Physical Health				
Asthma	+	49	10.6%	7.5%
High Health Status‡	+	48	88.1%	90.4%
Low Birthweight	+++	24	8.2%	8.3%
Low Birthweight Racial Disparity	+	45	2.2	2.1
Overweight or Obesity — Youth	+++	29	32.3%	32.1%
OVERALL — CHILDREN*		_	-0.464	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Dregon

State Health Department Website: oregon.gov/oha/ph



Summary

Strengths:

- High percentage of infants exclusively breastfed for six months
- · Low prevalence of low birthweight
- · Low mortality rate among women ages 20-44

Highlights:

CHILDREN IN POVERTY

▼39% from 21.6% to 13.1% of children ages 0-17 between 2014 and 2019

WELL-WOMAN VISIT

28% from 55.7% to 71.4% of women ages 18-44 between 2013-2014 and 2018-2019

Challenges:

- · Low rate of high school graduation
- · High prevalence of illicit drug use among women and youth
- High prevalence of multiple chronic conditions among women

PHYSICAL INACTIVITY

439% from 14.0% to 19.4% of women ages 18-44 between 2013-2014 and 2018-2019

OVERWEIGHT OR OBESITY

44% from 21.9% to 31.5% of children ages 10-17 between 2016-2017 and 2019-2020

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use* **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	17	0.361	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.0%	3.0%
Violent Crime	++++	15	284	379
Economic Resources				
Concentrated Disadvantage	++++	19	17.5%	25.1%
Food Insecurity	++++	12	9.8%	11.1%
Gender Pay Gap‡	+++	24	79.9%	81.0%
Poverty	++++	18	14.4%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	+++	28	34.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+	44	15.7%	12.5%
Residential Segregation — Black/White	+++	22	62	62
Voter Participation	+++++	6	69.2%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	21	0.130	_
Community and Family Safety				
Child Victimization [‡]	++	38	15.6%	8.9%
Economic Resources				
Children in Poverty	++++	16	13.1%	16.8%
Children in Poverty Racial Disparity	+++++	4	2.6	3.0
High-speed Internet	++++	11	94.9%	92.6%
Students Experiencing Homelessness	+	47	3.9%	3.0%
WIC Coverage	+++++	8	60.2%	53.9%
Education				
Early Childhood Education	++	35	43.9%	48.9%
Fourth Grade Reading Proficiency	++	32	33.8%	34.3%
High School Graduation	+	48	80.0%	85.8%
High School Graduation Racial Disparity	++++	19	13.3	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	27	16.0%	14.8%
Foster Care Instability	++	37	19.0%	16.0%
Neighborhood Amenities	++++	15	37.8%	37.4%
Reading, Singing or Storytelling	+++++	3	66.8%	55.9%
	+	45	-0.364	_
	++	39	8.3	8.3
	+++	30	0.3%	0.8%
	++++	18	13.9%	14.0%
	+	48	23,506,054	361,963,972
	+	48	26.3%	73.0%
	++++	13	3	_
	+++++	6	7.4	8.7
	+++++	6	71.5%	75.4%
	++++	24	16.1%	17.6%
		24 44		
	+	44	19.1%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	14	0.421	_
Access to Care				
Adequate Prenatal Care	++++	14	80.8%	76.7%
Avoided Care Due to Cost	+++	30	19.1%	18.8%
Publicly-funded Women's Health Services	+++++	6	40%	29%
Uninsured	++++	18	9.3%	12.9%
Women's Health Providers	+++++	3	70.2	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++	34	79.2%	79.9%
Dental Visit	+++	28	67.8%	67.6%
Flu Vaccination	++	37	29.8%	31.5%
Postpartum Visit [‡]		_	93.2%	90.7%
Well-woman Visit	++	35	71.4%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++++	1	94.7%	84.0%
Dedicated Health Care Provider	++	36	69.8%	71.1%
Low-risk Cesarean Delivery	++++	18	23.4%	25.6%
Maternity Practices Score	+++++	6	85	79
BEHAVIORS*	+++	28	-0.153	_
Nutrition and Physical Activity				
Exercise	+++	27	21.3%	21.5%
Fruit and Vegetable Consumption	++++	13	11.5%	10.4%
Physical Inactivity	+++++	9	19.4%	22.6%
Trysical inactivity		9	15.470	22.070
Sexual Health				
Chlamydia	++++	14	1,513	1,743
High-risk HIV Behaviors	+	50	13.1%	9.7%
Unintended Pregnancy*		_	23.2%	30.6%
Sleep Health				
Insufficient Sleep	+++	26	36.0%	36.1%
Tobacco Use				
E-cigarette Use‡	+++	28	6.0%	5.3%
Smoking	+++	26	16.6%	14.3%
Smoking During Pregnancy	+++	23	7.5%	6.0%
HEALTH OUTCOMES*	++	39	-0.727	
Behavioral Health	***	39	-0.727	_
Drug Deaths‡	+++++	7	11.0	20.7
Excessive Drinking	++	34	20.9%	19.2%
Frequent Mental Distress	++	37	21.5%	18.1%
Illicit Drug Use	+	49	17.1%	10.1%
Postpartum Depression*		_	12.7%	13.4%
Mortality				001
Maternal Mortality		_	— 7F.4	20.1
Mortality Rate	+++++	5	75.4	97.2
Physical Health		40	10.00/	0.40/
Frequent Physical Distress	+	49	12.3%	8.4%
High Blood Pressure	+++	25	10.4%	10.6%
High Health Status*	++	38	52.4%	53.8%
Maternal Morbidity		-	9.5	6.6
Multiple Chronic Conditions	+	43	6.8%	4.4%
Obesity	++++	16	27.4%	30.0%
OVERALL — WOMEN*		_	-0.108	_

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		٥	٥	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	28	0.069	_
Access to Care				
ADD/ADHD Treatment	+	47	1.5%	3.0%
Pediatricians	+++	26	97.1	104.6
Uninsured	++++	18	4.1%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	50	65.0%	75.8%
HPV Vaccination	++++	11	60.8%	54.2%
Preventive Dental Care	++++	19	79.1%	77.5%
Well-child Visit	++	32	79.3%	80.7%
Quality of Care				
Adequate Insurance	+++	21	68.4%	66.7%
Developmental Screening	+++++	5	49.7%	36.9%
Medical Home	++++	18	51.4%	46.8%
BEHAVIORS*	++++	11	0.500	_
Nutrition and Physical Activity		4	OF C0/	05.00/
Breastfed	+++++	4	35.6%	25.6%
Food Sufficiency	+++	22	69.7%	69.8%
Physical Activity	++	36	21.1%	20.6%
Soda Consumption — Youth Sexual Health — Youth				9.3%
			_	00.00/
Dual Contraceptive Nonuse [‡] Teen Births		_ 11	— 12.1	90.9%
leen Births	++++	Ш	12.1	16.7
Sleep Health				
Adequate Sleep	+++++	10	71.5%	66.1%
Sleep Position*		_	85.9%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	_	32.7%
Tobacco Use	+++	25	4.5%	4.0%
HEALTH OUTCOMES*		20	0.150	
Behavioral Health	+++	29	-0.156	
Alcohol Use — Youth	+	41	10.7%	9.2%
Anxiety	++	38	10.7%	9.2%
/	+	30 44	5.5%	3.9%
Depression Flourishing	+	49	65.0%	69.1%
Illicit Drug Use — Youth	+	45	11.5%	
Teen Suicide‡	т	45	16.4	8.4% 11.2
Mortality			10.1	11.2
Child Mortality	++++	13	22.6	25.4
Infant Mortality	+++++	9	4.8	5.7
Physical Health				
Asthma	++++	16	6.5%	7.5%
High Health Status*	+++	27	90.9%	90.4%
Low Birthweight	+++++	5	6.7%	8.3%
Low Birthweight Racial Disparity	+++++	8	1.7	2.1
Overweight or Obesity — Youth	+++	26	31.5%	32.1%
OVERALL — CHILDREN*		_	0.029	_
OVERALL — WOMEN AND CHILDREN*			-0.001	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Pennsylvania

State Health Department Website: health.pa.gov



Summary

Strengths:

- High percentage of fourth grade reading proficiency
- High immunization coverage among children
- · Low percentage of uninsured women ages 19-44

Highlights:

SMOKING DURING PREGNANCY

▼31% from 13.7% to 9.5% of five between 2014 and 2019 from 13.7% to 9.5% of live births

WELL-WOMAN VISIT

from 66.4% to 76.4% of women ages 18-44 between 2015-2016 and 2018-2019

Challenges:

- High racial disparity among children in poverty
- High prevalence of multiple chronic conditions among women
- · High prevalence of frequent mental distress among women

FREQUENT MENTAL DISTRESS

from 15.6% to 22.0% of women ages 18-44 41% from 10.0% to 22.0% of No. 10.00 between 2013-2014 and 2018-2019

DIABETES

86% from 2.2% to 4.1% or well-18 between 2015-2016 and 2018-2019 from 2.2% to 4.1% of women ages 18-44

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	25	0.056	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.6%	3.0%
Violent Crime	+++	22	306	379
Economic Resources				
Concentrated Disadvantage	+++	25	20.2%	25.1%
Food Insecurity	++++	20	10.2%	11.1%
Gender Pay Gap‡	+++	27	79.4%	81.0%
Poverty	+++	26	15.2%	15.2%
Unemployment	++	40	4.0%	3.6%
Education				
College Graduate	++++	17	38.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++	24	11.9%	12.5%
Residential Segregation — Black/White	+	45	73	62
Voter Participation	++++	20	63.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	19	0.145	
Community and Family Safety				
Child Victimization [‡]	+++++	1	1.8%	8.9%
Economic Resources				
Children in Poverty	+++	30	16.9%	16.8%
Children in Poverty Racial Disparity	++	39	4.4	3.0
High-speed Internet	+++	24	93.2%	92.6%
Students Experiencing Homelessness	++++	14	1.8%	3.0%
WIC Coverage	+++	26	52.6%	53.9%
Education				
Early Childhood Education	+++	29	45.3%	48.9%
Fourth Grade Reading Proficiency	+++++	6	39.7%	34.3%
High School Graduation	+++	25	86.5%	85.8%
High School Graduation Racial Disparity	+++	30	15.6	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	19	14.6%	14.8%
Foster Care Instability	++++	17	13.2%	16.0%
Neighborhood Amenities	++++	19	36.5%	37.4%
Reading, Singing or Storytelling	+++	24	57.3%	55.9%
	+	48	-0.453	_
	+	48	8.8	8.3
	++	34	0.5%	0.8%
	+++	22	14.6%	14.0%
	+	49	27,593,855	361,963,972
	+	41	55.7%	73.0%
	++++	13	3	_
	+++++	5	7.2	8.7
	++++	11	74.1%	75.4%
	+	47	28.9%	17.6%
	+++	25	14.7%	17.5%
	177	20	14.770	17.0/0

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	9	0.552	_
Access to Care				
Adequate Prenatal Care	++	32	76.9%	76.7%
Avoided Care Due to Cost	+++++	7	13.7%	18.8%
Publicly-funded Women's Health Services	++++	13	32%	29%
Uninsured	+++++	8	7.6%	12.9%
Women's Health Providers	++++	19	53.9	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+	44	77.9%	79.9%
Dental Visit	++++	16	71.8%	67.6%
Flu Vaccination	++++	11	38.1%	31.5%
Postpartum Visit [‡]		_	89.4%	90.7%
Well-woman Visit	++++	12	76.4%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++	30	81.8%	84.0%
Dedicated Health Care Provider	+++++	10	80.2%	71.1%
Low-risk Cesarean Delivery	+++	28	25.2%	25.6%
Maternity Practices Score	+++	24	78	79
BEHAVIORS*	++	33	-0.233	_
Nutrition and Physical Activity			0.200	
Exercise	++++	12	23.3%	21.5%
Fruit and Vegetable Consumption	++++	13	11.5%	10.4%
Physical Inactivity	+++	26	21.8%	22.6%
1 Try dicar in activity		20	21.070	22.070
Sexual Health				
Chlamydia	++++	16	1,553	1,743
High-risk HIV Behaviors	+	41	11.1%	9.7%
Unintended Pregnancy*			31.6%	30.6%
Sleep Health				
Insufficient Sleep	++	34	38.3%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	3	3.9%	5.3%
Smoking	++	36	19.0%	14.3%
Smoking During Pregnancy	++	33	9.5%	6.0%
HEALTH OUTCOMES*	++	32	-0.501	
Behavioral Health	•••	02	-0.501	
Drug Deaths‡	+	47	41.5	20.7
Excessive Drinking	++	31	20.4%	19.2%
Frequent Mental Distress	+	41	22.0%	18.1%
Illicit Drug Use	+++	21	10.7%	10.8%
Postpartum Depression*		_	11.6%	13.4%
Mortality			10.0	004
Maternal Mortality*		_	18.6	20.1
Mortality Rate	+++	28	106.6	97.2
Physical Health		11	10.00/	0.40/
Frequent Physical Distress	+	41	10.2%	8.4%
High Blood Pressure	++++	20	9.8%	10.6%
High Health Statust	++	37	52.9%	53.8%
Maternal Morbidity		-	6.6	6.6
Multiple Chronic Conditions	++	36	5.8%	4.4%
Obesity	+++	23	29.4%	30.0%
OVERALL — WOMEN*			-0.142	_

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children			_	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	10	0.659	_
Access to Care				
ADD/ADHD Treatment	+++	25	3.2%	3.0%
Pediatricians	+++++	8	138.2	104.6
Uninsured	+++	22	4.6%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	3	84.3%	75.8%
HPV Vaccination	++++	14	60.1%	54.2%
Preventive Dental Care	+++	21	78.9%	77.5%
Well-child Visit	+++++	10	85.2%	80.7%
Quality of Care				
Adequate Insurance	++++	16	69.5%	66.7%
Developmental Screening	+++	27	35.5%	36.9%
Medical Home	++	37	47.3%	46.8%
		00	0.044	
BEHAVIORS*	+++	22	0.241	
Nutrition and Physical Activity		0.4	05.00/	05.00/
Breastfed	+++	24	25.9%	25.6%
Food Sufficiency	+++	22	69.7%	69.8%
Physical Activity	++++	14	24.6%	20.6%
Soda Consumption — Youth* Sexual Health — Youth			9.1%	9.3%
Dual Contraceptive Nonuse*			88.3%	00.00/
Teen Births	++++	— 15	13.3	90.9%
reen Births	++++	15	13.3	16.7
Sleep Health				
Adequate Sleep	++++	19	68.1%	66.1%
Sleep Position*	7777	- 19	82.4%	79.6%
Tobacco Use — Youth			02.470	79.0%
Electronic Vapor Product Use*		_	24.4%	32.7%
Tobacco Use	+++	24	4.4%	4.0%
TODACCO OSE		24	4.470	4.076
HEALTH OUTCOMES*	+++	23	0.009	_
Behavioral Health				
Alcohol Use — Youth	+++	21	9.2%	9.2%
Anxiety	+++	23	9.6%	9.1%
Depression	+++	23	4.1%	3.9%
Flourishing	++++	15	70.0%	69.1%
Illicit Drug Use — Youth	++++	15	7.2%	8.4%
Teen Suicide‡		_	9.3	11.2
Mortality				
Child Mortality	++++	15	23.6	25.4
Infant Mortality	+++	25	6.0	5.7
Physical Health				
Asthma	+	41	9.2%	7.5%
High Health Status*	+	44	89.0%	90.4%
Low Birthweight	+++	26	8.4%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	++++	17	29.5%	32.1%
OVERALL — CHILDREN*			0.087	_

^{*} Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Rhode Island

State Health Department Website: health.ri.gov



Summary

Strengths:

- · Low child mortality rate
- Low percentage of uninsured children
- · High percentage of early and adequate prenatal care

Highlights:

SMOKING

from 18.1% to 13.2% of women ages 18-44 ▼27% from 18.1% to 13.2% of worlden ages between 2013-2014 and 2018-2019

WELL-WOMAN VISIT

from 74.7% to 81.1% of women ages 18-44 between 2013-2014 and 2018-2019

Challenges:

- High prevalence of asthma among children
- · High prevalence of excessive drinking among women
- · High racial disparity among children in poverty

INFANTS EXCLUSIVELY BREASTFED FOR SIX MONTHS

from 28.9% to 22.7% between 2015 and 2017

LOW BIRTHWEIGHT

from 7.1% to 7.8% of live births between 2014 and 2019

State

State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++	24	0.133	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.3%	3.0%
Violent Crime	+++++	9	221	379
Economic Resources				
Concentrated Disadvantage	++	36	26.9%	25.1%
Food Insecurity	+++++	8	9.1%	11.1%
Gender Pay Gap‡	+++++	7	85.2%	81.0%
Poverty	++++	14	13.7%	15.2%
Unemployment	++	40	4.0%	3.6%
Education				
College Graduate	+++	24	36.2%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	10	10.7%	12.5%
Residential Segregation — Black/White	++	32	66	62
Voter Participation	++	31	60.2%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	17	0.236	
Community and Family Safety				
Child Victimization [‡]	++	38	15.6%	8.9%
Economic Resources				
Children in Poverty	+++	21	14.0%	16.8%
Children in Poverty Racial Disparity	+	50	6.8	3.0
High-speed Internet	+++++	2	96.4%	92.6%
Students Experiencing Homelessness	+++++	2	1.0%	3.0%
WIC Coverage	+++++	10	58.4%	53.9%
Education				
Early Childhood Education	++++	17	49.4%	48.9%
Fourth Grade Reading Proficiency	+++	22	35.4%	34.3%
High School Graduation	++	35	83.9%	85.8%
High School Graduation Racial Disparity	++	36	18.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	13	13.6%	14.8%
Foster Care Instability	+++++	6	10.2%	16.0%
Neighborhood Amenities	+++++	10	43.1%	37.4%
Reading, Singing or Storytelling	+++	26	56.6%	55.9%
	++	34	-0.054	_
	++++	17	7.0	8.3
	+++++	1	0.0%	0.8%
	++++	13	13.3%	14.0%
	+++++	5	34,967	361,963,972
	+++	21	83.2%	73.0%
	+++++	1	4	_
	+++++	1	5.6	8.7
	+++	21	78.2%	75.4%
	+	49	31.4%	17.6%
	+	41	18.0%	17.5%
	•	71	10.070	17.070

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	2	1.304	_
Access to Care				
Adequate Prenatal Care	+++++	1	91.0%	76.7%
Avoided Care Due to Cost	+++++	4	12.1%	18.8%
Publicly-funded Women's Health Service	s +++++	5	41%	29%
Uninsured	+++++	3	6.1%	12.99
Women's Health Providers	+++++	4	69.9	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	11	83.0%	79.99
Dental Visit	++++	13	72.2%	67.69
Flu Vaccination	+++++	10	38.3%	31.59
Postpartum Visit*		_	94.2%	90.79
Well-woman Visit	+++++	1	81.1%	73.29
Quality of Care				
Breastfeeding Initiation*	+	46	67.5%	84.09
Dedicated Health Care Provider	+++++	5	83.0%	71.19
Low-risk Cesarean Delivery	+	41	27.7%	25.69
Maternity Practices Score	+++++	1	96	79
Materinty Fractices ocore		'	50	/5
BEHAVIORS*	+++	30	-0.173	
Nutrition and Physical Activity				
Exercise	+++	29	21.2%	21.59
Fruit and Vegetable Consumption	+++++	5	12.4%	10.49
Physical Inactivity	+	47	26.7%	22.69
Sexual Health				
Chlamydia	+++	24	1,681	1,740
High-risk HIV Behaviors	+	47	11.7%	9.7%
Unintended Pregnancy‡		_	28.7%	30.69
Sleep Health				
Insufficient Sleep	+++	26	36.0%	36.19
Tobacco Use				
E-cigarette Use‡	+++	24	5.8%	5.3%
Smoking	++++	16	13.2%	14.39
Smoking During Pregnancy	++++	14	4.8%	6.0%
HEALTH OUTCOMES*	++++	19	0.006	_
Behavioral Health				
Drug Deaths‡	++	32	25.7	20.7
Excessive Drinking	++	40	22.9%	19.29
Frequent Mental Distress	++++	17	18.2%	18.19
Illicit Drug Use	++	37	11.9%	10.89
Postpartum Depression‡		_	11.5%	13.49
Mortality				
Maternal Mortality*		_	_	20.1
Mortality Rate	++++	12	82.8	97.2
Physical Health		14	02.0	57.2
Frequent Physical Distress	+++	29	8.9%	8.4%
High Blood Pressure	+++	22	10.1%	10.69
High Health Status‡	+++			53.89
	+++	21	55.8%	
Maternal Morbidity		- 11	10.4	6.6
Multiple Chronic Conditions	++++	11	3.7%	4.49
Obesity	++++	18	27.7%	30.0
OVERALL — WOMEN*		_	0.193	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children				
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	3	1.203	_
Access to Care				
ADD/ADHD Treatment	++	33	2.6%	3.0%
Pediatricians	+++++	2	193.4	104.6
Uninsured	+++++	2	1.9%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	14	79.5%	75.8%
HPV Vaccination	+++++	1	78.9%	54.2%
Preventive Dental Care	++++	17	79.3%	77.5%
Well-child Visit	+++++	9	85.5%	80.7%
Quality of Care				
Adequate Insurance	+++++	7	71.9%	66.7%
Developmental Screening	+++++	4	50.8%	36.9%
Medical Home	++++	12	52.1%	46.8%
BEHAVIORS*	++++	20	0.353	
Nutrition and Physical Activity		40	00.70/	05.00/
Breastfed	++	40	22.7%	25.6%
Food Sufficiency	++++	14	72.1%	69.8%
Physical Activity	++	32	22.0%	20.6%
Soda Consumption — Youth				9.3%
Sexual Health — Youth			07.00/	00.00/
Dual Contraceptive Nonuse* Teen Births		— 6	87.6% 10.0	90.9%
reen Births	+++++	О	10.0	16.7
Sleep Health				
Adequate Sleep	+++	24	67.0%	66.1%
Sleep Position [‡]		_	83.4%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use*		_	30.1%	32.7%
Tobacco Use	+++++	8	3.3%	4.0%
HEALTH OUTCOMES*	+++	24	-0.022	_
Behavioral Health				
Alcohol Use — Youth	++	39	10.4%	9.2%
Anxiety	++	33	10.7%	9.1%
Depression	++++	12	3.5%	3.9%
Flourishing	+++++	9	70.6%	69.1%
Illicit Drug Use — Youth	++	39	10.1%	8.4%
Teen Suicide‡				11.2
Mortality Child Mortality	+++++	1	15.8	25.4
Child Mortality Infant Mortality	++++	16	5.6	25.4 5.7
Physical Health		10	5.0	3.7
Asthma	+	44	9.6%	7.5%
High Health Status*	++++	17	91.5%	90.4%
Low Birthweight	++++	20	7.8%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	++	35	33.4%	32.1%
OVERALL — CHILDREN*		_	0.255	_

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

South Carolina

State Health Department Website: scdhec.gov



Summary

Strengths:

- Low prevalence of depression among children
- Low prevalence of unemployment among women
- · Low prevalence of illicit drug use among women

Highlights:

CHILDREN IN POVERTY

▼28% from 27.5% to 19.7% of children ages 0-17 between 2013 and 2019

WELL-WOMAN VISIT

from 61.7% to 74.2% of women ages 18-44 between 2016-2017 and 2018-2019

Challenges:

- Low WIC coverage among eligible children ages 1-4
- · High prevalence of tobacco use among adolescents
- · Low rate of high school graduation

FREQUENT MENTAL DISTRESS

430% from 15.4% to 20.0% of women ages 18-44 between 2013-2014 and 2018-2019

CHILD MORTALITY

from 28.5 to 33.1 deaths per 100,000 children ages 1-19 between 2012-2014 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	30	-0.089	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+	44	511	379
Economic Resources				
Concentrated Disadvantage	+	44	31.1%	25.1%
Food Insecurity	+++	27	10.9%	11.1%
Gender Pay Gap [‡]	++	40	76.5%	81.0%
Poverty	++	40	17.4%	15.2%
Unemployment	+++++	6	2.6%	3.6%
Education				
College Graduate	++	38	31.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++++	12	11.2%	12.5%
Residential Segregation — Black/White	+++++	2	47	62
Voter Participation	+	43	56.8%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*		48	-0.567	
Community and Family Safety				
Child Victimization [‡]	+	44	16.8%	8.9%
Economic Resources				
Children in Poverty	+	41	19.7%	16.8%
Children in Poverty Racial Disparity	++	36	3.6	3.0
High-speed Internet	+	46	88.8%	92.6%
Students Experiencing Homelessness	++++	10	1.6%	3.0%
WIC Coverage	+	48	42.8%	53.9%
Education				
Early Childhood Education	++	36	43.8%	48.9%
Fourth Grade Reading Proficiency	++	38	31.8%	34.3%
High School Graduation	+	42	81.1%	85.8%
High School Graduation Racial Disparity	++++	18	13.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	32	16.8%	14.8%
Foster Care Instability	+	45	22.7%	16.0%
Neighborhood Amenities	+	44	20.4%	37.4%
Reading, Singing or Storytelling	++	39	52.2%	55.9%
	++++	12	0.230	_
	+++	22	7.2	8.3
	+++++	1	0.0%	0.8%
	++	35	17.2%	14.0%
	+++	30	5,043,366	361,963,972
	++++	11	91.9%	73.0%
	+++	28	1	_
	+++	29	9.2	8.7
		4.0	00.40/	75 40/
	+	48	83.1%	75.4%
	+++++	6	9.5%	17.6%
	+++	22	14.5%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	38	-0.290	_
Access to Care				
Adequate Prenatal Care	++++	20	78.8%	76.7%
Avoided Care Due to Cost	+	42	23.1%	18.8%
Publicly-funded Women's Health Services	+++	22	26%	29%
Uninsured	++	40	15.8%	12.9%
Women's Health Providers	++	33	42.5	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	16	82.5%	79.9%
Dental Visit	+	41	63.2%	67.6%
Flu Vaccination	++	34	30.3%	31.5%
Postpartum Visit*		_	_	90.7%
Well-woman Visit	+++	25	74.2%	73.2%
Quality of Care				
Breastfeeding Initiation*	++	40	78.5%	84.0%
Dedicated Health Care Provider	+	41	68.2%	71.1%
Low-risk Cesarean Delivery	++	39	26.9%	25.6%
Maternity Practices Score	+++	28	77	79
BEHAVIORS*	+	41	-0.571	
Nutrition and Physical Activity		- 41	-0.571	
Exercise	++	35	19.8%	21.5%
Fruit and Vegetable Consumption	++	38	8.3%	10.4%
Physical Inactivity	+	44	25.5%	22.6%
Thysical mactivity		77	20.070	22.070
Sexual Health				
Chlamydia	+	46	2,308	1,743
High-risk HIV Behaviors	+++++	9	8.2%	9.7%
Unintended Pregnancy*				30.6%
Sleep Health				
Insufficient Sleep	+	41	39.7%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	7	4.7%	5.3%
Smoking	+++	30	18.3%	14.3%
Smoking During Pregnancy	+++	22	7.4%	6.0%
HEALTH OUTCOMES*	++	33	-0.556	_
Behavioral Health				
Drug Deaths‡	+++	28	22.5	20.7
Excessive Drinking	+++	25	19.3%	19.2%
Frequent Mental Distress	+++	30	20.0%	18.1%
Illicit Drug Use	+++++	8	8.9%	10.8%
Postpartum Depression*		_	_	13.4%
Mortality				
Mortality Maternal Mortality [‡]		_	_	20.1
Mortality Rate	++	39	126.9	97.2
Physical Health	•••	00	120.0	57.2
Frequent Physical Distress	+++	30	9.0%	8.4%
High Blood Pressure	++	40	13.5%	10.6%
High Health Status	+++	27	55.0%	53.8%
Maternal Morbidity*		_	6.0	6.6
Multiple Chronic Conditions	++	36	5.8%	4.4%
Obesity	+	43	36.3%	30.0%
OVERALL — WOMEN*		_	-0.256	_
			J.200	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

For measure descriptions, source details and methodology, visit www.AmericasHealthRankings.org.

Children		01-1-	01-1-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	17	0.338	_
Access to Care				
ADD/ADHD Treatment	+++++	2	5.2%	3.0%
Pediatricians	+++	24	98.0	104.6
Uninsured	++	32	5.8%	5.7%
D 011 1 10				
Preventive Clinical Care		07	70.00/	75.00/
Childhood Immunizations HPV Vaccination	+++	27	76.8%	75.8%
Preventive Dental Care	+++	30 16	53.0% 80.1%	54.2% 77.5%
Well-child Visit	+++	21	81.6%	80.7%
Quality of Care				
Adequate Insurance	++++	20	68.5%	66.7%
Developmental Screening	+++	24	37.9%	36.9%
Medical Home	++++	15	52.0%	46.8%
BEHAVIORS*	+	44	-0.871	_
Nutrition and Physical Activity		00	05.00/	05.00/
Breastfed	+++	28	25.6%	25.6%
Food Sufficiency	+	44	62.4%	69.8%
Physical Activity	+	41	19.2%	20.6%
Soda Consumption — Youth* Sexual Health — Youth			12.5%	9.3%
Dual Contraceptive Nonuse [‡]			85.8%	90.9%
Teen Births	++	40	21.6	16.7
Sleep Health				
Adequate Sleep	+	44	60.8%	66.1%
Sleep Position*		_	_	79.6%
Tobacco Use — Youth			04.407	0070
Electronic Vapor Product Use*		-	21.1%	32.7%
Tobacco Use	++	40	5.7%	4.0%
HEALTH OUTCOMES*	++	39	-0.332	
Behavioral Health	• • •	- 00	-0.002	
Alcohol Use — Youth	++++	14	9.0%	9.2%
Anxiety	+++++	8	8.0%	9.1%
Depression	+++++	6	2.8%	3.9%
Flourishing	+++	24	69.2%	69.1%
Illicit Drug Use — Youth	+++	26	8.2%	8.4%
Teen Suicide‡		_	12.8	11.2
Mortality				
Child Mortality	++	40	33.1	25.4
Infant Mortality	++	38	6.8	5.7
Physical Health				
Asthma	++	38	8.4%	7.5%
High Health Status*	+++	24	91.1%	90.4%
Low Birthweight	+	44	9.8%	8.3%
Low Birthweight Racial Disparity	++	35	2.1	2.1
Overweight or Obesity — Youth	++	40	35.6%	32.1%
OVERALL - CHILDREN*			-0.319	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

South Dakota

State Health Department Website: doh.sd.gov



Summary

Strengths:

- · Low racial disparity in low birthweight
- Low percentage of low-risk cesarean deliveries
- Low prevalence of illicit drug use among women

Highlights:

WIC COVERAGE

from 47.5% to 57.5% of eligible children 421% from 47.5% to 67.57.5 ages 1-4 between 2017 and 2018

TEEN BIRTHS

▼35% from 29.6 to 19.2 births per 1,000 females ages 15-19 between 2013 and 2019

Challenges:

- · High racial gap in high school graduation rates
- · High child mortality rate
- · High prevalence of excessive drinking among women

PHYSICAL INACTIVITY

459% from 12.4% to 19.7% of worlds. 39 between 2016-2017 and 2018-2019 from 12.4% to 19.7% of women ages 18-44

INFANT MORTALITY

from 6.1 to 6.8 deaths per 1,000 live births between 2015-2016 and 2017-2018

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++	23	0.141	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.2%	3.0%
Violent Crime	++	31	399	379
Economic Resources				
Concentrated Disadvantage	++++	18	15.0%	25.1%
Food Insecurity	+++	27	10.9%	11.1%
Gender Pay Gap‡	+	43	75.2%	81.0%
Poverty	++	31	16.0%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	++++	11	40.9%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]		_	_	12.5%
Residential Segregation — Black/White	++	32	66	62
Voter Participation	+	46	56.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	44	-0.378	_
Community and Family Safety				
Child Victimization [‡]	++++	18	7.1%	8.9%
Economic Resources				
Children in Poverty	+++	25	15.0%	16.8%
Children in Poverty Racial Disparity	+	49	6.6	3.0
High-speed Internet	++	38	91.0%	92.6%
Students Experiencing Homelessness	+++++	6	1.4%	3.0%
WIC Coverage	++++	12	57.5%	53.9%
Education				
Early Childhood Education	++	40	43.0%	48.9%
Fourth Grade Reading Proficiency	++++	18	36.0%	34.3%
High School Graduation	++	33	84.1%	85.8%
High School Graduation Racial Disparity	+	49	35.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	40	17.9%	14.8%
Foster Care Instability	++	33	18.4%	16.0%
Neighborhood Amenities	+++	24	35.1%	37.4%
Reading, Singing or Storytelling	+++	30	55.5%	55.9%
	+++++	5	0.393	_
	+++++	6	5.2	8.3
	++++	14	0.1%	0.8%
	++	39	18.6%	14.0%
	+++++	6	46,539	361,963,972
	+++++	7	93.7%	73.0%
	++	36	Ō	_
	+	41	11.1	8.7
	+++	26	78.9%	75.4%
	++	31	19.5%	17.6%
	+++++	5	12.2%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Dating	State Rank	State Value	U.S. Value
CLINICAL CARE*	Rating	33	0.014	value
	++	33	0.014	
Access to Care	++	33	76.0%	76 70/
Adequate Prenatal Care	++++	33 15	76.0% 15.8%	76.7%
Avoided Care Due to Cost Publicly-funded Women's Health Services				18.8%
Uninsured	++	35 39	21% 15.4%	29%
Women's Health Providers	++	39 35	41.8	12.9% 48.5
Preventive Clinical Care	TT	33	41.0	40.0
Cervical Cancer Screening	+	50	72.1%	79.9%
Dental Visit	++++	18	70.3%	67.6%
Flu Vaccination	+++++	4	41.1%	31.5%
Postpartum Visit*		_	89.6%	90.7%
Well-woman Visit	+++	26	74.1%	73.2%
Quality of Care	TTT	20	74.170	73.270
Breastfeeding Initiation*	++	34	80.8%	84.0%
Dedicated Health Care Provider	+++	29	71.3%	71.1%
Low-risk Cesarean Delivery	+++++	29 5	19.1%	25.6%
•	+++++	5 40	73	79
Maternity Practices Score	++	40	/3	/9
BEHAVIORS*	+++	23	0.066	
Nutrition and Physical Activity				
Exercise	++	37	19.1%	21.5%
Fruit and Vegetable Consumption	+	44	7.7%	10.4%
Physical Inactivity	++++	11	19.7%	22.6%
,,				
Sexual Health				
Chlamydia	++	33	1,845	1,743
High-risk HIV Behaviors	+++++	3	6.9%	9.7%
Unintended Pregnancy*		_	29.1%	30.6%
Sleep Health				
Insufficient Sleep	+++++	1	27.3%	36.1%
Tobacco Use				
E-cigarette Use‡	+++	28	6.0%	5.3%
Smoking	+	42	20.3%	14.3%
Smoking During Pregnancy	++	38	10.8%	6.0%
HEALTH OUTCOMES*	++++	18	0.062	_
Behavioral Health			0.002	
Drug Deaths‡	+++++	4	9.3	20.7
Excessive Drinking	+	47	25.0%	19.2%
Frequent Mental Distress	+++++	3	14.2%	18.1%
Illicit Drug Use	+++++	1	7.6%	10.8%
Postpartum Depression*		_	12.6%	13.4%
Mortality				004
Maternal Mortality		_	-	20.1
Mortality Rate	++	35	117.8	97.2
Physical Health		65	0.007	0.00
Frequent Physical Distress	+++	25	8.6%	8.4%
		1	5.4%	10.6%
High Blood Pressure	+++++	1		
High Blood Pressure High Health Status‡	+++++	9	58.6%	53.8%
High Blood Pressure High Health Status* Maternal Morbidity*	+++++	9	58.6% 6.2	53.8% 6.6
High Blood Pressure High Health Status* Maternal Morbidity* Multiple Chronic Conditions	+++++	9 — 31	58.6% 6.2 5.3%	53.8% 6.6 4.4%
High Blood Pressure High Health Status* Maternal Morbidity*	+++++	9	58.6% 6.2	53.8% 6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		01-1-	04-4-	
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	34	-0.142	_
Access to Care				
ADD/ADHD Treatment	++	37	2.5%	3.0%
Pediatricians	+	42	71.4	104.6
Uninsured	+	42	7.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++	35	74.7%	75.8%
HPV Vaccination	+++++	9	61.2%	54.2%
Preventive Dental Care	+++	28	77.2%	77.5%
Well-child Visit	++	35	78.8%	80.7%
Quality of Care				
Adequate Insurance	+++	29	66.0%	66.7%
Developmental Screening	+++	26	36.5%	36.9%
Medical Home	+++++	9	53.0%	46.8%
BEHAVIORS*	++	33	-0.224	
Nutrition and Physical Activity	***	33	-0.224	
Breastfed	+++++	8	32.1%	25.6%
Food Sufficiency	++	37	66.0%	69.8%
Physical Activity	+++	30	22.3%	20.6%
Soda Consumption — Youth‡		-	8.4%	9.3%
Sexual Health — Youth			0.470	3.376
Dual Contraceptive Nonuse*		_	86.0%	90.9%
Teen Births	++	34	19.2	16.7
Sleep Health				
Adequate Sleep	+++	27	66.4%	66.1%
Sleep Position*		_	86.6%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	23.9%	32.7%
Tobacco Use	+	43	5.9%	4.0%
HEALTH OUTCOMES*		00	0.105	
	+++	28	-0.125	
Behavioral Health Alcohol Use — Youth	+++	21	9.2%	9.2%
Anxiety	++	34	10.8%	9.2%
Depression	++	39	5.3%	3.9%
Flourishing	+++++	10	70.5%	69.1%
Illicit Drug Use — Youth	+++++	6	6.8%	8.4%
Teen Suicide‡		_	33.1	11.2
Mortality				
Child Mortality	+	48	39.0	25.4
Infant Mortality	++	38	6.8	5.7
Physical Health				
Asthma	++++	12	6.3%	7.5%
High Health Status‡	++++	12	92.0%	90.4%
Low Birthweight	+++++	10	7.0%	8.3%
Low Birthweight Racial Disparity	+++++	6	1.6	2.1
Overweight or Obesity — Youth	++	39	34.7%	32.1%
OVERALL — CHILDREN*			-0.136	_

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Tennessee

State Health Department Website: tn.gov/health



Summary

Strengths:

- · Low prevalence of illicit drug use among youth
- Low prevalence of depression among children
- · High prevalence of exercise among women

Highlights:

POVERTY

▼11%

from 19.0% to 16.9% of women ages 18-44 between 2018 and 2019

TEEN BIRTHS

▼32% from 34.8 to 25.7 bill to \$5.1 ages 15-19 between 2013 and 2019 from 34.8 to 23.7 births per 1,000 females

Challenges:

- Low WIC coverage among eligible children ages 1-4
- High mortality rate among women ages 20-44
- High prevalence of multiple chronic conditions among women

EXCESSIVE DRINKING

from 11.3% to 18.2% of women ages 18-44 between 2014-2015 and 2018-2019

DRUG DEATHS

33% from 23.6 to 31.4 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	43	-0.497	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.5%	3.0%
Violent Crime	+	48	595	379
Economic Resources				
Concentrated Disadvantage	++	32	25.1%	25.1%
Food Insecurity	++	36	12.5%	11.1%
Gender Pay Gap‡	++++	18	80.6%	81.0%
Poverty	++	37	16.9%	15.2%
Unemployment	+++	23	3.5%	3.6%
Education				
College Graduate	++	35	32.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++++	15	11.5%	12.5%
Residential Segregation — Black/White	++	35	67	62
Voter Participation	++	35	58.9%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	37	-0.178	
Community and Family Safety				
Child Victimization [‡]	++++	17	6.5%	8.9%
Economic Resources				
Children in Poverty	+	41	19.7%	16.8%
Children in Poverty Racial Disparity	+++++	4	2.6	3.0
High-speed Internet	++	39	90.8%	92.6%
Students Experiencing Homelessness	++++	20	2.0%	3.0%
WIC Coverage	+	50	41.1%	53.9%
Education				
Early Childhood Education	+	41	40.9%	48.9%
Fourth Grade Reading Proficiency	+++	27	34.6%	34.3%
High School Graduation	+++++	6	90.5%	85.8%
High School Graduation Racial Disparity	+++++	9	9.0	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++	39	17.8%	14.8%
Foster Care Instability	+	50	31.1%	16.0%
Neighborhood Amenities	+	41	23.0%	37.4%
Reading, Singing or Storytelling	++	35	54.2%	55.9%
	+++	29	0.014	_
	+++	22	7.2	8.3
	++	34	0.5%	0.8%
	+	42	19.5%	14.0%
	+	44	14,488,589	361,963,972
	++++	16	88.8%	73.0%
			ō	
	++	36	0	_
	++	34	9.8	8.7
	+	41	81.7%	75.4%
	++++	15	12.3%	17.6%
	++++	18	14.2%	17.5%
	7777	10	14.∠/0	17.5/6

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	40	-0.405	_
Access to Care				
Adequate Prenatal Care	++	36	74.5%	76.7%
Avoided Care Due to Cost	++	34	19.3%	18.8%
Publicly-funded Women's Health Services	++	34	22%	29%
Uninsured	++	33	13.8%	12.9%
Women's Health Providers	++	35	41.8	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++++	14	82.6%	79.9%
Dental Visit	+	48	59.4%	67.6%
Flu Vaccination	+	46	26.1%	31.5%
Postpartum Visit*		_	88.3%	90.7%
Well-woman Visit	++++	20	75.3%	73.2%
Quality of Care		00	0440/	0.4.00/
Breastfeeding Initiation*	++	33	81.1%	84.0%
Dedicated Health Care Provider	++	40	69.0%	71.1%
Low-risk Cesarean Delivery	+++	30	25.5%	25.6%
Maternity Practices Score	+	45	72	79
BEHAVIORS*	+	45	-0.861	
Nutrition and Physical Activity				
Exercise	++++	13	22.8%	21.5%
Fruit and Vegetable Consumption	+++	29	9.7%	10.4%
Physical Inactivity	+	41	25.4%	22.6%
Sexual Health				
Chlamydia	++	35	1,876	1,743
High-risk HIV Behaviors	+	45	11.5%	9.7%
Unintended Pregnancy*			38.3%	30.6%
Sleep Health				
Insufficient Sleep	+	50	44.5%	36.1%
Tobacco Use				
E-cigarette Use‡	+	48	7.8%	5.3%
Smoking	+	41	20.0%	14.3%
Smoking During Pregnancy	++	40	11.5%	6.0%
HEALTH OUTCOMES*	+	44	-0.911	_
Behavioral Health				
Drug Deaths*	+	42	31.4	20.7
Excessive Drinking	++++	18	18.2%	19.2%
Frequent Mental Distress	++	38	21.6%	18.1%
Illicit Drug Use	+++++	2	8.2%	10.8%
Postpartum Depression [‡]		_	15.5%	13.4%
Mortality				
Maternal Mortality		_	26.1	20.1
Mortality Rate	+	43	139.5	97.2
Physical Health	•	+0	100.0	51.2
Frequent Physical Distress	+	44	10.7%	8.4%
High Blood Pressure	+	44	16.2%	10.6%
High Health Status	+++	28	54.6%	53.8%
Maternal Morbidity*		_	5.5	6.6
Multiple Chronic Conditions	+	45	7.1%	4.4%
Obesity	++	39	34.6%	30.0%
OVERALL — WOMEN*		_	-0.543	
OTENALE HOMEN			0.040	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	31	-0.028	_
Access to Care				
ADD/ADHD Treatment	++++	14	3.9%	3.0%
Pediatricians	+++	22	99.1	104.6
Uninsured	+++	26	5.0%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++	37	73.9%	75.8%
HPV Vaccination Preventive Dental Care	+	46	43.0%	54.2%
Well-child Visit	++	44 34	74.6% 78.9%	77.5% 80.7%
			, 0.0,0	00.770
Quality of Care	+++++	10	70.7%	CC 70/
Adequate Insurance Developmental Screening	++++	22	38.5%	66.7% 36.9%
Medical Home	++++	17	51.5%	46.8%
Medical Home		17	01.070	40.070
BEHAVIORS*	+	41	-0.624	_
Nutrition and Physical Activity				
Breastfed	+++	21	27.2%	25.6%
Food Sufficiency	++	36	66.1%	69.8%
Physical Activity	++	32	22.0%	20.6%
Soda Consumption — Youth‡		_	16.6%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse*		_	-	90.9%
Teen Births	+	41	23.7	16.7
Sleep Health				
Adequate Sleep	+	45	60.5%	66.1%
Sleep Position [‡]			79.4%	79.6%
Tobacco Use — Youth			0040/	
Electronic Vapor Product Use		-	22.1%	32.7%
Tobacco Use	++	40	5.7%	4.0%
HEALTH OUTCOMES*	++	32	-0.215	_
Behavioral Health				
Alcohol Use — Youth	++++	15	9.1%	9.2%
Anxiety	++++	13	8.6%	9.1%
Depression	+++++	9	3.2%	3.9%
Flourishing	+++	24	69.2%	69.1%
Illicit Drug Use — Youth	+++++	9	6.9%	8.4%
Teen Suicide‡			12.0	11.2
Mortality				
Child Mortality	+	42	33.5	25.4
Infant Mortality	+	43	7.1	5.7
Physical Health		20	7.00/	750/
Asthma	++++	20	7.0%	7.5%
High Health Status‡ Low Birthweight	++	44 38	89.0% 9.2%	90.4%
Low Birthweight Low Birthweight Racial Disparity	++++	36 17	9.2%	8.3%
Overweight or Obesity — Youth	+	42	36.9%	2.1 32.1%
Overweight of Obesity — Toutif	•	→∠	00.076	UZ.1/0
OVERALL — CHILDREN*		_	-0.208	_
OVERALL - WOMEN AND CHILDREN*			0.200	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Texas

State Health Department Website: dshs.state.tx.us



Summary

Strengths:

- High rate of high school graduation
- Low prevalence of frequent mental distress among women
- · Low prevalence of smoking during pregnancy

Highlights:

CHILDREN IN POVERTY

▼23% from 25.0% to 19.2% of children ages 0-17 between 2013 and 2019

PHYSICAL INACTIVITY

▼17% from 28.7% to 23.8% of women ages 18-44 between 2013-2014 and 2018-2019

Challenges:

- High percentage of uninsured children
- · Low percentage of fourth grade reading proficiency
- · High prevalence of concentrated disadvantage

UNINSURED

▲19% from 10.7% to 12.7% of of manages 10.18 between 2017 and 2019 from 10.7% to 12.7% of children

TEEN SUICIDE

41% from 8.7 to 12.3 deaths per 100,000 adolescents ages 15-19 between 2012-2014 and 2017-2019

State

State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	39	-0.406	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	++	35	419	379
Economic Resources				
Concentrated Disadvantage	+	47	35.1%	25.1%
Food Insecurity	+	41	13.1%	11.1%
Gender Pay Gap+	+++	27	79.4%	81.0%
Poverty	++	33	16.3%	15.2%
Unemployment	+++	26	3.6%	3.6%
Education				
College Graduate	++	32	32.2%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++++	17	11.6%	12.5%
Residential Segregation — Black/White	++++	14	57	62
Voter Participation	++	38	58.4%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	32	-0.069	
Community and Family Safety				
Child Victimization [‡]	+++	26	8.7%	8.9%
Economic Resources				
Children in Poverty	++	39	19.2%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	++	39	90.8%	92.6%
Students Experiencing Homelessness	+++	23	2.1%	3.0%
WIC Coverage	++	31	49.9%	53.9%
Education				
Early Childhood Education	++	33	44.0%	48.9%
Fourth Grade Reading Proficiency	+	44	30.3%	34.3%
High School Graduation	+++++	8	90.0%	85.8%
High School Graduation Racial Disparity	+++++	5	7.5	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+++	21	15.2%	14.8%
Foster Care Instability	+++	30	17.2%	16.0%
Neighborhood Amenities	++	32	32.2%	37.4%
Reading, Singing or Storytelling	+	49	46.6%	55.9%
	+	42	-0.281	_
	+	43	8.4	8.3
	++	38	0.8%	0.8%
	++	32	16.3%	14.0%
	+	50	79,444,445	361,963,972
	+++	29	72.7%	73.0%
	+++	28	1	_
	+	43	11.5	8.7
	+++	29	80.0%	75.4%
	+++++	7	9.8%	17.6%
	++	38	17.4%	17.5%
	TT	30	17.4/0	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	50	-1.178	_
Access to Care				
Adequate Prenatal Care	+	45	70.7%	76.7%
Avoided Care Due to Cost	+	48	26.0%	18.8%
Publicly-funded Women's Health Services	++	35	21%	29%
Uninsured	+	50	26.3%	12.9%
Women's Health Providers	+	42	40.6	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+	46	77.3%	79.9%
Dental Visit	+	46	59.9%	67.6%
Flu Vaccination	+	44	27.0%	31.5%
Postpartum Visit [‡]		_	_	90.7%
Well-woman Visit	+	46	67.3%	73.2%
Quality of Care			00.00/	
Breastfeeding Initiation*	++++	14	88.6%	84.0%
Dedicated Health Care Provider	+	50	57.0%	71.1%
Low-risk Cesarean Delivery	+	45	28.4%	25.6%
Maternity Practices Score	+++	28	77	79
BEHAVIORS*	+++++	9	0.443	_
Nutrition and Physical Activity				
Exercise	+++	23	21.8%	21.5%
Fruit and Vegetable Consumption	+++++	10	12.0%	10.4%
Physical Inactivity	++	33	23.8%	22.6%
,				
Sexual Health				
Chlamydia	+++	22	1,665	1,743
High-risk HIV Behaviors	++++	14	8.7%	9.7%
Unintended Pregnancy*		_		30.6%
Sleep Health		40	00.00/	0.040/
Insufficient Sleep	++++	16	33.2%	36.1%
Tobacco Use				
E-cigarette Use‡	+++++	10	4.9%	5.3%
Smoking	+++++	3	10.5%	14.3%
Smoking During Pregnancy	+++++	3	2.4%	6.0%
HEALTH OUTCOMES*	+++++	3	0.699	_
Behavioral Health		0	0.0	007
Drug Deaths*	+++++	3	8.6	20.7
Excessive Drinking	++++	12	17.6%	19.2%
Frequent Mental Distress	+++++	2	14.0%	18.1%
Illicit Drug Use	+++++	5	8.6%	10.8%
Dootportum Dopropient				10 40/
Postpartum Depression*		_	_	13.4%
Postpartum Depression# Mortality		_	_	13.4%
		_	18.3	20.1
Mortality	++++	_ _ _ 13	18.3 85.3	
Mortality Maternal Mortality† Mortality Rate Physical Health		_ _ _ 13	05.0	20.1
Mortality Maternal Mortality Mortality Rate		_ _ _ 13 _ 2	05.0	20.1
Mortality Maternal Mortality Mortality Rate Physical Health	++++		85.3	20.1 97.2
Mortality Maternal Mortality Mortality Rate Physical Health Frequent Physical Distress	++++	2	85.3	20.1 97.2 8.4%
Mortality Maternal Mortality* Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	++++	2 9	85.3 6.4% 8.0%	20.1 97.2 8.4% 10.6%
Mortality Maternal Mortality† Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡	++++	2 9 47	85.3 6.4% 8.0% 49.6%	20.1 97.2 8.4% 10.6% 53.8%
Mortality Maternal Mortality Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status Maternal Morbidity	++++	2 9 47 —	85.3 6.4% 8.0% 49.6% 5.2	20.1 97.2 8.4% 10.6% 53.8% 6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		٥		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	47	-0.773	_
Access to Care				
ADD/ADHD Treatment	+++	27	3.1%	3.0%
Pediatricians	++	36	78.9	104.6
Uninsured	+	50	12.7%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+	42	72.1%	75.8%
HPV Vaccination	++	40	48.4%	54.2%
Preventive Dental Care	++	34	76.7%	77.5%
Well-child Visit	+	46	76.2%	80.7%
Quality of Care				
Adequate Insurance	+	48	59.6%	66.7%
Developmental Screening	+++++	9	47.5%	36.9%
Medical Home	+	46	40.9%	46.8%
BEHAVIORS*	++	40	-0.549	_
Nutrition and Physical Activity		00	00.00/	05.00/
Breastfed	++	32	23.9%	25.6%
Food Sufficiency	+++	27	68.4% 14.1%	69.8%
Physical Activity Soda Consumption — Youth*	+	50		20.6%
Sexual Health — Youth			10.6%	9.3%
Dual Contraceptive Nonuse*		_	92.9%	90.9%
Teen Births	+	42	24.0	16.7
reen bii ti is		42	24.0	10.7
Sleep Health				
Adequate Sleep	++	34	63.6%	66.1%
Sleep Position*		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	18.7%	32.7%
Tobacco Use	++++	14	3.6%	4.0%
HEALTH OUTCOMES*	++++	13	0.115	_
Behavioral Health		4.5	0.407	
Alcohol Use — Youth	++++	15	9.1%	9.2%
Anxiety	+++++	3	7.1%	9.1%
Depression	++++	16	3.6%	3.9%
Flourishing	++++	17	69.8% 7.1%	69.1%
Illicit Drug Use — Youth Teen Suicide‡	++++	13	12.3	8.4% 11.2
Mortality			12.0	11.2
Child Mortality	+++	25	26.3	25.4
Infant Mortality	++++	18	5.7	5.7
Physical Health				0.7
Asthma	+++	24	7.3%	7.5%
High Health Status*	+	41	89.2%	90.4%
Low Birthweight	+++	26	8.4%	8.3%
Low Birthweight Racial Disparity	+++	27	2.0	2.1
Overweight or Obesity — Youth	+	44	37.1%	32.1%
OVERALL — CHILDREN*		_	-0.217	_
OVERALL — WOMEN AND CHILDREN*			-0.151	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: health.utah.gov



Summary

Strengths:

- Low percentage of children in poverty
- Low prevalence of physical inactivity among women
- · Low prevalence of household smoke

Highlights:

HPV IMMUNIZATION

46% from 30.5% to 44.6% of adolescents ages 13-17 between 2016 and 2019

ADEQUATE SLEEP

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

from 67.7% to 76.6% of children ages 6-17 between 2017-2018 and 2019-2020

Challenges:

- High racial disparity among children in poverty
- Low WIC coverage among eligible children ages 1-4
- · Low prevalence of well-woman visits

WOMEN WHO AVOIDED CARE DUE TO COST

from 16.4% to 19.4% of women ages 18-44 18% from 16.4% to 19.4% of worthern ago, between 2016-2017 and 2018-2019

FREQUENT MENTAL DISTRESS

25% from 15.5% to 13.4% of Wornes-2019 between 2015-2016 and 2018-2019 from 15.5% to 19.4% of women ages 18-44

State

State

U.S.

Women

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	13	0.498	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	1.7%	3.0%
Violent Crime	++++	11	236	379
Economic Resources				
Concentrated Disadvantage	+++++	8	10.8%	25.1%
Food Insecurity	+++	23	10.7%	11.1%
Gender Pay Gap‡	+	49	69.8%	81.0%
Poverty	+++++	6	11.5%	15.2%
Unemployment	+++++	10	2.7%	3.6%
Education				
College Graduate	++	32	32.2%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	+++	25	12.0%	12.5%
Residential Segregation — Black/White	++	35	67	62
Voter Participation	++++	17	63.6%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	12	0.283	
Community and Family Safety				
Child Victimization [‡]	++	32	11.4%	8.9%
Economic Resources				
Children in Poverty	+++++	2	9.9%	16.8%
Children in Poverty Racial Disparity	+	44	4.9	3.0
High-speed Internet	++++	8	95.9%	92.6%
Students Experiencing Homelessness	++++	20	2.0%	3.0%
WIC Coverage	+	46	43.5%	53.9%
Education				
Early Childhood Education	++	31	44.8%	48.9%
Fourth Grade Reading Proficiency	+++++	5	40.0%	34.3%
High School Graduation	++++	18	87.4%	85.8%
High School Graduation Racial Disparity	+++	26	14.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	14	13.7%	14.8%
Foster Care Instability	++	35	18.8%	16.0%
Neighborhood Amenities	++++	4	52.8%	37.4%
Reading, Singing or Storytelling	+++	27	56.2%	55.9%
	+++++	3	0.468	_
	++	31	7.8	8.3
	+++++	1	0.0%	0.8%
	+++++	1	3.8%	14.0%
	++	33	6,497,319	361,963,972
	+	42	52.2%	73.0%
	++	36	0	_
	+++	21	8.5	8.7
	++++	13	74.9%	75.4%
		12	11.4%	
	++++			17.6%
	++++	11	13.6%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Avoided Care Due to Cost	Measures	Rating	State Rank	State Value	U.S. Value
Adequate Prenatal Care Avoided Care Due to Cost Avoided Care Due to Cost Avoided Care Due to Cost H Avoided Care Due to Cost H H H H H H H H H H H H H H H H H H H	CLINICAL CARE*	++	31	0.046	_
Avoided Care Due to Cost	Access to Care				
Publicly-funded Women's Health Services	Adequate Prenatal Care	+++++	8	84.5%	76.7%
Uninsured Women's Health Providers Preventive Clinical Care Cervical Cancer Screening Dental Visit Flu Vaccination Postpartum Visit Well-woman Visit Well-woman Visit	Avoided Care Due to Cost	++	36	19.4%	18.8%
Women's Health Providers	Publicly-funded Women's Health Services	+	42	18%	29%
Preventive Clinical Care	Uninsured	++	31	12.4%	12.9%
Cervical Cancer Screening	Women's Health Providers	++++	18	54.0	48.5
Dental Visit	Preventive Clinical Care				
Flu Vaccination	Cervical Cancer Screening	+	49	72.4%	79.9%
Postpartum Visit*	Dental Visit	+++++	8	73.2%	67.6%
Well-woman Visit	Flu Vaccination	++++	20	34.8%	31.5%
Quality of Care Breastfeeding Initiation* +++ 21 86.2% 84.0% Dedicated Health Care Provider +++ 28 71.6% 71.1% 71.1% 25.6% Low-risk Cesarean Delivery +++++ 3 18.7% 25.6% 73 79 BEHAVIORS* +++++ 1 1.300 — Nutrition and Physical Activity			_	92.0%	90.7%
Reastfeeding Initiation*	Well-woman Visit	+	47		73.2%
Breastfeeding Initiation					
Dedicated Health Care Provider		+++	21	86.2%	84.0%
Low-risk Cesarean Delivery H++++ 3 18.7% 25.6% Maternity Practices Score H+ 40 73 79 BEHAVIORS*	-				
Maternity Practices Score					25.6%
Nutrition and Physical Activity Exercise	,				
Nutrition and Physical Activity	Waterfilty Fractices score		40	70	/5
Exercise +++++ 10 24.2% 21.59 Fruit and Vegetable Consumption +++ 24 10.4% 10.4% 10.49 Physical Inactivity +++++ 3 16.0% 22.69 Sexual Health Chlamydia +++++ 4 7.2% 9.7% 16.6% 17.43 High-risk HIV Behaviors +++++ 4 7.2% 9.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2	BEHAVIORS*	+++++	1	1.300	_
Exercise +++++ 10 24.2% 21.59 Fruit and Vegetable Consumption +++ 24 10.4% 10.4% 10.49 Physical Inactivity +++++ 3 16.0% 22.69 Sexual Health Chlamydia +++++ 4 7.2% 9.7% 16.6% 17.43 High-risk HIV Behaviors +++++ 4 7.2% 9.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.7% 17.2% 19.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2% 17.2% 19.2	Nutrition and Physical Activity				
Fruit and Vegetable Consumption Physical Inactivity ++++ 24 10.4% 10.4% 22.69 Sexual Health Chlamydia +++++ 3 986 1,743 High-risk HIV Behaviors +++++ 4 7.2% 9.7% Unintended Pregnancy* — 22.1% 30.69 Sleep Health Insufficient Sleep +++++ 5 30.7% 36.19 Tobacco Use E-cigarette Use* + 43 6.8% 5.3% Smoking During Pregnancy +++++ 4 2.6% 6.0% HEALTH OUTCOMES* ++++ 4 4 2.6% 6.0% Behavioral Health Drug Deaths* ++++ 4 6 0.501 — Behavioral Mental Distress ++++ 26 20.1 20.7 Excessive Drinking +++++ 1 11.2% 19.29 Frequent Mental Distress ++++ 26 19.4% 18.1% Illicit Drug Use +++ 25 11.1% 10.89 Postpartum Depression* ++++ 17 89.0 97.2 Mortality Maternal Mortality* — — 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.69 Maternal Morbidity* — 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.09		+++++	10	24.2%	21.5%
Physical Inactivity		+++	24		10.4%
Sexual Health Chlamydia +++++ 3 986 1,743 High-risk HIV Behaviors +++++ 4 7,2% 9,7% Unintended Pregnancy* - 22,1% 30,63 Sleep Health Insufficient Sleep +++++ 5 30,7% 36,19 Tobacco Use E-cigarette Use* + 43 6,8% 5,3% Smoking During Pregnancy +++++ 1 6,6% 14,39 Smoking During Pregnancy +++++ 4 2,6% 6,0% HEALTH OUTCOMES* ++++ 6 0,501 - Behavioral Health Drug Deaths* ++++ 1 11,2% 19,29 Excessive Drinking +++++ 1 11,2% 19,29 Frequent Mental Distress +++ 26 19,4% 18,1% Illicit Drug Use +++ 25 11,1% 10,89 Postpartum Depression* - 15,2% 13,49 Mortality - - 20,1 Mortality Rate ++++ 17 89,0 97,2 Physical Health Frequent Physical Distress ++++ 19 8,4% 8,4% High Blood Pressure ++++ 15 7,5% 10,69 Maternal Morbidity* - 7,1 6,6 Multiple Chronic Conditions ++++ 6 3,4% 4,4% Obesity +++++ 6 3,4% 4,4% Obesity +++++ 6 3,4% 4,4% Obesity +++++ 9 25,3% 30,09		+++++			22.6%
Chlamydia	, olear maetivity		Ü	10.070	22.070
High-risk HIV Behaviors	Sexual Health				
High-risk HIV Behaviors	Chlamydia	+++++	3	986	1,743
Unintended Pregnancy*	•	+++++	4	7.2%	9.7%
Sleep Health Insufficient Sleep	9		_	22.1%	30.6%
Tobacco Use F-cigarette Use*	<u> </u>				
E-cigarette Use* + 43 6.8% 5.3% Smoking +++++ 13 6.6% 14.39 Smoking During Pregnancy +++++ 4 2.6% 6.0% HEALTH OUTCOMES* +++++ 4 2.6% 6.0% Ebehavioral Health Drug Deaths* ++++ 26 20.1 20.7 Excessive Drinking +++++ 1 111.2% 19.29 Frequent Mental Distress ++++ 26 19.4% 18.1% Illlicit Drug Use ++++ 25 11.1% 10.89 Postpartum Depression* - 15.2% 13.49 Mortality Mortality Maternal Mortality* 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.69 High Health Status* +++++ 8 58.7% 53.85 Maternal Morbidity* 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.05	-	+++++	5	30.7%	36.1%
E-cigarette Use* + 43 6.8% 5.3% Smoking +++++ 13 6.6% 14.39 Smoking During Pregnancy +++++ 4 2.6% 6.0% HEALTH OUTCOMES* +++++ 4 2.6% 6.0% Ebehavioral Health Drug Deaths* ++++ 26 20.1 20.7 Excessive Drinking +++++ 1 111.2% 19.29 Frequent Mental Distress ++++ 26 19.4% 18.1% Illlicit Drug Use ++++ 25 11.1% 10.89 Postpartum Depression* - 15.2% 13.49 Mortality Mortality Maternal Mortality* 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.69 High Health Status* +++++ 8 58.7% 53.85 Maternal Morbidity* 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.05	Tobacco Use				
Smoking +++++ 1 6.6% 14.3% Smoking During Pregnancy +++++ 4 2.6% 6.0% HEALTH OUTCOMES* +++++ 4 2.6% 6.0% Behavioral Health Drug Deaths* +++ 26 20.1 20.7 Excessive Drinking +++++ 12 19.2% 19.2% Frequent Mental Distress ++++ 26 19.4% 18.1% Illicit Drug Use ++++ 25 11.1% 10.8% Postpartum Depression* - 15.2% 13.4% Mortality Maternal Mortality* - - - 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 5 7.5% 10.6% High Blood Pressure +++++ 5 53.8% 53.8% Maternal Morbidity* - 71 6.6 Multiple Chronic Conditions	E-cigarette Use‡	+	43	6.8%	5.3%
HEALTH OUTCOMES*		+++++	1		14.3%
Behavioral Health Drug Deaths‡ +++ 26 20.1 20.7 Excessive Drinking +++++ 1 11.2% 19.29 Frequent Mental Distress +++ 26 19.4% 18.1% Illicit Drug Use +++ 25 11.1% 10.89 Postpartum Depression‡ - - 15.2% 13.49 Mortality Maternal Mortality‡ - - 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status‡ +++++ 8 58.7% 53.8% Maternal Morbidity‡ - 71 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	-	++++	4		6.0%
Drug Deaths‡ +++ 26 20.1 20.7 Excessive Drinking +++++ 1 11.2% 19.29 Frequent Mental Distress +++ 26 19.4% 18.1% Illicit Drug Use +++ 25 11.1% 10.89 Postpartum Depression‡ - 15.2% 13.49 Mortality Maternal Mortality‡ - - 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6 High Health Status‡ ++++ 8 58.7% 53.8% Maternal Morbidity‡ - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	HEALTH OUTCOMES*	+++++	6	0.501	_
Excessive Drinking	Behavioral Health				
Frequent Mental Distress	Drug Deaths‡	+++	26	20.1	20.7
Frequent Mental Distress	~	+++++	1	11.2%	19.2%
Illicit Drug Use	9	+++	26		18.1%
Nortality	•	+++			10.8%
Maternal Mortality‡ — — 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* — 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	_		_		13.4%
Maternal Mortality‡ — — 20.1 Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* — 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	Mortality				
Mortality Rate ++++ 17 89.0 97.2 Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	-		_	_	20.1
Physical Health Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	, , , , , , , , , , , , , , , , , , ,	++++	17	89.0	
Frequent Physical Distress ++++ 19 8.4% 8.4% High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%					T
High Blood Pressure +++++ 5 7.5% 10.6% High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%		++++	19	8.4%	8.4%
High Health Status* +++++ 8 58.7% 53.8% Maternal Morbidity* - 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%					
Maternal Morbidity* — 7.1 6.6 Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%					
Multiple Chronic Conditions +++++ 6 3.4% 4.4% Obesity +++++ 9 25.3% 30.0%	9				
Obesity +++++ 9 25.3% 30.09	,	+++++			
,	•				
OVERALL WOMEN'S	OVERALL — WOMEN*	TTTT	Э	25.3% 0.589	30.0%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

leasures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	33	-0.096	_
Access to Care				
ADD/ADHD Treatment	+	50	1.0%	3.09
Pediatricians	++	40	74.7	104.
Uninsured	+	45	8.3%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	12	79.8%	75.89
HPV Vaccination	+	44	44.6%	54.2
Preventive Dental Care	+++++	5	84.3%	77.59
Well-child Visit	+++	30	79.6%	80.7
Quality of Care				
Adequate Insurance	+	41	62.8%	66.7
Developmental Screening	+++	29	34.2%	36.9
Medical Home	+++++	5	55.7%	46.8
BEHAVIORS*		5	0.001	
Nutrition and Physical Activity	+++++	5	0.681	_
Breastfed	+++	23	26.3%	25.6
Food Sufficiency	++++	11	73.3%	69.8
Physical Activity	+	42	18.5%	20.6
	-	42	6.9%	9.39
Soda Consumption — Youth Sexual Health — Youth			0.9%	9.37
Dual Contraceptive Nonuse [‡]		10	10.0	90.9
Teen Births	+++++	10	12.0	16.7
Sleep Health				
Adequate Sleep	+++++	2	76.6%	66.1
Sleep Position*			83.3%	79.6
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	9.7%	32.7
Tobacco Use	+++++	3	2.7%	4.09
HEALTH OUTCOMES*	+++++	2	0.690	_
Behavioral Health		_		
Alcohol Use — Youth	+++++	1	5.7%	9.29
Anxiety	+++	25	9.7%	9.19
Depression	++++	16	3.6%	3.99
Flourishing	+++	30	68.7%	69.1
Illicit Drug Use — Youth	+++++	1	6.0%	8.49
Teen Suicide‡			22.7	11.2
Mortality			22.1	11.2
Child Mortality	++++	18	24.8	25.4
			24.0 5.7	5.7
Intant Mortality	++++	18	J./	5./
		0	E 10/	750
Physical Health		2	5.1%	7.5%
Physical Health Asthma	+++++			90.4
Asthma High Health Status‡	+++++	2	93.8%	
Physical Health Asthma High Health Status‡ Low Birthweight	+++++	2 13	7.4%	8.39
Physical Health Asthma High Health Status‡ Low Birthweight Low Birthweight Racial Disparity	+++++ ++++ ++++	2 13 17	7.4% 1.9	8.39 2.1
Physical Health Asthma	+++++	2 13	7.4%	8.39 2.1 32.19
Physical Health Asthma High Health Status‡ Low Birthweight Low Birthweight Racial Disparity	+++++ ++++ ++++	2 13 17	7.4% 1.9	8.39 2.1

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Vermont

State Health Department Website: healthvermont.gov



Summary

Strengths:

- · Low prevalence of concentrated disadvantage
- High percentage of female college graduates
- High percentage of infants exclusively breastfed for six months

Highlights:

CHILDREN IN POVERTY

▼35% from 15.8% to 10.2% of children ages 0-17 between 2014 and 2019

EXERCISE

40% from 22.7% to 31.8% of women ages 18-44 between 2015 and 2019

Challenges:

- · High prevalence of illicit drug use among youth
- High prevalence of anxiety among children
- · High prevalence of smoking during pregnancy

FREQUENT MENTAL DISTRESS

50% from 14.2% to 21.3% of women ages 18-44 between 2013-2014 and 2018-2019

DRUG DEATHS

73% from 17.0 to 29.4 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	5	1.016	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.4%	3.0%
Violent Crime	+++++	4	202	379
Economic Resources				
Concentrated Disadvantage	+++++	1	3.9%	25.1%
Food Insecurity	+++++	10	9.6%	11.1%
Gender Pay Gap‡	+++++	1	91.0%	81.0%
Poverty	++	36	16.7%	15.2%
Unemployment	+++++	2	2.2%	3.6%
Education				
College Graduate	+++++	2	47.4%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++	31	13.4%	12.5%
Residential Segregation — Black/White	+++	26	64	62
Voter Participation	+++	22	63.0%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	+++++	5	0.584	_
Community and Family Safety				
Child Victimization [‡]	+++	21	7.5%	8.9%
Economic Resources				
Children in Poverty	+++++	3	10.2%	16.8%
Children in Poverty Racial Disparity	+++++	9	2.8	3.0
High-speed Internet	+++	28	93.0%	92.6%
Students Experiencing Homelessness	+++++	4	1.2%	3.0%
WIC Coverage	+++++	1	75.0%	53.9%
Education				
Early Childhood Education	+++++	2	66.0%	48.9%
Fourth Grade Reading Proficiency	++++	13	37.1%	34.3%
High School Graduation	++	31	84.5%	85.8%
High School Graduation Racial Disparity	+++	26	14.7	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	43	18.8%	14.8%
Foster Care Instability	+	47	24.9%	16.0%
Neighborhood Amenities	++	34	31.3%	37.4%
Reading, Singing or Storytelling	+++++	2	71.1%	55.9%
	+++	28	0.039	_
	+++++	3	4.8	8.3
	+++	30	0.3%	0.8%
	++	35	17.2%	14.0%
	+++++	1	333	361,963,972
	++	40	56.2%	73.0%
	+++++	1	4	_
	++++	6	7.4	8.7
	++++	15	75.7%	75.4%
	++++	40	75.7% 23.4%	17.6%
	++	35	17.0%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

1 easures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	1	1.324	_
Access to Care				
Adequate Prenatal Care	+++++	2	90.0%	76.7%
Avoided Care Due to Cost	+++++	3	11.6%	18.8%
Publicly-funded Women's Health Services	+++++	3	55%	29%
Uninsured	+++++	2	5.7%	12.9%
Women's Health Providers	+++++	2	71.0	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++	30	79.3%	79.99
Dental Visit	+++++	1	78.1%	67.69
Flu Vaccination	++++	17	35.8%	31.5%
Postpartum Visit*		_	94.9%	90.79
Well-woman Visit	++	33	71.5%	73.29
Quality of Care	- ' '	- 55	71.076	70.27
Breastfeeding Initiation*	+++++	6	91.9%	84.09
Dedicated Health Care Provider	+++++	2	85.4%	71.1%
Low-risk Cesarean Delivery	++++	7	20.8%	25.69
Maternity Practices Score	++++	13	20.6 <i>%</i> 82	79
Maternity Fractices Score	TTTT	13	OZ	/9
BEHAVIORS*	+++++	5	0.593	_
Nutrition and Physical Activity				
Exercise	+++++	1	31.8%	21.5%
Fruit and Vegetable Consumption	+++++	1	20.4%	10.49
Physical Inactivity	+++++	1	13.1%	22.69
,				
Sexual Health				
Chlamydia	+++++	4	1,003	1,743
High-risk HIV Behaviors	+	49	13.0%	9.7%
Unintended Pregnancy‡		_	20.0%	30.69
Sleep Health				
Insufficient Sleep	+++++	4	29.7%	36.1%
Tobacco Use				
E-cigarette Use‡	++	33	6.3%	5.3%
Smoking	+++	23	15.9%	14.39
Smoking During Pregnancy	+	46	13.2%	6.0%
omening baring regnancy			10.270	0.07
HEALTH OUTCOMES*	+++	24	-0.099	_
Behavioral Health				
Drug Deaths‡	++	39	29.4	20.7
Excessive Drinking	+	45	24.8%	19.2%
Frequent Mental Distress	++	36	21.3%	18.1%
Illicit Drug Use	+++	27	11.2%	10.89
Postpartum Depression‡		_	10.0%	13.49
Mortality				
Mortality Maternal Mortality [‡]		_	_	20.1
	++++	20	92.0	070
Physical Health	1177	20	JZ.U	97.2
Frequent Physical Distress	4411	11	770/	Q /10/
	++++		7.7%	8.4%
High Blood Pressure	++++	5	7.5%	10.69
High Health Status*	+++++	1	63.0%	53.89
Maternal Morbidity [‡]		_	_	6.6
Multiple Chronic Conditions	+++	27	4.9%	4.4%
			0.4.00/	12000
Obesity OVERALL — WOMEN*	+++++	5	24.3% 0.550	30.09

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		٥		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	2	1.414	_
Access to Care				
ADD/ADHD Treatment	++	37	2.5%	3.0%
Pediatricians	++++	6	142.3	104.6
Uninsured	+++++	3	2.1%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++++	9	81.8%	75.8%
HPV Vaccination	+++++	6	63.6%	54.2%
Preventive Dental Care	+++++	4	84.5%	77.5%
Well-child Visit	+++++	5	87.6%	80.7%
Quality of Care				
Adequate Insurance	+++++	3	75.0%	66.7%
Developmental Screening	+++++	3	51.8%	36.9%
Medical Home	+++++	1	56.8%	46.8%
BEHAVIORS*	+++++	6	0.642	
	*******	0	0.642	_
Nutrition and Physical Activity Breastfed	+++++	2	36.8%	25.6%
Food Sufficiency	+++++	7	75.0%	69.8%
Physical Activity	+++	21	23.6%	20.6%
Soda Consumption — Youth*			20.076	9.3%
Sexual Health — Youth				3.376
Dual Contraceptive Nonuse*		_	79.2%	90.9%
Teen Births	+++++	3	7.6	16.7
reen Birthe		Ü	7.0	10.7
Sleep Health				
Adequate Sleep	+++++	3	73.5%	66.1%
Sleep Position#		_	90.2%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	26.4%	32.7%
Tobacco Use	+	45	6.8%	4.0%
HEALTH OUTCOMES*	+++	30	-0.158	_
Behavioral Health		F-0	10.00/	
Alcohol Use — Youth	+	50	13.6%	9.2%
Anxiety	+	48	14.6%	9.1%
Depression	+	49 15	6.7%	3.9%
Flourishing Illicit Drug Use — Youth	++++	50	70.0% 14.1%	69.1% 8.4%
Teen Suicide‡	т	50	14.1/6	11.2
Mortality				11.2
Child Mortality	+++++	7	19.9	25.4
Infant Mortality	++++	16	5.6	5.7
Physical Health				
Asthma	+++	24	7.3%	7.5%
High Health Status*	+++++	3	93.2%	90.4%
Low Birthweight	+++++	4	6.6%	8.3%
Low Birthweight Racial Disparity	+++++	2	1.2	2.1
Overweight or Obesity — Youth	++++	11	27.8%	32.1%
OVERALL — CHILDREN*			0.418	
OVERALL — WOMEN AND CHILDREN*			0.522	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.



State Health Department Website: www.vdh.virginia.gov



Summary

Strengths:

- · Low prevalence of concentrated disadvantage
- Low prevalence of asthma among children
- · Low prevalence of depression among children

Highlights:

TEEN BIRTHS

▼32% from 20.1 to 13.6 births per 1,000 females ages 15-19 between 2013 and 2019

UNINSURED

from 12.5% to 10.6% of women ages 19-44 between 2017 and 2019

Challenges:

- Low WIC coverage among eligible children ages 1-4
- Low prevalence of exercise among women
- · High racial gap in high school graduation rates

OBESITY

from 24.0% to 30.1% of women ages 18-44 25% from 24.0% to 30.1% of worner age between 2013-2014 and 2018-2019

FREQUENT MENTAL DISTRESS

from 12.2% to 18.5% of women ages 18-44 **52%** between 2013-2014 and 2018-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	4	1.073	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	2.8%	3.0%
Violent Crime	+++++	6	208	379
Economic Resources				
Concentrated Disadvantage	++++	14	13.4%	25.1%
Food Insecurity	+++++	9	9.2%	11.1%
Gender Pay Gap‡	+++	26	79.6%	81.0%
Poverty	++++	11	12.8%	15.2%
Unemployment	++++	13	2.9%	3.6%
Education				
College Graduate	+++++	3	44.9%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	++	34	13.7%	12.5%
Residential Segregation — Black/White	+++++	6	51	62
Voter Participation	++++	13	65.2%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++++	9	0.339	_
Community and Family Safety				
Child Victimization [‡]	+++++	5	3.3%	8.9%
Economic Resources				
Children in Poverty	++++	18	13.4%	16.8%
Children in Poverty Racial Disparity	++++	18	3.1	3.0
High-speed Internet	+++	22	93.4%	92.6%
Students Experiencing Homelessness	+++++	10	1.6%	3.0%
WIC Coverage	+	42	45.0%	53.9%
Education				
Early Childhood Education	++++	14	50.9%	48.9%
Fourth Grade Reading Proficiency	++++	8	38.3%	34.3%
High School Graduation	++++	17	87.5%	85.8%
High School Graduation Racial Disparity	++	39	19.2	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	16	13.9%	14.8%
Foster Care Instability	+++	22	15.7%	16.0%
Neighborhood Amenities	++++	17	37.3%	37.4%
Reading, Singing or Storytelling	++++	11	62.6%	55.9%
	+++++	7	0.356	_
	++++	15	6.9	8.3
	++++	14	0.1%	0.8%
	+++	22	14.6%	14.0%
	+	43	10,993,849	361,963,972
	+++++	5	96.3%	73.0%
	+++++	1	4	_
	+++	28	9.1	8.7
		47	70.50/	75.40/
	++++	17	76.5%	75.4%
	++++	19	13.5%	17.6%
	+++	24	14.6%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	19	0.372	_
Access to Care				
Adequate Prenatal Care	++++	18	79.7%	76.7%
Avoided Care Due to Cost	+++	29	18.3%	18.8%
Publicly-funded Women's Health Services	+	46	16%	29%
Uninsured	+++	24	10.6%	12.9%
Women's Health Providers	+++	28	46.1	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	7	83.8%	79.9%
Dental Visit	++++	12	72.4%	67.6%
Flu Vaccination	++++	12	38.0%	31.5%
Postpartum Visit*		_	91.1%	90.7%
Well-woman Visit	++++	14	76.0%	73.2%
Quality of Care			05.00/	
Breastfeeding Initiation*	+++	23	85.9%	84.0%
Dedicated Health Care Provider	+++	21	74.2%	71.1%
Low-risk Cesarean Delivery	++	33	26.2%	25.6%
Maternity Practices Score	++++	17	81	79
BEHAVIORS*	+++	21	0.121	
Nutrition and Physical Activity				
Exercise	++	39	19.0%	21.5%
Fruit and Vegetable Consumption	+++	23	10.7%	10.4%
Physical Inactivity	++++	17	20.3%	22.6%
Sexual Health				
Chlamydia	++++	20	1,630	1,743
High-risk HIV Behaviors	+++++	8	7.8%	9.7%
Unintended Pregnancy*			31.2%	30.6%
Sleep Health		4.4	40.40/	2010/
Insufficient Sleep	+	44	40.4%	36.1%
Tobacco Use				
E-cigarette Use‡	+++	28	6.0%	5.3%
Smoking	++++	11	12.5%	14.3%
Smoking During Pregnancy	++++	17	5.2%	6.0%
HEALTH OUTCOMES*	++++	20	-0.007	_
Behavioral Health		20	-0.007	
Drug Deaths‡	+++	24	19.3	20.7
Excessive Drinking	+++	23	18.8%	19.2%
Frequent Mental Distress	++++	18	18.5%	18.1%
Illicit Drug Use	+++	24	10.8%	10.8%
Postpartum Depression*		_	14.6%	13.4%
Mortality			04.0	004
Maternal Mortality Martality Pate		- 10	21.6	20.1
Mortality Rate	++++	18	89.2	97.2
Physical Health Frequent Physical Distress	++++	14	8.1%	0 10/
High Blood Pressure	++++			8.4%
High Health Status*	+++++	35 10	11.6% 57.5%	10.6% 53.8%
Maternal Morbidity*	+++++	- -	3.8	6.6
Multiple Chronic Conditions	+++	— 27	3.0 4.9%	4.4%
Obesity	+++	25	30.1%	30.0%
OVERALL — WOMEN*		_	0.393	
J. I. JEE HOMEN			5.555	

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	25	0.165	_
Access to Care				
ADD/ADHD Treatment	++	33	2.6%	3.0%
Pediatricians	++++	19	101.6	104.6
Uninsured	+++	25	4.9%	5.7%
Preventive Clinical Care				
Childhood Immunizations	++++	18	78.6%	75.8%
HPV Vaccination	+++	24	55.2%	54.2%
Preventive Dental Care	++	31	77.1%	77.5%
Well-child Visit	++++	16	82.5%	80.7%
Quality of Care			0770/	
Adequate Insurance	+++	23	67.7%	66.7%
Developmental Screening	++	35	31.3%	36.9%
Medical Home	+++	25	50.2%	46.8%
BEHAVIORS*	++++	15	0.447	_
Nutrition and Physical Activity				
Breastfed	++++	13	30.4%	25.6%
Food Sufficiency	+++++	6	75.1%	69.8%
Physical Activity	++	35	21.6%	20.6%
Soda Consumption — Youth‡		_	9.8%	9.3%
Sexual Health — Youth			0.070	0.070
Dual Contraceptive Nonuse‡		_	88.3%	90.9%
Teen Births	++++	16	13.6	16.7
Sleep Health				
Adequate Sleep	++++	20	68.0%	66.1%
Sleep Position*		_	80.7%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	19.9%	32.7%
Tobacco Use	+++	25	4.5%	4.0%
HEALTH OUTCOMES*	+++++	7	0.355	_
Behavioral Health				
Alcohol Use — Youth	++++	15	9.1%	9.2%
Anxiety	+++	27	9.8%	9.1%
Depression	+++++	5	2.7%	3.9%
Flourishing	++++	17	69.8%	69.1%
Illicit Drug Use — Youth	+++++	10	7.0%	8.4%
Teen Suicide [‡]			11.9	11.2
Mortality		1.4	23.2	05.4
Child Mortality	++++	14		25.4
Infant Mortality	+++	23	5.8	5.7
Physical Health Asthma	+++++	6	5.6°/	7.5%
		17	5.6% 91.5%	
High Health Status‡ Low Birthweight	++++	26	91.5%	90.4%
9	+++	26 27		8.3%
Low Birthweight Racial Disparity Overweight or Obesity — Youth	++++	27 18	2.0	2.1
Overweight of Obesity — foutil	TTTT	10	29.6%	32.1%
OVERALL — CHILDREN*		_	0.343	_
OVERALL — WOMEN AND CHILDREN*			0.267	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Washington

State Health Department Website: doh.wa.gov



Summary

Strengths:

- · Low infant mortality rate
- High prevalence of food sufficiency among children
- · Low prevalence of household smoke

Highlights:

SMOKING DURING PREGNANCY

▼33% from 8.0% to 5.4% of live births between 2014 and 2019

EARLY CHILDHOOD EDUCATION ENROLLMENT

from 42.6% to 47.5% of children ages 3-4 between 2016 and 2019

Challenges:

- · Low rate of high school graduation
- High prevalence of students experiencing homelessness
- · Low percentage of early and adequate prenatal care

FREQUENT MENTAL DISTRESS

from 14.6% to 18.0% of Worlds, 33-2019 between 2015-2016 and 2018-2019 from 14.6% to 18.6% of women ages 18-44

TEEN SUICIDE

438% from 11.4 to 15.7 deaths per 100,000 adolescents ages 15-19 between 2012-2014 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++++	12	0.525	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	3.0%	3.0%
Violent Crime	++++	20	294	379
Economic Resources				
Concentrated Disadvantage	++++	16	14.2%	25.1%
Food Insecurity	++++	13	9.9%	11.1%
Gender Pay Gap‡	++	36	77.7%	81.0%
Poverty	+++++	10	12.6%	15.2%
Unemployment	++	40	4.0%	3.6%
Education				
College Graduate	++++	19	37.5%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+	42	15.3%	12.5%
Residential Segregation — Black/White	++++	19	60	62
Voter Participation	+++++	5	69.3%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	28	0.056	-
Community and Family Safety				
Child Victimization [‡]	+++++	3	2.5%	8.9%
Economic Resources				
Children in Poverty	+++++	10	12.0%	16.8%
Children in Poverty Racial Disparity	+++	22	3.2	3.0
High-speed Internet	+++++	3	96.2%	92.6%
Students Experiencing Homelessness	+	43	3.6%	3.0%
WIC Coverage	++++	19	54.9%	53.9%
Education				
Early Childhood Education	+++	22	47.5%	48.9%
Fourth Grade Reading Proficiency	+++	23	35.1%	34.3%
High School Graduation	+	42	81.1%	85.8%
High School Graduation Racial Disparity	+	42	20.9	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	15	13.8%	14.8%
Foster Care Instability	++	35	18.8%	16.0%
Neighborhood Amenities	++++	13	39.2%	37.4%
Reading, Singing or Storytelling	++++	17	60.0%	55.9%
	+++++	8	0.339	_
	++	39	8.3	8.3
	++	34	0.5%	0.8%
	+++++	2	7.2%	14.0%
	+++	29	4,295,574	361,963,972
	++	34	63.9%	73.0%
	++++	13	3	_
	+++	24	8.9	8.7
	11117	-	70.00/	75 40/
	+++++	5	70.8%	75.4%
	++++	20	14.5%	17.6%
	++	35	17.0%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Detina	State Rank	State Value	U.S. Value
CLINICAL CARE*	Rating			value
	++++	24	0.295	_
Access to Care		44	70.00/	70.70/
Adequate Prenatal Care	+	41	73.0%	76.7%
Avoided Care Due to Cost	++++	12	15.5%	18.8%
Publicly-funded Women's Health Services	++++	15	31%	29%
Uninsured	++++	20	9.5%	12.9%
Women's Health Providers	++++	17	55.1	48.5
Preventive Clinical Care		4-7	70.00/	70.00/
Cervical Cancer Screening	+	47	76.2%	79.9%
Dental Visit	+++	27	67.9%	67.6%
Flu Vaccination	+++++	9	38.5%	31.5%
Postpartum Visit [‡]		_	90.2%	90.7%
Well-woman Visit	+	42	69.5%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++++	2	94.6%	84.0%
Dedicated Health Care Provider	+++	27	72.0%	71.1%
Low-risk Cesarean Delivery	++++	14	22.8%	25.6%
Maternity Practices Score	+++++	6	85	79
			0.740	
BEHAVIORS*	+++++	3	0.713	
Nutrition and Physical Activity		_	0.4.407	04.50:
Exercise	+++++	8	24.4%	21.5%
Fruit and Vegetable Consumption	+++	27	9.8%	10.4%
Physical Inactivity	+++++	4	16.2%	22.6%
Sexual Health				
Chlamydia	++++	12	1,422	1,743
High-risk HIV Behaviors	+++	23	9.5%	9.7%
Unintended Pregnancy*		_	24.7%	30.6%
Sleep Health				
Insufficient Sleep	+++++	6	31.2%	36.1%
Tobacco Use				
E-cigarette Use‡	++++	13	5.1%	5.3%
Smoking	+++++	6	11.3%	14.3%
Smoking During Pregnancy	++++	20	5.4%	6.0%
HEALTH OUTCOMES*	+++++	8	0.365	_
Behavioral Health				
Drug Deaths*	++++	11	12.7	20.7
Excessive Drinking	+++++	10	17.1%	19.2%
Frequent Mental Distress	+++	21	18.6%	18.1%
Illicit Drug Use	++++	17	10.2%	10.8%
Postpartum Depression*		_	12.9%	13.4%
Mortality				
Maternal Mortality*		_	27.1	20.1
Mortality Rate	+++++	7	78.1	97.2
				T
Physical Health		19	8.4%	8.4%
Physical Health Frequent Physical Distress	++++		J. 170	
Frequent Physical Distress			96%	10.6%
Frequent Physical Distress High Blood Pressure	++++	18	9.6% 56.4%	10.6%
Frequent Physical Distress High Blood Pressure High Health Status*		18 20	56.4%	53.8%
Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity*	++++	18 20 —	56.4% 7.1	53.8% 6.6
Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity* Multiple Chronic Conditions	++++	18 20 - 14	56.4% 7.1 3.9%	53.8% 6.6 4.4%
Frequent Physical Distress High Blood Pressure High Health Status* Maternal Morbidity*	++++	18 20 —	56.4% 7.1	53.8% 6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	11	0.577	_
Access to Care				
ADD/ADHD Treatment	+	44	1.8%	3.09
Pediatricians	++++	17	105.2	104.
Uninsured	+++++	7	3.1%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	24	77.3%	75.8
HPV Vaccination	+++	29	53.3%	54.2
Preventive Dental Care	+++++	5	84.3%	77.5
Well-child Visit	++++	18	82.2%	80.7
Quality of Care				
Adequate Insurance	+++	24	67.6%	66.7
Developmental Screening	++++	11	46.9%	36.9
Medical Home	++++	11	52.6%	46.8
BEHAVIORS*	+++++	3	0.720	
Nutrition and Physical Activity	+++++	ა	0.739	
Breastfed	++++	16	28.9%	25.6
Food Sufficiency	+++++	7	75.0%	69.8
Physical Activity	+++	23	23.1%	20.6
•	777	23	20.170	
Soda Consumption — Youth* Sexual Health — Youth				9.39
				000
Dual Contraceptive Nonuse*		_	- 40.7	90.9
Teen Births	++++	14	12.7	16.7
Sleep Health				
Adequate Sleep	+++++	5	73.0%	66.1
Sleep Position [‡]			82.8%	79.6
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	_	32.7
Tobacco Use	++++	16	3.7%	4.09
HEALTH OUTCOMES*	++++	19	0.075	
Behavioral Health			0.070	
	++	35	10.0%	9.29
AICOHOLUSE — YOUTH				
			12.5%	919
Anxiety	+	44	12.5% 4.9%	
Anxiety Depression	++++	44 30	4.9%	3.99
Anxiety Depression Flourishing	+ +++ ++	44 30 37	4.9% 68.1%	3.99 69.1
Anxiety Depression Flourishing Illicit Drug Use — Youth	++++	44 30	4.9% 68.1% 11.2%	3.99 69.1 8.49
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide‡	+ +++ ++	44 30 37	4.9% 68.1%	3.99 69.1 8.49
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide [‡] Mortality	+ +++ ++ +	44 30 37 44 —	4.9% 68.1% 11.2% 15.7	3.99 69.1 8.49 11.2
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide† Mortality Child Mortality	+ ++++ ++ +++++++++++++++++++++++++++++	44 30 37 44 —	4.9% 68.1% 11.2% 15.7	3.99 69.1 8.49 11.2
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide† Mortality Child Mortality Infant Mortality	+ +++ ++ +	44 30 37 44 —	4.9% 68.1% 11.2% 15.7	3.99 69.1 8.49 11.2
Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health	+ +++++++++++++++++++++++++++++++++++++	44 30 37 44 — 9 5	4.9% 68.1% 11.2% 15.7 21.6 4.3	3.99 69.1 8.49 11.2 25 5.7
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma	+ +++ ++ ++ +++++++++++++++++++++++++++	44 30 37 44 - 9 5	4.9% 68.1% 11.2% 15.7 21.6 4.3	3.99 69.1 8.49 11.2 25.4 5.7
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status	+ +++ ++ + ++ +++++	44 30 37 44 - 9 5	4.9% 68.1% 11.2% 15.7 21.6 4.3 7.9% 91.3%	3.99 69.11 8.49 11.2 25.4 5.7 7.59 90.4
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide* Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status* Low Birthweight	+ +++ ++ + ++ +++++ ++++++	44 30 37 44 - 9 5	4.9% 68.1% 11.2% 15.7 21.6 4.3 7.9% 91.3% 6.4%	3.99 69.1 8.49 11.2 25.4 5.7 7.59 90.4 8.39
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status Low Birthweight Low Birthweight Racial Disparity	+ +++ ++ + + ++++ ++++ +++++	44 30 37 44 - 9 5 34 21 2 8	4.9% 68.1% 11.2% 15.7 21.6 4.3 7.9% 91.3% 6.4% 1.7	3.99 69.1 8.49 11.2 25.4 5.7 7.59 90.4 8.39 2.1
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma	+ +++ ++ + ++ +++++ ++++++	44 30 37 44 - 9 5	4.9% 68.1% 11.2% 15.7 21.6 4.3 7.9% 91.3% 6.4%	3.99 69.1 8.49 11.2 25.4 5.7 7.59 90.4 8.39 2.1
Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status Low Birthweight Low Birthweight Racial Disparity	+ +++ ++ + + ++++ ++++ +++++	44 30 37 44 - 9 5 34 21 2 8	4.9% 68.1% 11.2% 15.7 21.6 4.3 7.9% 91.3% 6.4% 1.7	9.19 3.99 69.11 8.49 11.2 25.4 5.7 7.59 90.4 8.39 2.1 32.11

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

West Virginia

State Health Department Website: dhhr.wv.gov



Summary

Strengths:

- High rate of high school graduation
- Low prevalence of excessive drinking among women
- · Low prevalence of asthma among children

Highlights:

CHILDREN IN POVERTY

▼22% from 25.9% to 20.1% of children ages 0-17 between 2017 and 2019

EXERCISE

▲60% from 13.8% to 22.1% of women ages 18-44 between 2015 and 2019

Challenges:

- Low enrollment in early childhood education
- High prevalence of tobacco use among adolescents
- High prevalence of multiple chronic conditions among women

FREQUENT MENTAL DISTRESS

43% from 18.4% to 26.3% of women ages 18-44 between 2013-2014 and 2018-2019

DRUG DEATHS

43.3 to 67.4 deaths per 100,000 women ages 20-44 between 2014-2016 and 2017-2019

State State

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	46	-0.822	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	_	3.0%
Violent Crime	+++	23	317	379
Economic Resources				
Concentrated Disadvantage	++	34	25.8%	25.1%
Food Insecurity	+	49	15.4%	11.1%
Gender Pay Gap‡	+	41	76.2%	81.0%
Poverty	+	49	23.3%	15.2%
Unemployment	+	45	4.4%	3.6%
Education				
College Graduate	++	40	30.0%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	9	10.6%	12.5%
Residential Segregation — Black/White	++++	19	60	62
Voter Participation	+	49	50.3%	61.7%
PHYSICAL ENVIRONMENT*				

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+	45	-0.381	_
Community and Family Safety				
Child Victimization [‡]	+	49	18.7%	8.9%
Economic Resources				
Children in Poverty	+	44	20.1%	16.8%
Children in Poverty Racial Disparity	+++++	1	1.9	3.0
High-speed Internet	+++	30	92.5%	92.6%
Students Experiencing Homelessness	+	47	3.9%	3.0%
WIC Coverage	++	33	49.5%	53.9%
Education				
Early Childhood Education	+	49	31.3%	48.9%
Fourth Grade Reading Proficiency	+	44	30.3%	34.3%
High School Graduation	+++++	3	91.3%	85.8%
High School Graduation Racial Disparity	++	34	16.5	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	46	20.6%	14.8%
Foster Care Instability	+++++	3	9.5%	16.0%
Neighborhood Amenities	+	47	17.2%	37.4%
Reading, Singing or Storytelling	+	43	51.1%	55.9%
	+	43	-0.304	_
	+++	28	7.4	8.3
			7.7	
	+	50	10.2%	0.8%
	++			
		50	10.2%	0.8% 14.0%
	+	50 50	10.2% 26.7%	0.8% 14.0%
	+	50 50 23	10.2% 26.7% 3,400,148	0.8% 14.0% 361,963,972
	+	50 50 23	10.2% 26.7% 3,400,148	0.8% 14.0% 361,963,972
	+ ++++	50 50 23 12	10.2% 26.7% 3,400,148 90.7%	0.8% 14.0% 361,963,972
	+ +++++++++++++++++++++++++++++++++++++	50 50 23 12 36 37	10.2% 26.7% 3,400,148 90.7% 0 10.3	0.8% 14.0% 361,963,972 73.0% — 8.7
	+ +++++++++++++++++++++++++++++++++++++	50 50 23 12 36 37	10.2% 26.7% 3,400,148 90.7% 0 10.3	0.8% 14.0% 361,963,972 73.0% — 8.7
	+ +++ +++++++++++++++++++++++++++++++++	50 50 23 12 36 37	10.2% 26.7% 3,400,148 90.7% 0 10.3	0.8% 14.0% 361,963,972 73.0% — 8.7

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	12	0.502	_
Access to Care				
Adequate Prenatal Care	++++	19	79.6%	76.7%
Avoided Care Due to Cost	+++	22	16.6%	18.8%
Publicly-funded Women's Health Services	+++++	1	66%	29%
Uninsured	++++	13	8.5%	12.9%
Women's Health Providers	+	41	41.3	48.5
Preventive Clinical Care				
Cervical Cancer Screening	+++++	4	84.7%	79.9%
Dental Visit	+	44	61.3%	67.6%
Flu Vaccination	++++	13	37.1%	31.5%
Postpartum Visit*		_	_	90.7%
Well-woman Visit	++++	12	76.4%	73.2%
Quality of Care				
Breastfeeding Initiation*	+	47	66.7%	84.0%
Dedicated Health Care Provider	++++	12	79.5%	71.1%
Low-risk Cesarean Delivery	++	34	26.3%	25.6%
Maternity Practices Score	++	34	76	79
BEHAVIORS*	++	35	-0.401	_
Nutrition and Physical Activity				
Exercise	++++	20	22.1%	21.5%
Fruit and Vegetable Consumption	+	42	8.2%	10.4%
Physical Inactivity	++++	18	20.9%	22.6%
Thy old industrity		10	20.070	22.070
Sexual Health				
Chlamydia	+++++	1	724	1,743
High-risk HIV Behaviors	++++	17	9.0%	9.7%
Unintended Pregnancy*				30.6%
Sleep Health				
Insufficient Sleep	+	48	42.5%	36.1%
Tobacco Use				
E-cigarette Use‡	+	44	7.0%	5.3%
Smoking	+	50	29.7%	14.3%
Smoking During Pregnancy	+	50	23.0%	6.0%
HEALTH OUTCOMES*	+	48	1.005	
Behavioral Health	<u> </u>	40	-1.235	_
Drug Deaths‡	+	50	67.4	20.7
Excessive Drinking	+++++	2	11.9%	19.2%
Frequent Mental Distress	+	50	26.3%	18.1%
Illicit Drug Use	++	32	11.4%	10.1%
Postpartum Depression*		_	_	13.4%
- Costpartam Boprossion				10.170
Mortality				
Maternal Mortality [‡]		_	_	20.1
Mortality Rate	+	50	191.4	97.2
Physical Health				
Frequent Physical Distress	+	46	11.2%	8.4%
High Blood Pressure	+	46	18.6%	10.6%
High Health Status*	+	43	50.0%	53.8%
Maternal Morbidity*		_	8.0	6.6
Multiple Chronic Conditions	+	50	9.7%	4.4%
Obesity	+	47	37.4%	30.0%
OVERALL — WOMEN*		_	-0.503	-

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++++	19	0.318	_
Access to Care				
ADD/ADHD Treatment	++++	19	3.5%	3.0%
Pediatricians	++	33	83.3	104.6
Uninsured	++++	11	3.5%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	+++	25	77.0%	75.8%
HPV Vaccination	+	41	47.4%	54.2%
Preventive Dental Care	++++	17	79.3%	77.5%
Well-child Visit	++++	12	84.1%	80.7%
Quality of Care			70.00/	
Adequate Insurance	+++++	9	70.8%	66.7%
Developmental Screening	++++	16	42.0%	36.9%
Medical Home	++	40	46.8%	46.8%
BEHAVIORS*	+	47	-1.020	_
Nutrition and Physical Activity				
Breastfed	+	46	20.9%	25.6%
Food Sufficiency	+	45	62.3%	69.8%
Physical Activity	++++	15	24.4%	20.6%
Soda Consumption — Youth‡		_	20.6%	9.3%
Sexual Health — Youth				
Dual Contraceptive Nonuse [‡]		_	85.5%	90.9%
Teen Births	+	45	25.2	16.7
Sleep Health				
Adequate Sleep	++	38	62.3%	66.1%
Sleep Position‡		_	_	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use [‡]		_	35.7%	32.7%
Tobacco Use	+	50	8.1%	4.0%
UFALTU OUTOOMES:		50	0.750	
HEALTH OUTCOMES*	+	50	-0.758	_
Behavioral Health			0.00/	
Alcohol Use — Youth	+++	30	9.6%	9.2%
Anxiety	+	46	12.9%	9.1%
Depression	+	47	6.3%	3.9%
Flourishing	+	47	65.8%	69.1%
Illicit Drug Use — Youth	++	33	8.6%	8.4%
Teen Suicide [‡] Mortality			14.0	11.2
Child Mortality	++	34	29.5	25.4
•		41		
Infant Mortality Physical Health	+	41	7.0	5.7
Asthma	+++++	4	5.4%	7.5%
High Health Status	++	34	90.4%	90.4%
Low Birthweight	+	34 44	9.8%	8.3%
Low Birthweight Racial Disparity	+++++	10	1.8	
Overweight or Obesity — Youth	+	50	41.2%	2.1 32.1%
OVERALL — CHILDREN*		_	-0.479	
OVERALL — WOMEN AND CHILDREN*			0.500	

[‡] Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

Wisconsin

State Health Department Website: dhs.wisconsin.gov



Summary

Strengths:

- High rate of high school graduation
- · High percentage of women with a dedicated health care provider
- · Low prevalence of asthma among children

Highlights:

WELL-WOMAN VISIT

from 67.5% to 76.0% of women ages 18-44 13% from 67.5% to 70.0% or women age between 2015-2016 and 2018-2019

HPV IMMUNIZATION

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

33% from 45.5% to 60.5% of adolescents ages 13-17 between 2016 and 2019

Challenges:

- High prevalence of obesity among women
- High percentage of uninsured women ages 19-44
- Low HPV vaccination coverage among adolescents

OBESITY

from 27.1% to 34.7% of women ages 18-44 ▲28% from 27.1% to 34.7% of worther ages between 2015-2016 and 2018-2019

ANXIETY

from 7.5% to 12.9% of children ages 3-17 between 2017-2018 and 2019-2020

State State

U.S.

Women

Measures	Rating	State Rank	State Value	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	++++	16	0.363	_
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.6%	3.0%
Violent Crime	++++	18	293	379
Economic Resources				
Concentrated Disadvantage	++++	11	12.6%	25.1%
Food Insecurity	++++	18	10.1%	11.1%
Gender Pay Gap‡	++++	17	81.0%	81.0%
Poverty	+++	21	14.9%	15.2%
Unemployment	+++	23	3.5%	3.6%
Education				
College Graduate	++++	15	39.2%	35.7%
Social Support and Engagement				
Infant Child Care Cost*	++	31	13.4%	12.5%
Residential Segregation — Black/White	+	48	77	62
Voter Participation	+++++	2	71.1%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	26	0.071	_
Community and Family Safety				
Child Victimization*	+++++	7	3.6%	8.9%
Economic Resources				
Children in Poverty	++++	19	13.5%	16.8%
Children in Poverty Racial Disparity	+	42	4.6	3.0
High-speed Internet	++++	17	93.9%	92.6%
Students Experiencing Homelessness	+++	23	2.1%	3.0%
WIC Coverage	++++	16	55.2%	53.9%
Education				
Early Childhood Education	++	39	43.3%	48.9%
Fourth Grade Reading Proficiency	+++	21	35.5%	34.3%
High School Graduation	+++++	7	90.1%	85.8%
High School Graduation Racial Disparity	+	46	22.4	15.1
Social Support and Engagement				
Adverse Childhood Experiences	++++	20	15.1%	14.8%
Foster Care Instability	+	43	21.7%	16.0%
Neighborhood Amenities	+++	23	35.2%	37.4%
Reading, Singing or Storytelling	++++	15	60.1%	55.9%
	++	36	-0.069	_
	++++	17	7.0	8.3
	+	46	4.4%	0.8%
	++++	19	14.0%	14.0%
	+++	24	3,740,146	361,963,972
	++++	18	87.3%	73.0%
	+++	23	2	_
	++++	12	7.8	8.7
		01	0.0.10/	75 40/
	++	31	80.1%	75.4%
	++	37	22.3%	17.6%
	++++	15	14.0%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++++	4	0.939	_
Access to Care			0.000	
Adequate Prenatal Care	++++	11	83.7%	76.7%
Avoided Care Due to Cost	+++++	8	14.5%	18.8%
Publicly-funded Women's Health Services	+++	27	24%	29%
Uninsured	+++++	10	7.8%	12.9%
Women's Health Providers	+++	23	47.9	48.5
Preventive Clinical Care		0	00.00/	70.00
Cervical Cancer Screening	+++++	2	86.8%	79.9%
Dental Visit	+++++	2	75.5%	67.6%
Flu Vaccination	++++	14	37.0%	31.5%
Postpartum Visit*		_	90.7%	90.7%
Well-woman Visit	++++	14	76.0%	73.2%
Quality of Care				
Breastfeeding Initiation‡	++	35	80.7%	84.0%
Dedicated Health Care Provider	+++++	7	82.2%	71.1%
Low-risk Cesarean Delivery	++++	11	21.6%	25.6%
Maternity Practices Score	++++	19	80	79
BEHAVIORS*	++++	14	0.260	_
Nutrition and Physical Activity				
Exercise	+++	27	21.3%	21.5%
Fruit and Vegetable Consumption	+++++	4	12.6%	10.4%
Physical Inactivity	++++	13	19.9%	22.6%
Sexual Health				
Chlamydia	+++	23	1,679	1,743
High-risk HIV Behaviors	++++	19	9.2%	9.7%
Unintended Pregnancy*		_	26.7%	30.69
Sleep Health				
Insufficient Sleep	++++	7	31.4%	36.1%
Tobacco Use				
E-cigarette Use [‡]	+++	28	6.0%	5.3%
•		21	15.3%	14.3%
Smoking	+++			
Smoking During Pregnancy	++	31	8.9%	6.0%
HEALTH OUTCOMES*	+++	26	-0.218	_
Behavioral Health				
Drug Deaths*	+++	29	23.4	20.7
Excessive Drinking	+	50	26.8%	19.2%
Frequent Mental Distress	+++	21	18.6%	18.1%
Illicit Drug Use	++++	15	9.6%	10.8%
Postpartum Depression*		_	13.8%	13.4%
Mortality				
Maternal Mortality*				20.1
•		10	01.2	
Mortality Rate	++++	19	91.3	97.2
Physical Health		10	0.407	0.407
Frequent Physical Distress	++++	19	8.4%	8.4%
High Blood Pressure	+++++	3	7.4%	10.6%
High Health Status*	+++	23	55.7%	53.8%
-		_	8.1	6.6
Maternal Morbidity*				
-	+++	26	4.5%	4.4%
Maternal Morbidity*	+++			4.4% 30.0%

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Children		o		
Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+++	23	0.210	_
Access to Care				
ADD/ADHD Treatment	++++	17	3.6%	3.0%
Pediatricians	++++	20	101.3	104.6
Uninsured	++++	16	3.8%	5.7%
Preventive Clinical Care				
Childhood Immunizations	+++	27	76.8%	75.8%
HPV Vaccination	++++	12	60.5%	54.2%
Preventive Dental Care	++	39	76.1%	77.5%
Well-child Visit	+++	26	80.4%	80.7%
Quality of Care				
Adequate Insurance	+	45	61.7%	66.7%
Developmental Screening	++++	14	42.8%	36.9%
Medical Home	+++	23	50.4%	46.8%
BEHAVIORS*	++++	12	0.495	
Nutrition and Physical Activity				
Breastfed	++++	18	28.1%	25.6%
Food Sufficiency	++++	20	70.7%	69.8%
Physical Activity	+++	25	23.0%	20.6%
Soda Consumption — Youth*				9.3%
Sexual Health — Youth			70.40/	
Dual Contraceptive Nonuse [‡]			79.4%	90.9%
Teen Births	++++	13	12.5	16.7
Sleep Health				
Adequate Sleep	+++++	7	71.8%	66.1%
Sleep Position*		_	84.3%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	20.6%	32.7%
Tobacco Use	++++	17	3.8%	4.0%
HEALTH OUTCOMES*	+	42	-0.426	_
Behavioral Health		40	44.407	
Alcohol Use — Youth	+	46	11.1%	9.2%
Anxiety	+	46	12.9%	9.1%
Depression	++	32	5.0%	3.9%
Flourishing	+	48	65.2%	69.1%
Illicit Drug Use — Youth	+++	29	8.3%	8.4%
Teen Suicide‡			12.9	11.2
Mortality Child Mortality	++++	17	23.8	05.4
*				25.4
Infant Mortality Physical Health	++	33	6.3	5.7
Asthma		0	E 00/	750/
High Health Status*	+++++	8 34	5.9% 90.4%	7.5%
Low Birthweight		34 16	7.6%	90.4%
	++++			
Low Birthweight Racial Disparity	+	50	2.4	2.1
Overweight or Obesity — Youth	++++	14	28.5%	32.1%
OVERALL — CHILDREN*		_	0.010	_
OVERALL — WOMEN AND CHILDREN*			0.126	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.





Summary

Strengths:

- Low prevalence of overweight or obesity among children
- Low percentage of children in poverty
- High percentage of fourth grade reading proficiency

Highlights:

TEEN BIRTHS

▼36% from 30.1 to 19.4 births per 1,000 females ages 15-19 between 2014 and 2019

WELL-WOMAN VISIT

PHYSICAL ENVIRONMENT* Air and Water Quality Air Pollution

Drinking Water Violations Household Smoke

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Risk-screening Environmental Indicators Risk Score

▲18% Trom 54.0% to 5-1.7% 51.11 between 2013-2014 and 2018-2019 from 54.6% to 64.7% of women ages 18-44

Challenges:

- High prevalence of tobacco use among adolescents
- High percentage of uninsured women ages 19-44
- Low HPV vaccination coverage among adolescents

EARLY CHILDHOOD EDUCATION ENROLLMENT

▼29% from 48.9% to 34.5% of children ages 3-4 between 2018 and 2019

LOW BIRTHWEIGHT

from 8.6% to 9.8% of live births between 2015 and 2019

State State

U.S.

Women

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	+++	21	0.264	
Community and Family Safety				
Intimate Partner Violence Before Pregnancy*		_	4.5%	3.0%
Violent Crime	+++++	7	217	379
Economic Resources				
Concentrated Disadvantage	+++++	4	5.1%	25.1%
Food Insecurity	++	33	12.2%	11.1%
Gender Pay Gap‡	+	50	63.4%	81.0%
Poverty	++++	17	14.3%	15.2%
Unemployment	++++	19	3.4%	3.6%
Education				
College Graduate	++	34	32.1%	35.7%
Social Support and Engagement				
Infant Child Care Cost [‡]	+++++	7	10.1%	12.5%
Residential Segregation — Black/White	++	39	68	62
Voter Participation	+++	29	61.0%	61.7%

Measures	Rating	Rank	Value	Value
SOCIAL AND ECONOMIC FACTORS*	++	35	-0.150	_
Community and Family Safety				
Child Victimization [‡]	+++	25	8.2%	8.9%
Economic Resources				
Children in Poverty	+++++	8	11.6%	16.8%
Children in Poverty Racial Disparity	++++	18	3.1	3.0
High-speed Internet	+++	26	93.1%	92.6%
Students Experiencing Homelessness	++++	17	1.9%	3.0%
WIC Coverage	+++	27	51.5%	53.9%
Education				
Early Childhood Education	+	47	34.5%	48.9%
Fourth Grade Reading Proficiency	+++++	3	40.6%	34.3%
High School Graduation	++	38	82.1%	85.8%
High School Graduation Racial Disparity	+	48	24.8	15.1
Social Support and Engagement				
Adverse Childhood Experiences	+	50	23.4%	14.8%
Foster Care Instability	+++++	5	9.9%	16.0%
Neighborhood Amenities	+++++	9	45.3%	37.4%
Reading, Singing or Storytelling	++	37	53.8%	55.9%
	+++++	9	0.305	_
	+++++	2	4.5	8.3
	+++	24	0.2%	0.8%
	++	37	17.5%	14.0%
	+++++	4	20,413	361,963,972
	++	39	57.1%	73.0%
	++	36	0	_
	+	49	20.0	8.7
	+++	21	78.2%	75.4%
	+++	24	16.1%	17.6%
	+++++	3	11.9%	17.5%

Rating	Rank
+++++	1-10
++++	11-20
+++	21-30
++	31-40
+	41-50

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	++	39	-0.379	_
Access to Care				
Adequate Prenatal Care	+	41	73.0%	76.7%
Avoided Care Due to Cost	++	39	21.0%	18.8%
Publicly-funded Women's Health Services	+++	22	26%	29%
Uninsured	+	45	19.2%	12.9%
Women's Health Providers	+++	28	46.1	48.5
Preventive Clinical Care				
Cervical Cancer Screening	++	34	79.2%	79.9%
Dental Visit	++++	13	72.2%	67.6%
Flu Vaccination	++	40	29.3%	31.5%
Postpartum Visit [‡]		_	91.5%	90.7%
Well-woman Visit	+	50	64.7%	73.2%
Quality of Care				
Breastfeeding Initiation*	+++	26	83.1%	84.0%
Dedicated Health Care Provider	+	47	62.3%	71.1%
Low-risk Cesarean Delivery	+++++	6	20.7%	25.6%
Maternity Practices Score	++	34	76	79
BEHAVIORS*	+++	26	-0.017	_
Nutrition and Physical Activity				
Exercise	+++	22	21.9%	21.5%
Fruit and Vegetable Consumption	++++	20	10.8%	10.4%
Physical Inactivity	+++++	7	17.6%	22.6%
1 Try sloar madervity		,	17.070	22.070
Sexual Health				
Chlamydia	+++++	6	1,289	1,743
High-risk HIV Behaviors	+++	29	10.1%	9.7%
Unintended Pregnancy*		_	25.1%	30.6%
Sleep Health				
Insufficient Sleep	++++	20	33.8%	36.1%
Tobacco Use				
E-cigarette Use‡	+	46	7.2%	5.3%
Smoking	+	44	20.6%	14.3%
Smoking During Pregnancy	+	48	13.6%	6.0%
HEALTH OUTCOMES:		44	0.007	
HEALTH OUTCOMES*	++++	11	0.287	
Behavioral Health Drug Deaths [‡]	+++++	8	12.2	20.7
Excessive Drinking	+++	27	19.6%	19.2%
Frequent Mental Distress	+++	28	19.5%	18.1%
Illicit Drug Use	++++	11	9.3%	10.1%
Postpartum Depression*			15.3%	13.4%
. cotpa.tam poprocolon			10.070	10170
Mortality				
Maternal Mortality*		_	_	20.1
Mortality Rate	+++	24	100.6	97.2
Physical Health				
Frequent Physical Distress	+++++	5	7.1%	8.4%
High Blood Pressure	+++++	2	6.5%	10.6%
			00.00/	53.8%
High Health Status‡	+++++	5	60.2%	33.076
High Health Status* Maternal Morbidity*	+++++	5 —	60.2%	6.6
High Health Status*	++++		4.3%	
High Health Status‡ Maternal Morbidity‡		_	_	6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Measures	Rating	State Rank	State Value	U.S. Value
CLINICAL CARE*	+	48	-0.775	_
Access to Care				
ADD/ADHD Treatment	++	33	2.6%	3.0%
Pediatricians	+	49	44.6	104.6
Uninsured	+	49	10.6%	5.7%
				0.770
Preventive Clinical Care				
Childhood Immunizations	++	37	73.9%	75.8%
HPV Vaccination	+	48	41.5%	54.2%
Preventive Dental Care	++++	13	81.4%	77.5%
Well-child Visit	+	44	76.5%	80.7%
Quality of Care				
Adequate Insurance	+	50	54.6%	66.7%
Developmental Screening	++++	20	39.4%	36.9%
Medical Home	++	32	48.0%	46.8%
BEHAVIORS*	+++	28	-0.072	_
Nutrition and Physical Activity				
Breastfed	+++++	9	31.8%	25.6%
Food Sufficiency	+++	27	68.4%	69.8%
Physical Activity	+++++	2	30.7%	20.6%
Soda Consumption — Youth‡		_	_	9.3%
Sexual Health — Youth				0.070
Dual Contraceptive Nonuse‡		_	_	90.9%
Teen Births	++	36	19.4	16.7
Sleep Health				
Adequate Sleep	++	31	65.6%	66.1%
Sleep Position‡		_	82.3%	79.6%
Tobacco Use — Youth				
Electronic Vapor Product Use‡		_	_	32.7%
Tobacco Use	+	48	7.2%	4.0%
HEALTH OUTCOMES*	+++	22	0.012	_
Behavioral Health				
Alcohol Use — Youth	++	33	9.7%	9.2%
Anxiety	++	36	11.0%	9.1%
Depression	+	46	6.0%	3.9%
Flourishing	++++	20	69.6%	69.1%
Illicit Drug Use — Youth	+++	23	8.0%	8.4%
Teen Suicide [‡]			32.1	11.2
Mortality				
Child Mortality	++	36	30.0	25.4
Infant Mortality	++++	12	5.0	5.7
Physical Health		07	7.00/	750/
Asthma	+++	27	7.6%	7.5%
High Health Status*	++++	20	91.4%	90.4%
Low Birthweight	+	44	9.8%	8.3%
Low Birthweight Racial Disparity	+++++	1	1.0	2.1
Overweight or Obesity — Youth	+++++	3	24.1%	32.1%
OVERALL — CHILDREN*		_	-0.095	_
OVERALL — WOMEN AND CHILDREN*			0.020	

 $[\]ensuremath{^{\ddagger}}$ Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

District of Columbia MAMERICA'S MERICA'S HEALTH RANKINGS

State Health Department Website: dchealth.dc.gov



Summary

Strengths:

- · Low percentage of uninsured children
- · Low prevalence of smoking during pregnancy
- Low prevalence of multiple chronic conditions among women

Highlights:

CHILDREN IN POVERTY

▼26% from 25.6% to 18.9% of children ages 0-17 between 2017 and 2019

FLU VACCINATION

from 35.5% to 44.2% of women ages 18-44

Challenges:

- High prevalence of excessive drinking among women
- High prevalence of asthma among children
- High prevalence of students experiencing homelessness

ADEQUATE HEALTH INSURANCE

from 76.8% to 68.2% of children ages 0-17 between 2017-2018 and 2019-2020

FREQUENT MENTAL DISTRESS

49% from 10.2% to 15.2% of women ages 18-44 between 2016-2017 and 2018-2019

D.C.

U.S.

Women

Air and Water Quality Air Pollution

Water Fluoridation Climate Change Climate Change Policies* Transportation Energy Use[‡] **Housing and Transportation** Drive Alone to Work Housing With Lead Risk Severe Housing Problems

Drinking Water Violations Household Smoke

Risk-screening Environmental Indicators Risk Score

Measures	Value	Value
SOCIAL AND ECONOMIC FACTORS*	-	_
Community and Family Safety		
Intimate Partner Violence Before Pregnancy*	3.5%	3.0%
Violent Crime	1,049	379
Economic Resources		
Concentrated Disadvantage	44.5%	25.1%
Food Insecurity	10.2%	11.1%
Gender Pay Gap‡	82.0%	81.0%
Poverty	12.0%	15.2%
Unemployment	5.5%	3.6%
Education		
College Graduate	61.8%	35.7%
Social Support and Engagement		
Infant Child Care Cost*	13.9%	12.5%
Residential Segregation — Black/White	68	62
Voter Participation	74.2%	61.7%
PHYSICAL ENVIRONMENT*		

Children

D.C. U.S.

Measures	Value	Value
SOCIAL AND ECONOMIC FACTORS*	_	_
Community and Family Safety		
Child Victimization*	14.5%	8.9%
Economic Resources		
Children in Poverty	18.9%	16.8%
Children in Poverty Racial Disparity	26.8	3.0
High-speed Internet	90.3%	92.6%
Students Experiencing Homelessness	7.3%	3.0%
WIC Coverage	41.4%	53.9%
Education		
Early Childhood Education	85.6%	48.9%
Fourth Grade Reading Proficiency	30.1%	34.3%
High School Graduation	68.9%	85.8%
High School Graduation Racial Disparity	33.0	15.1
Social Support and Engagement		
Adverse Childhood Experiences	17.5%	14.8%
Foster Care Instability	29.1%	16.0%
Neighborhood Amenities	70.9%	37.4%
Reading, Singing or Storytelling	66.2%	55.9%
	_	_
	9.5	8.3
	9.5	0.8%
	10.8%	14.0%
	36,922	361,963,9
	100.0%	73.0%
	100.0%	/3.0%
	3	_
	3.1	8.7
	0.1	- 0.7
	33.0%	75.4%
	33.9%	17.6%
	20.9%	17.5%
	20.076	17.070

Wolliell		
Measures	D.C. Value	U.S. Value
CLINICAL CARE*	_	_
Access to Care		
Adequate Prenatal Care	70.7%	76.7%
Avoided Care Due to Cost	11.8%	18.8%
Publicly-funded Women's Health Services	88%	29%
Uninsured	2.5%	12.9%
Women's Health Providers	110.3	48.5
Preventive Clinical Care	70.00/	70.00/
Cervical Cancer Screening	79.8%	79.9%
Dental Visit Flu Vaccination	79.9%	67.6%
Postpartum Visit*	44.2% 90.8%	31.5% 90.7%
Well-woman Visit	79.6%	73.2%
Quality of Care	73.076	70.276
Breastfeeding Initiation*	80.2%	84.0%
Dedicated Health Care Provider	73.9%	71.1%
Low-risk Cesarean Delivery	28.0%	25.6%
Maternity Practices Score	_	79
,		
BEHAVIORS*	_	_
Nutrition and Physical Activity	05.00/	04 50/
Exercise	25.2%	21.5%
Fruit and Vegetable Consumption	10.5%	10.4%
Physical Inactivity	18.8%	22.6%
Sexual Health		
Chlamydia	2,476	1,743
High-risk HIV Behaviors	13.9%	9.7%
Unintended Pregnancy*	25.9%	30.6%
Sleep Health		
Insufficient Sleep	34.7%	36.1%
Tobacco Use		
E-cigarette Use [‡]	_	5.3%
Smoking	10.0%	14.3%
Smoking During Pregnancy	2.3%	6.0%
HEALTH OUTCOMES*	_	_
Behavioral Health		
Drug Deaths‡	11.6	20.7
Excessive Drinking	34.0%	19.2%
Frequent Mental Distress	15.2%	18.1%
100 to 60 111		
Illicit Drug Use	9.4%	10.8%
Postpartum Depression*		10.8% 13.4%
Postpartum Depression [‡]	9.4%	
Postpartum Depression‡ Mortality	9.4%	13.4%
Postpartum Depression‡ Mortality Maternal Mortality‡	9.4% 12.3% —	13.4%
Postpartum Depression‡ Mortality	9.4%	13.4%
Postpartum Depression‡ Mortality Maternal Mortality‡ Mortality Rate	9.4% 12.3% —	13.4%
Postpartum Depression‡ Mortality Maternal Mortality† Mortality Rate Physical Health	9.4% 12.3% — 68.3	20.1 97.2
Postpartum Depression‡ Mortality Maternal Mortality† Mortality Rate Physical Health Frequent Physical Distress	9.4% 12.3% — 68.3 5.8%	20.1 97.2 8.4%
Postpartum Depression‡ Mortality Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure	9.4% 12.3% — 68.3 5.8% 8.7%	20.1 97.2 8.4% 10.6%
Postpartum Depression‡ Mortality Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡	9.4% 12.3% — 68.3 5.8% 8.7% 70.1% — 3.0%	20.1 97.2 8.4% 10.6% 53.8%
Postpartum Depression‡ Mortality Maternal Mortality‡ Mortality Rate Physical Health Frequent Physical Distress High Blood Pressure High Health Status‡ Maternal Morbidity‡	9.4% 12.3% — 68.3 5.8% 8.7% 70.1% —	20.1 97.2 8.4% 10.6% 53.8% 6.6

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

	D.C. Value	U.S. Value
CLINICAL CARE*	_	_
Access to Care		
ADD/ADHD Treatment	2.3%	3.0%
Pediatricians	512.2	104.6
Uninsured	2.0%	5.7%
Preventive Clinical Care		
Childhood Immunizations	75.3%	75.89
HPV Vaccination	75.5%	54.29
Preventive Dental Care	81.3%	77.59
Well-child Visit	84.7%	80.79
Quality of Care		
Adequate Insurance	68.2%	66.79
Developmental Screening	32.2%	36.9
Medical Home	44.7%	46.8
BEHAVIORS*		
Nutrition and Physical Activity		
Breastfed	24.0%	25.6
Food Sufficiency	74.8%	69.8
Physical Activity	19.8%	20.6
Soda Consumption — Youth‡	_	9.39
Sexual Health — Youth		
Dual Contraceptive Nonuse [‡]	_	90.9
Teen Births	16.8	16.7
Sleep Health		
Adequate Sleep	59.6%	66.19
Sleep Position*	76.3%	79.69
Tobacco Use — Youth		
Electronic Vapor Product Use*	_	32.7
Tobacco Use	3.7%	4.0%
HEALTH OUTCOMES*		
Behavioral Health	_	_
Alcohol Use — Youth	9.3%	9.29
Anxiety	7.0%	9.19
	3.9%	3.99
Depression	C 4 70/	69.19
Depression Flourishing	64.7%	
Flourishing	10.6%	8.49
Flourishing Illicit Drug Use — Youth		
Flourishing Illicit Drug Use — Youth Teen Suicide‡		
Flourishing Illicit Drug Use — Youth Teen Suicide [‡] Mortality	10.6%	11.2
Flourishing Illicit Drug Use — Youth Teen Suicide‡		11.2 25.4
Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality	10.6%	11.2 25.4
Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality	10.6%	11.2 25.4 5.7
Flourishing Illicit Drug Use — Youth Teen Suicide‡ Mortality Child Mortality Infant Mortality Physical Health	10.6% — 29.7 7.8	25.4 5.7 7.5%
Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma	10.6% — 29.7 7.8	25.4 5.7 7.5% 90.4
Flourishing Illicit Drug Use — Youth Teen Suicide* Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status*	10.6% 29.7 7.8 10.8% 93.0%	25.4 5.7 7.5% 90.4 8.3%
Flourishing Illicit Drug Use — Youth Teen Suicide Mortality Child Mortality Infant Mortality Physical Health Asthma High Health Status‡ Low Birthweight	10.6% — 29.7 7.8 10.8% 93.0% 9.9%	8.49 11.2 25.4 5.7 7.5% 90.4' 8.39 2.1 32.19
Flourishing Illicit Drug Use — Youth Teen Suicide* Mortality Child Mortality Infant Mortality Physical Health Ashma High Health Status* Low Birthweight Low Birthweight Racial Disparity	10.6% — 29.7 7.8 10.8% 93.0% 9.9% 2.4	25.4 5.7 7.5% 90.4 8.3% 2.1

 ^{*} Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.

United States



Summary

Highlights:

CHILDREN IN POVERTY

▼24% from 22.2% to 16.8% of children ages 0-17 between 2013 and 2019

SMOKING

from 17.4% to 14.3% of women ages 18-44 ▼18% between 2013-2014 and 2018-2019

TEEN BIRTHS

▼37% from 26.4 to 16.7 births per 1,000 females ages 15-19 between 2013 and 2019

FREQUENT MENTAL DISTRESS

from 15.9% to 18.1% of women ages 18-44 between 2016-2017 and 2018-2019

MATERNAL MORTALITY

16% from 17.4 to 20.1 deaths per 100,000 live births between 2018 and 2019

TEEN SUICIDE

from 8.9 to 11.2 deaths per 100,000 adolescents ages 15-19 between 2013-2015 and 2017-2019

U.S.

Women

Measures	U.S. Value
SOCIAL AND ECONOMIC FACTORS*	
Community and Family Safety	
Intimate Partner Violence Before Pregnancy*	3.0%
Violent Crime	379
Economic Resources	
Concentrated Disadvantage	25.1%
Food Insecurity	11.1%
Gender Pay Gap+	81.0%
Poverty	15.2%
Unemployment	3.6%
Education	
College Graduate	35.7%
Social Support and Engagement	
Infant Child Care Cost [‡]	12.5%
Residential Segregation — Black/White	62
Voter Participation	61.7%

Measures	Value
SOCIAL AND ECONOMIC FACTORS*	_
Community and Family Safety	
Child Victimization [‡]	8.9%
Economic Resources	
Children in Poverty	16.8%
Children in Poverty Racial Disparity	3.0
High-speed Internet	92.6%
Students Experiencing Homelessness	3.0%
WIC Coverage	53.9%
Education	
Early Childhood Education	48.9%
Fourth Grade Reading Proficiency	34.3%
High School Graduation	85.8%
High School Graduation Racial Disparity	15.1
Social Support and Engagement	
Adverse Childhood Experiences	14.8%
Foster Care Instability	16.0%
Neighborhood Amenities	37.4%
Reading, Singing or Storytelling	55.9%

PHYSICAL ENVIRONMENT*			_
Air and Water Quality			
Air Pollution			8.3
Drinking Water Violations			0.8%
Household Smoke			14.0%
Risk-screening Environmental Indicators Risk Score		3	361,963,972
Water Fluoridation			73.0%
Climate Change			
Climate Change Policies‡			_
Transportation Energy Use‡			8.7
Housing and Transportation			
Drive Alone to Work			75.4%
Housing With Lead Risk			17.6%
Severe Housing Problems			17.5%

Measures	U.S. Value
CLINICAL CARE*	_
Access to Care	
Adequate Prenatal Care	76.7%
Avoided Care Due to Cost	18.8%
Publicly-funded Women's Health Services	29%
Uninsured	12.9%
Women's Health Providers	48.5
Preventive Clinical Care	
Cervical Cancer Screening	79.9%
Dental Visit	67.6%
Flu Vaccination	31.5%
Postpartum Visit*	90.7%
Well-woman Visit	73.2%
Quality of Care	
Breastfeeding Initiation*	84.0%
Dedicated Health Care Provider	71.1%
Low-risk Cesarean Delivery	25.6%
Maternity Practices Score	79
DELIAN/LORO*	
BEHAVIORS* Nutrition and Physical Activity	
Exercise	21.5%
Fruit and Vegetable Consumption	10.4%
Physical Inactivity	22.6%
Friysical indutivity	22.0%
Sexual Health	
Chlamydia	1,743
High-risk HIV Behaviors	9.7%
Unintended Pregnancy*	30.6%
Sleep Health	
Insufficient Sleep	36.1%
Tobacco Use	
E-cigarette Use [‡]	5.3%
Smoking	14.3%
Smoking During Pregnancy	6.0%
HEALTH OUTCOMES*	_
Behavioral Health	20.7
Drug Deaths*	20.7
Excessive Drinking	19.2%
Frequent Mental Distress	18.1%
Illicit Drug Use	10.8%
Postpartum Depression*	13.4%
Mortality	
Maternal Mortality [‡]	20.1
Mortality Rate	97.2
Physical Health	
Frequent Physical Distress	8.4%
High Blood Pressure	10.6%
High Health Status*	53.8%
Maternal Morbidity‡	6.6
Multiple Chronic Conditions	4.4%
Obesity	30.09
OVERALL — WOMEN*	-

^{*} Overall and category values are derived from individual measure data to arrive at total scores for the state. Higher scores are considered healthier and lower scores are less healthy.

 $For measure descriptions, source details and methodology, visit \underline{www.AmericasHealthRankings.org}.\\$

Ciliureii	
Measures	U.S. Value
CLINICAL CARE*	_
Access to Care ADD/ADHD Treatment Pediatricians Uninsured	3.0% 104.6 5.7%
Preventive Clinical Care Childhood Immunizations HPV Vaccination Preventive Dental Care Well-child Visit	75.8% 54.2% 77.5% 80.7%
Quality of Care Adequate Insurance Developmental Screening Medical Home	66.7% 36.9% 46.8%
BEHAVIORS*	_
Nutrition and Physical Activity Breastfed Food Sufficiency Physical Activity Soda Consumption — Youth* Sexual Health — Youth Dual Contraceptive Nonuse* Teen Births Sleep Health Adequate Sleep Sleep Position* Tobacco Use — Youth Electronic Vapor Product Use* Tobacco Use	25.6% 69.8% 20.6% 9.3% 90.9% 16.7 66.1% 79.6% 32.7% 4.0%
lobacco ose	4.076
UFALTH OUTCOMES!	
Behavioral Health Alcohol Use — Youth Anxiety Depression Flourishing Illicit Drug Use — Youth Teen Suicide*	9.2% 9.1% 3.9% 69.1% 8.4% 11.2
Mortality Child Mortality Infant Mortality Physical Health	25.4 5.7
Asthma High Health Status* Low Birthweight Low Birthweight Racial Disparity Overweight or Obesity — Youth	7.5% 90.4% 8.3% 2.1 32.1%
OVERALL — CHILDREN*	_

Higher scores are considered healthier and lower scores are less healthy.

† Measure was not included in the calculation of overall or category values.

[—] Data not available, missing or suppressed.