

Vermont 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Overall	0.651	2	MS	-0.867	MA	0.736	0.000◆.....	
Women	0.270	3	MS	-0.309	MA	0.327	0.000◆.....	
Infants	0.233	3	MS	-0.267	NH	0.347	0.000◆.....	
Children	0.148	4	MS	-0.291	MA	0.231	0.000◆.....	

Strengths

High percentage of publicly-funded women's health services needs met

High percentage of prenatal care before the 3rd trimester

High prevalence of protective home environment in children aged 0-17

Challenges

High prevalence of excessive drinking in women

High prevalence of alcohol during pregnancy

High prevalence of homeless family households



	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value		State Value = solid diamond US Value = open diamond
Behaviors - Women									
Chlamydia (cases per 100,000 females aged 15-44)	1362.4	13	AK	2598.7	UT	842.7	1559.0◆.....	
Excessive Drinking (% of women aged 18-44)	22.4	44	ND	28.7	WV	10.7	17.7◆.....	
Obesity (% of women aged 18-44)	21.8	6	AR	36.6	MA	18.5	25.9◆.....	
Physical Inactivity (% of women aged 18-44)	14.5	3	MS	34.4	OR	14	22.5◆.....	
Smoking (% of women aged 18-44)	20.2	27	WV	33.6	CA	8.2	17.4◆.....	
Behaviors Women Total*	0.023	10	MS	-0.088	UT	0.102	0.000◆.....	
Community & Environment - Women									
Concentrated Disadvantage (% of households)	3.1	3	MS	31	ND	2.6	16.0◆.....	
Food Insecurity (% of households)	12.6	18	MS	22	ND	8.4	14.3◆.....	
Intimate Partner Violence - Lifetime (% of women)	33.6	16	OK	49.1	ND	25.3	35.6◆.....	
Intimate Partner Violence - Pregnancy (% of women with a recent live birth)	2.2	NA	CA	8.8	NH	1.3	NA◆.....	
Community & Environment Women Total*	0.064	8	MS	-0.109	ND	0.131	0.000◆.....	
Policy - Women									
Postpartum Visit (% of women with a recent live birth)	88.2	NA	NM	85.6	IL	93.8	NA◆.....	
Publicly-Funded Family Planning (% of need met)	61.0	1	LA	14	VT	61	29.0◆.....	
Uninsured Women (% of women aged 18-44)	6.1	2	TX	28.3	MA	3.6	16.8◆.....	
Policy Women Total*	0.132	1	TX	-0.107	VT	0.132	0.000◆.....	
Clinical Care - Women									
Cervical Cancer Screening (% of women aged 18-44)	90.0	26	AR	83.6	MA	95.4	90.8◆.....	
Dedicated Health Care Provider (% of women aged 18-44)	85.6	3	NV	60.1	ME	86.9	71.6◆.....	
Dental Visit (% of women aged 18-44)	74.1	4	AZ	56.6	MA	77.2	65.6◆.....	
Flu Vaccine (% of women aged 18-44)	38.5	11	FL	20.7	SD	49	32.8◆.....	
Well-Woman Visit (% of women aged 18-44)	66.0	27	ID	53.3	MA	75.4	66.5◆.....	
Clinical Care Women Total*	0.056	11	NV	-0.078	MA	0.123	0.000◆.....	
All Determinants Women*	0.276	2	MS	-0.231	MA	0.297	0.000◆.....	

NA=not available, *Negative value denotes below US average; positive value denotes above US average.

Vermont 2016

	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value	State Value = solid diamond US Value = open diamond
Outcomes - Women								
Diabetes (% of women aged 18-44)	3.0	22	AL	4.8	AK	1.9	3.1	
Drug Deaths (deaths per 100,000 population females aged 15-44)	13.1	26	WV	34	ND	4.2	12.0	
Maternal Mortality (deaths per 100,000 births)	NA	NA	GA	39.3	MA	5.8	19.9	
Postpartum Depression (% of women with a recent live birth)	10.7	NA	AR	20.4	IL	7.2	NA	
Unintended Pregnancy (% of all pregnancies)	46.0	12	MS	62	UT	36	45.0	
All Outcomes Women*	-0.006	22	AR	-0.091	MN	0.061	0.000	
Behaviors - Infants								
Alcohol During Pregnancy (% of pregnant women aged 18-44)	15.8	49	OR	17.5	WV	2.2	10.0	
Breastfed (% of infants exclusive at 6 months)	29.6	1	MS	10.1	VT	29.6	18.8	
Sleep Position (% of women who usually place infant on back)	85.4	NA	GA	45.6	NH	88.8	NA	
Smoking During Pregnancy (% of women who smoke while pregnant)	20.8	47	WV	24.2	CT	1.4	10.5	
Behaviors Infants Total*	-0.034	42	PA	-0.085	UT	0.064	0.000	
Community & Environment - Infants								
Household Smoke (% of children aged 0-17)	21.6	13	WV	41	UT	12.4	24.1	
Infant Child Care Cost (% of median income)	13.6	39	MN	15.2	LA	6.9	11.6	
Community & Environment Infants Total*	-0.014	27	WV	-0.061	UT	0.065	0.000	
Policy - Infants								
Baby-Friendly Facility (% of live births)	3.2	30	AR	NA	NH	36	7.8	
Home Health Visit (% of children aged 0-3)	28.6	4	TX	3.7	MN	30.6	13.6	
mPINC Score (Maternity Practices in Infant and Nutrition Care survey score)	88.0	2	MS	59	NH	91	75.0	
Policy Infants Total*	0.076	4	AR	-0.077	NH	0.133	0.000	
Clinical Care - Infants								
Low-Risk Cesarean Delivery (% of singleton, term, vertex first births)	20.1	6	NJ	31.6	NM	17	26.0	
Prenatal Care Before 3rd Trimester (% of live births)	97.8	1	MD	84.7	VT	97.8	86.9	
Well-Baby Check (% of babies)	96.4	2	NJ	86.4	VA	96.8	90.9	
Clinical Care Infants Total*	0.124	1	NJ	-0.107	VT	0.124	0.000	
All Determinants Infants*	0.153	3	AR	-0.155	NH	0.28	0.000	
Outcomes - Infants								
Infant Mortality (deaths in infants aged <1 year per 1,000 live births)	4.3	2	MS	9.3	MA	4.2	6.0	
Low Birthweight (% of live births)	7.1	15	MS	11.3	AK	5.9	8.0	
Neonatal Mortality (deaths in infants aged 0-27 days per 1,000 live births)	3.3	7	MS	5.5	AK	2.8	4.0	
Preterm Birth (% of live births)	7.9	2	MS	12.9	OR	7.7	9.6	
All Outcomes Infants*	0.080	3	MS	-0.133	WA	0.088	0.000	

NA=not available

*Negative value denotes below US average; positive value denotes above US average


Vermont 2016


	State Value	State Rank	Least Healthy State	Least Healthy Value	Most Healthy State	Most Healthy Value	US Value	State Value = solid diamond US Value = open diamond
Behaviors - Children								
Drug Dependence or Abuse (% of children aged 12-17)	5.8	43	CO	6.4	OK	4.1	5.1◆.....◇.....
High School Graduation (% of students)	87.8	8	NM	68.5	IA	90.5	82.3◆.....◇.....
Overweight or Obese (% of children aged 10-17)	24.5	3	LA	39.8	UT	22.1	31.3◇.....◆.....
Tobacco Use (% of children aged 12-17)	9.3	34	WV	12.5	CA	5	7.4◆.....◇.....
Behaviors Children Total*	0.004	17	AK	-0.093	UT	0.075	0.000◇.....◆.....
Community & Environment - Children								
Adverse Childhood Experiences (% of children aged 0-17 with 2+ experiences)	23.3	23	OK	32.9	NJ	16.3	22.6◆.....◇.....
Neighborhood Amenities (% of children aged 0-17)	47.0	38	MS	29.4	CO	69.6	54.1◆.....◇.....
Protective Home Environment (Ages 0-5) (% of children aged 0-5)	62.7	1	MS	24.1	VT	62.7	39.4◇.....◆.....
Protective Home Environment (Ages 6-17) (% of children aged 6-17)	31.4	4	MS	10.3	UT	38.5	21.9◆.....◇.....
Supportive Neighborhoods (% of children aged 0-17)	85.9	3	NV	65.9	UT	89.2	75.0◇.....◆.....
Community & Environment Children Total*	0.063	5	MS	-0.098	UT	0.11	0.000◇.....◆.....
Policy - Children								
Adequate Health Insurance (% of insured children aged 0-17)	81.9	1	FL	72.5	VT	81.9	76.5◇.....◆.....
Children with Health Insurance (% of children aged 0-17)	98.7	3	NV	86.7	MA	99	94.5◆.....◇.....
Homeless Family Households (number per 10,000 households)	12.4	46	NY	33.2	MS	2.1	8.3◇.....◆.....
Water Fluoridation (% of population served)	56.1	40	HI	11.7	KY	99.9	74.7◆.....◇.....
Policy Children Total*	0.036	16	MT	-0.055	IA	0.064	0.000◇.....◆.....
Clinical Care - Children								
Adolescent Well-Visit (% of children aged 12-17)	90.2	5	ID	65.7	NJ	93.3	81.7◇.....◆.....
Developmental Screening (% of children aged 10 months-5 years)	32.1	18	MS	17.5	NC	58	30.8◆.....◇.....
Immunizations - Adolescents (combined average z score)*	0.8	6	MS	-1.958	RI	1.309	NA◆.....◇.....
Immunization HPV Female (% of females aged 13-17 years)	49.8	4	TN	20.1	NC	54	39.7◇.....◆.....
Immunization HPV Male (% of males aged 13-17 years)	30.5	6	AL	9	RI	42.9	21.6◇.....◆.....
Immunization MCV4 (% of adolescents aged 13-17 years)	81.3	16	MS	46	PA	95.2	79.3◆.....◇.....
Immunization Tdap (% of adolescents aged 13-17 years)	93.4	4	ID	70.8	CT	94.8	87.6◇.....◆.....
Immunizations - Children (% of children aged 19-35 months)	71.8	26	WV	63.4	ME	84.7	71.6◆.....◇.....
Medical Home for Special Care Child (% of children with special care needs)	44.3	27	NM	34.9	AL	50.7	43.0◆.....◇.....
Clinical Care Children Total*	0.036	10	MS	-0.083	MA	0.084	0.000◇.....◆.....
All Determinants Children*	0.138	4	MS	-0.248	MA	0.166	0.000◇.....◆.....
Outcomes - Children								
Child Mortality (deaths per 100,000 children aged 1-18 years)	20.5	16	MS	34.3	RI	13.9	21.8◇.....◆.....
Missed School Days (% of children aged 6-17 years missing 11+ days)	7.6	39	WV	10.6	GA	3.6	6.2◆.....◇.....
Teen Births (births per 1,000 females aged 15-19 years)	14.2	5	AR	39.5	MA	10.6	24.2◇.....◆.....
Teen Suicide (deaths per 100,000 adolescents aged 15-19 years)	8.2	16	AK	30.3	NJ	5	8.4◇.....◆.....
All Outcomes Children*	0.010	17	WV	-0.1	CT	0.067	NA◇.....◆.....

NA=not available

*Negative value denotes below US average; positive value denotes above US average

Census Division States	Overall Rank	Women Rank	Infant Rank	Children Rank
CT	4	6	14	2
ME	11	19	12	11
MA	1	1	7	1
NH	3	11	1	3






Percentage with a Dedicated Health Care Provider

Group	Value	95% CI
Non-Hispanic White	86.4	84.3-88.5
Non-Hispanic Black	NA	NA
Hispanic	NA	NA
Less Than High School	NA	NA
High School Graduate	86.2	82.3-90.2
Some College	89.6	86.0-93.2
College Graduate	89.9	87.6-92.2
Less Than \$25,000	85.2	80.8-89.6
\$25,000 to \$49,999	87.3	83.5-91.1
\$50,000 to \$74,999	90.8	86.8-94.8
\$75,000 or More	91.4	88.5-94.3
Aged 18 to 24	78.7	73.5-83.9
Aged 25 to 34	86.9	84.1-89.7
Aged 35 to 44	90.6	88.4-92.8

NA = not available

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

Percentage of women aged 18 to 44 who report having a personal doctor or health care provider



Rate of Infant Mortality


Group	Value
White Race	4.2
Black Race	NA
Hispanic	NA

NA = not available

Subpopulation data only available for race/ethnicity

Number of infant deaths (before age 1) per 1,000 live births

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

**Rate of Teen Suicide**

Group	Value	95% CI
Whites	NA	NA
Blacks	NA	NA
Hispanic	NA	NA

NA = not available

Subpopulation data only available for race/ethnicity

Number of deaths by suicide per
100,000 adolescents aged 15 to 19
years

The figure shows the rate for each subpopulation as the distance a colored segment extends from the center. The dotted line shows the rate for the entire state. The greater the distance a segment is from the dotted line, the greater the inequity. If all were equal, the sunburst would be a perfect circle bordered by the dotted line.

U.S. Census Bureau	Y
American Community Survey	Y
Child Care Aware	Y
Centers for Disease Control and Prevention	Y
Breastfeeding Report Card	Y
Behavioral Risk Factor Surveillance System	Y
Pregnancy Risk Assessment Monitoring System	Y
National Center for Environmental Health	Y
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	Y
National Immunization Survey	Y
National Intimate Partner and Sexual Violence Survey	Y
National Survey of Children's Health	Y
National Survey of Children with Special Health Care Needs	Y
Water Fluoridation Reporting System	Y
Youth Risk Behavior Surveillance System	P
Guttmacher Institute	Y
National Alliance to End Homelessness	Y
National Center for Education Statistics	Y
National Survey on Drug Use and Health	Y
National Vital Statistics System	Y
Linked Birth/Infant Death Records	Y
Multiple Cause of Death	Y
Nativity	Y
United States Department of Agriculture	Y

Y = All data available

P = Data partially available

A = Alternative comparable data source

N = No data available